LUTEC
CONNECTED BY LIGHTING

2023
OUTDOOR LIGHTING
European Warehouse Portfolio

LUTEC China Head Office
CN8, Far-East Industry Park,
Yuyao, Zhejiang, China
+86-574-62760832
info@lutec.net

LUTEC Europe Regional Office
Herentalsebaan 425
2160 Wommelgem, Belgium
+32 3 284 51 62
info@lutec-europe.com

**LUTEC in Germany
Austria - Switzerland
ECO-LIGHT Leuchten GmbH**
+49 22 22 / 82 78 5-0
sales@eco-light.biz

LUTEC in France
Prof & Wholesale channel
LUTEC France S.A.S
+33 04 75 60 25 68
commande@lutec-france.fr

DIY & Specialist channel
COREP SAS
+33-05-56 49 96 00
contact@corep.com

LUTEC in Iberia
Prof & Specialist channel Spain
Silumin S.L.
+34 93 892 40 51
silumin@silumin.es

Prof & Specialist channel Portugal
Duarte Neves LDA
+351 219 668 100
info@duarteneves.pt

DIY & Garden channel
Spain & Portugal
BRIGHT and GO S.L.
+34 670 85 45 57
administracion@luteciberia.com

Canary Islands
Districan Luz
+34 928 791 179
info@districanluz.com

**LUTEC in Hungary-Slovenia-Croatia
Czech-Slovakia
LUTEC Lighting Kft**
+36 30 897 8494
Info@lutec.hu

**LUTEC in Belgium – The Netherlands
WEBRANDS Benelux**
+32 3 369 26 16
info@webrands.eu

**LUTEC in Italy
Lightec Srl.**
+39 031 3551342
info@lightecsrl.com

**LUTEC in Greece – Cyprus
Samba – Eliezer**
+30 2104820946
info@samba-eliezer.gr

**LUTEC in United Kingdom – Ireland
LUTEC UK Ltd**
+44 (0) 1992 760870
sales@lutecuk.com

**LUTEC in Denmark - Sweden –
Norway - Iceland
LOPE Group A/S**
+45 47 17 82 26
mail@lopegroup.dk

**LUTEC in Ukraine
Eurotrade**
+38 044 496 74 83
+38 067 507 02 30
sales@eurotrade.net.ua

**LUTEC in Poland
DELIGHTING Polska**
+48 61 4367 481
kontakt@delighting.pl

**LUTEC in Israel
Nisko Group LTD.**
+972-72-2400636
info@niskoelec.com

**LUTEC in United States – Canada
LUTEC USA LLC**
+(704) 980 4135
shelley.greenberg@lutec.net

**LUTEC in Iraq
Al-Riyad Group Co. Ltd.**
+964 782 2222033
info@alriyad.iq

**LUTEC in South Korea
Belko Co., Ltd**
+82 2 465 0603
belko@belko.co.kr

**LUTEC in Chile
Manufacturas Eléctricas ByP Ltda.**
+56 228 769 400
online@byp.cl

**China Central Warehouse in
Yuyao**

**European Central Warehouse
Bornem- Belgium**

LUTEC

CONNECTED BY LIGHTING

23

OUTDOOR LIGHTING

Hello,
nice to meet you
we are

LUTEC

CONNECTED BY LIGHTING

one LUTEC,
one lighting world

We believe outdoor lighting is a unique category with a vast number of specific requirements and challenges. Our aim is to provide creative solutions, innovative designs using quality materials and products.

At LUTEC we truly focus and comprehensively embrace exterior lighting.

Our categories include Architectural designs with creative forms of illumination. Functional products, combining tough materials with stylish appeal, Decorative products ranging from period classics to ultra modern shapes. Solar lighting that incorporates the latest trends alongside unique technologies, all to support the ever changing climates around the World.

LUTEC now leads the market in connected exterior lighting : LED Outdoor - LED Solar & LED Camera lights. Featuring products to secure your home and to enhance the appearance of any exterior, flexible mood lighting, colour changing, dimming, scene setting, all controlled via our Apps.

One world, different faces, different segments developed with the same concern of quality and efficiency.

discover what's new

Looking for special light effects

LUTEC is introducing a number of new contemporary outdoor items, each of them having a specific and distinctive light effect: Narrow light rays or wide beams, Charming glows, Powerful spots. Resulting in an appropriate answer to consumer's actual needs for their outdoor lighting installations.

A Swiss Army Knife Luminaire
The GOLETA is the hero of the new collection. Elegant wall & ceiling LED light with many options. Eccentric moveable head, Warm White light to Day light switch, Front light, Back Light or both. It's your choice.

Up & Down Lights Revisited
CYPRES & MARBO designs, showing updated possibilities for Up & Down lighting. Suitable for GU10 retrofit spot lights. The ideal solution to create distinctive light patterns for different applications around your house.

Extreme Flat Design
RIALTO wall light can be seen as the elegant combination of two GEMINI XF luminaires. Resulting in a wide powerful beam down and the option to choose for 3 different beam patterns up.

enjoy the solar side of light

LUTEC has a variety of different concepts covering the complete solar energy field. Recently some new attractive Solar outdoor LED lights were launched in the market.

No electricity consumption – No electric wiring
100% green renewable solar energy. Hassle free and super fast installation, avoid a costly electric wiring installation in your garden or around your house.

Classical lanterns
New in the range are the Solar versions of the well known traditional series FIA & FLAIR. Including a dedicated retrofit LED filament bulb suitable for low voltage Solar light fixtures.

Charming summer nights
KOZY & DIVA Solar table lights create a gentle and unique light pattern. Excellent to convert your garden table in a cosy family place . All night long!

Convenient, comfortable & personal
DIAS bollard light with spike is a nice extension in the LUTEC connect Solar range. The perfect model to create and program the desired outdoor atmosphere for every occasion. Enhanced by LUTEC connect dynamic CCT & RGB colour technology.

retrofit in a modern jacket

LUTEC is continuously extending it's offer Outdoor luminaires suitable for retrofit bulbs. This allows consumers to freely decide which LED lamp to install or replace.

Splendid light – versatile fixtures
New introduction of wall lights and bollard lights in different styles and materials featuring E27 & GU10 lamp holders.
(Bulbs not included – Except for Solar LED lights)

Towards Energy Class A
With the introduction of the new ERP regulations in September 2021, the bulbs industry is moving fast and steady towards Energy Class A retrofit bulbs for all available models.

LUTEC connect solution
In order to complete your luminaire, LUTEC offers the most common LED retrofit bulbs as a service range. The LUTEC bulbs come with the LUTEC connect feature and are available in E14, E27 & GU10 sockets. Both Filament and RGB bulbs are in the portfolio.

LUTEC new camera-lights: everything under control!

As market initiator, LUTEC is proud to present the 3th generation of the connected camera light range, replacing in full the first 2 generations.

Brilliant Lights & Superb Recordings
All-round range of decorative and functional camera light fixtures, powered for powerful lighting. High-definition video recording during day time and at night.

Fast connection and Stable streaming
Thanks to the combination of Bluetooth MESH and WIFI technologies: Quick and convenient start-up process. Secure and solid Audio and Video streaming to your smart phone or tablet, wherever you are.

Warm Welcome – Safe Home
With the LUTEC connect App, you can control all parameters and adjust all possible settings to assure a personal and comfortable environment for your family and your visitors in and around your home.

WITH
LUTEC connect
INSIDE

Bluetooth MESH + WiFi

always connected with your home

outdoor lighting

connected light

architectural

tradition

security

solar

functional

accessory

our 7 activity segments

CONNECTED LIGHT

make your
outdoor life
smarter

CONNECTED LIGHT

portable

NOMA
8506201331 / P27

NOMA
8506204331 / P27

PEPPER
8500102331 / P29

CARDI
6501702330/ P31

WITH
LUTEC connect
INSIDE

wall

CUBA
5193810118 / P35

DROPSI
5010901118/ P37

DROPA
5000501118 / P39

QUBO
5193004118 / P41

KIRA
5288909118 / P43

GEMINI
5189120118 / P45

WITH
LUTEC connect
INSIDE

spike

MINI LETO
6602903424 / P33

WITH
LUTEC connect
INSIDE

bollard

DROPA
7200501118 / P39

QUBO
7193003118 / P41

KIRA
7288906118/ P43

MAINS
7202201012/ P47

WITH
LUTEC connect
INSIDE

accessory

REMOTE CONTROL
9702315361/ P361

ACCESS BOX
9704401361/ P362

DAWNY
9760002330/ P365

WITH
LUTEC connect
INSIDE

19

make your outdoor life smarter

LUTEC connect

EASY TO CONNECT

Bluetooth MESH

Powered by **tuya**
Intelligence Inside

CONTROL AT YOUR FINGERTIPS

Control & Adjust your lights from your bedroom to your garden

control your light like magic

LUTEC has a great range of connected lights. You immediately set the mood in and around your home with the magic of coloured light. Once you have connected your lights to your mobile phone, you can play with light like it's a piece of cake.

CCT
adjustable whites

Dimming

4 shades of lights

Activity lights

Night   Reading   Relaxing

CCT+RGB
whites & colors

Dimming

Warm white to   Cool white

16 million colors

Activity lights

Night   Reading   Relaxing   Party

Fire   Ocean   Forest   Romance

Vary the intensity and white temperatures

By varying the white temperature, you can go from a soft and pleasant warm white for relaxing or enjoying an evening with friends, to a cooler white simulating daylight and providing more powerful lighting.

Light in color

You can create a festive atmosphere, transform your terrace into a cozy and pleasant space, enhance your garden decoration or simply choose your favorite scene. A color and mood for any time of day or night.

the LUTEC connect app
For a full smart lighting experience

CCT settings   RGB settings   Scenes

Download on the **App Store**

GET IT ON **Google Play**

Voice Control Compatible

works with **Hey Google**

WORKS WITH alexa

With additional Access Box

the 2 in 1 smart way
For an easy control

2 in 1 function

A standard wall switch will allow the luminaire to go from a warm light (2700k) with an additional click to a more intense daylight (4000k).

1 Click — 2700k Warm white

2 Clicks — 4000k Daylight

the smart remote control
With Double Integrated function

Simplicity is our promise, as nothing beats the convenience of remote control
Full functionality without Internet access
No Router & No Wifi required

Point & Play
in the room

Infra Red individual control

Control every light
Inside or outside the house

Bluetooth Group control

A

B

C

why Bluetooth Mesh ?

Full scalability towards all your indoor and outdoor living spaces

Bluetooth technology, the global standard for wireless connectivity, now supports mesh networking

Easy & stable connection
Long range indoor & outdoor
Connect up to 100 devices

Bluetooth® MESH

further on the experience

Add the WiFi LUTEC Connect Access Box to the Bluetooth mesh eco-system.
Allows the connection of the Bluetooth mesh ecosystem with your Wifi router at home

The complete LUTEC Connect lighting portfolio is Voice Control Compatible

works with **Hey Google**

Hey Google, turn on the light!

WORKS WITH **alexa**

Alexa, change the light in blue!

Indoor | **Outdoor**

20 m

20 m

50 m

Amazon Google

LUTEC connect

LUTEC Access Box

Via Cloud access you can control all the devices in your LUTEC Connect lighting network from anywhere out of home.

visit the dedicated website

to support and inspire our consumers in their experience

www.lutec-connect.world

LUTEC connect

noma
portable

NOMA is a modular, spheric light which can be used at any desired place indoor & outdoor. Create diverse coloured light scenes by means of App, Touch or Remote control.The starter kit comes with 2 light modules and a charger station (incl. USB cable) . Multiple extension possible with the NOMA+ additional module .

USB Rechargeable

1 - 2 - 3

noma+

additional module

smart lighting technology

Bluetooth MESH

CONTROL & ADJUST

touch control

6500K → 4000K

OFF

RGB

app control

charging

Dimming

Adjustable whites

2700 K — 6500 K

RGB

Activity lights

Night | Reading | Relaxing | Party

Fire | Ocean | Forest | Romance

White	**8506201331**	**8506204331**
	CLASS III	CLASS III
	IP44	IP44
	2×LED 2.3W	LED 2.3W
	1200mAh	1200mAh
	2×3.7V Li-ion battery	3.7V Li-ion battery
	2×150 Lumen	150 Lumen
	Synthetics	Synthetics
	F	F

183

85

100

85

100

WITH LUTEC connect INSIDE

WITH LUTEC connect INSIDE

pepper
portable

PEPPER is a modern, design award winning portable table lamp which is suitable both indoors and outdoors. It can be positioned, moved as desired and the brightness can be adjusted. The battery is easy to chargevia the USB connector and included charging cable. PEPPER invites you to lift it up and take it wherever you want. Take it on a picnic or create cozy lighting in your living room. PEPPER is made of hard plastic and is durable against wind and water.

1 - 2 - 3

USB Rechargeable

1	200lm(2700K)	3H
2	200lm(4500K)	3H
3	15lm(2700K)	48H
4		7H
5		OFF

☀ **Dimming** ☀

Adjustable whites

2700 K   6500 K

RGB

Activity lights

Night	Reading	Relaxing	Party
Fire	Ocean	Forest	Romance

Bluetooth MESH

CONTROL & ADJUST

White   **8500102331**

CLASS III
IP54
LED 4.5W
2200mAh 3.7V Li-ion battery
200 Lumen
Synthetics

G

218   290

Ø120

WITH **LUTEC** connect INSIDE

29

cardi

portable light

This portable LUTEC Cardi is a very versatile indoor and outdoor lamp. The lamp creates the perfect atmosphere in any space, but it can also be used more functionally. It is weatherproof and dimmable and features 16 million colours to brighten up any spot. Activate even more smart light functions with the access box. Control your lights hands free and use your voice instead of a mobile device!

USB Rechargeable

1	200lm(2700K)	3H
2	200lm(4500K)	3H
3	15lm(2700K)	48H
4		7H
5		OFF

smart lighting technology

Warm white

Cool white

Fire

Ocean

Romance

Forest

Bluetooth **MESH**

CONTROL & ADJUST

Matt Black **6501702330**

CLASS III
IP54
LED 3.3W
2200mAh 3.7V Li-ion battery
200 Lumen
Synthetics

173

Ø160

223

WITH LUTEC connect INSIDE

✳ **Dimming** ☀

Adjustable whites

2700 K — 6500 K

RGB

Activity lights

Night	Reading	Relaxing	Party

Fire	Ocean	Forest	Romance

mini leto
spike & wall

Give your garden extra atmosphere with this MINI LETO outdoor garden lighting. The integrated connected LED module will not only feature warm white or bright white light but any color you want. Two way installation possible.

320°

smart lighting technology

Bluetooth MESH

CONTROL & ADJUST

Dark Grey **6602903424**

CLASS II
IP65
LED 8W
400 Lumen
Die Cast Aluminium
F

134

332   1.5m

118

100°

WITH LUTEC connect INSIDE

☀ **Dimming** ☀

Adjustable whites

2700 K   6500 K

RGB

Activity lights

| Night | Reading | Relaxing | Party |

| Fire | Ocean | Forest | Romance |

cuba

wall

Rectangular, modern & versatile outdoor wall light with integrated connected LED module suitable for vertical and horizontal mounting. The light head with double diffuser can be rotated over 90°. Aslo available with motion sensor.

90° 90°

smart lighting technology

Bluetooth
MESH

CONTROL
& ADJUST

Dark Grey

5193810118

CLASS I
IP54
LED 15W
1000 Lumen
Die Cast Aluminium

90° 90°

256

144   93

303°

WITH
LUTEC
connect
INSIDE

☀ **Dimming** ☀

Adjustable whites

2700 K   6500 K

Night   Reading   Relaxing

90°   90°

dropsi

wall

Make your garden an inviting place with this contemporary DROPSI wall lamp. The movable spotlight head consists of a double diffuser that will accentuate your outdoor space and, in combination with the connected LED module, will create a very nice immersive effect.

90°

smart lighting technology

Bluetooth **MESH**

CONTROL & ADJUST

Dark Grey

5010901118

CLASS I
IP44
LED 9.5W
690 Lumen
Die Cast Aluminium
F

115
90°
Ø94

126°

WITH LUTEC connect INSIDE

Dimming

Adjustable whites
2700 K — 6500 K

RGB

Activity lights

Night | Reading | Relaxing | Party

Fire | Ocean | Forest | Romance

dropa

wall & bollard

The DROPA outdoor wall & bollard light in anthracite grey with integrated connected LED module is made of durable aluminium. The design consists of a double diffuser, one transparent and one opal, that will diffuse in a 360° radius for optimal illumination of paths and other outdoor areas.

smart lighting technology

Bluetooth MESH   CONTROL & ADJUST

Dark Grey

5000501118

CLASS II
IP44
LED 9.5W
500 Lumen
Die Cast Aluminium
F

112
260
82

WITH LUTEC connect INSIDE

7200501118

CLASS I
IP44
LED 9.5W
500 Lumen
Die Cast Aluminium
F

Ø82
590

WITH LUTEC connect INSIDE

Dimming

Adjustable whites

2700 K   6500 K

RGB

Activity lights

Night   Reading   Relaxing   Party

Fire   Ocean   Forest   Romance

▶ "Also available in non connected version"see page 95/97

Dimming
☀

Adjustable whites
2700 K — 6500 K

RGB

Activity lights

Night	Reading	Relaxing	Party
Fire	Ocean	Forest	Romance

qubo

wall & bollard

QUBO dark grey wall & bollard light diffuse a stunning homogenous connected light. Ideal for general lighting in your garden or terrace.

smart lighting technology

Bluetooth MESH   CONTROL & ADJUST

Dark Grey

5193004118

CLASS I
IP54
LED 16W
1000 Lumen
Die Cast Aluminium
F

220
71
110

123°   WITH LUTEC connect INSIDE

7193003118

CLASS I
IP54
LED 16W
1000Lumen
Die Cast Aluminium
F

93
750
110

123°   WITH LUTEC connect INSIDE

kira
wall & bollard

The KIRA outdoor connected LED wall & bollard light featuring a bended and frameless diffusor. Distributes a homogenous white light to illuminate walls, pathways and other open spaces around your home.

smart lighting technology

Bluetooth MESH

CONTROL & ADJUST

Dark Grey	
5288909118	**7288906118**
CLASS I	CLASS I
IP54	IP54
LED 19W	LED 19W
1200 Lumen	1200 Lumen
Die Cast Aluminium	Die Cast Aluminium

110

311

83

114

740

120

114°   114°

WITH LUTEC connect INSIDE

Dimming

Adjustable whites

2700 K   6500 K

Night   Reading   Relaxing

gemini

Wall Up & Down

Minimalistic die-cast wall light with a light output of 900 lumen, the light beam will cover the full surface in the two directions. This elegant 'brick' light in dark grey ensures a perfect light beam thanks to the connected LED module.

smart lighting technology

Bluetooth® MESH | CONTROL & ADJUST

Dark Grey

5189120118

CLASS I
IP54
LED 17W
900 Lumen
Die Cast Aluminium
F

220
85
103

148°
148°

WITH LUTEC connect INSIDE

▶ "Also available in non connected version" see page 141

Dimming

Adjustable whites
2700 K — 6500 K

RGB

Activity lights

Night | Reading | Relaxing | Party

Fire | Ocean | Forest | Romance

45

mains
bollard

The MAINS bollard socket light, with integrated Cloud access box, facilitates away-from-home control for all the devices in your LUTEC connect network. Convenient full control with the LUTEC connect App including Timer function. Or basic touch control with light on/off button. Comes with two side-earth sockets. Total power supply up to 3500W.

smart lighting technology

Bluetooth MESH + WiFi   CONTROL & ADJUST

Matt Black

7202201012

CLASS I
IP44
LED 11W
750 Lumen
16A – Max. 3500W
Die Cast Aluminium

F

3000K

80

367

80

Type F socket

WITH LUTEC connect INSIDE

touch control

Light on/off

app control

timer function

ARCHITECTURAL

light up
your garden
in style

ARCHITECTURAL

wall

CONROY
5107001118 / P57

CUBA
5193811118 / P59

CUBA
5193801118 / P61

CUBA
5193801012 / P61

CUBA
5193808118 / P61

CUBA
5193803118 / P65

CUBA
5193803012 / P65

CUBA
5193814118 / P65

FELE
5196301118 / P69

EKLIPS
5199001118 / P71

CYRA
5198101118 / P73

CYRA
5198102118 / P73

TRUMPET
5626001118 / P75

TRUMPET
5626101125 / P75

EXPLORER
6609202118 / P77

PANO
5289001118 / P79

NEW
MOON
5206001118 / P81

POLO
5205701118 / P83

POLO
5205702118 / P83

MERIDIAN
5616302118 / P85

GHOST
5188003118 / P87

APOLLO
5188801118 / P89

KIRA
5288902118 / P91

KIRA
5288903118 / P91

QUBO
5195401118/ P93

NEW
QUBO
5195404118/ P93

QUBO
5193001118 / P95

NEW
QUBO
5193013118 / P95

QUBO
5193002118 / P95

DOBLO
5197002125 / P99

DOBLO
5105001125 / P101

DOBLO
5105002125 / P101

DOBLO
5105003125 / P103

DOBLO
5107401125 / P103

ADALYN
5193602118 / P105

BATI
5188601125 / P107

BATI
5188602125 / P107

NEW
HEROS
5288201118 / P111

NEW
HEROS
5288202118 / P111

BOX CUBE
5184601118 / P113

FULTON
5207601012 / P115

CITY
5183601118 / P117

URBAN
5196501118 / P119

LOTUS
5193201118 / P121

NEW
GRIDY
5289401469 / P123

GEMINI BEAMS
5104005118 / P125

GEMINI BEAMS
5104003012 / P125

GEMINI BEAMS
5104003032 / P125

GEMINI BEAMS
5104006012 / P127

ARCHITECTURAL

RIALTO
5287901012 / P129

GEMINI XF
5104001118 / P131

GEMINI XF
5104002012 / P131

GEMINI XF
5104004001 / P131

GEMINI
5189114118 / P135

GEMINI
5189125012 / P135

GEMINI
6389101118 / P137

GEMINI
6389102012 / P137

GEMINI
5189102118 / P139

GEMINI
5189113118 / P139

GEMINI
5189102032 / P139

GEMINI
5189103118 / P139

GEMINI
5189135118 / P139

GEMINI
5189101118 / P141

GEMINI
5189112118 / P141

GEMINI
5189112012 / P141

GEMINI
5189104118 / P143

BONN
6330401118 / P145

BONN
6330402001 / P145

MAYA
5198302001 / P147

MAYA
5198401001 / P147

RAN
5011701461 / P149

VIDAR
5011602461 / P151

LEO
5192701335 / P153

LEO
5192701330 / P153

BRUND
5206701012 / P155

MARBO
5288001118 / P157

CYPRES
6604001118 / P159

CYPRES
6604002118 / P159

CYPRES
6604003118 / P161

RIDGE
5107101118 / P163

FOCUS
5604021001 / P165

FOCUS
5604011118 / P167

FOCUS
5604101118 / P167

FOCUS
5604014118 / P169

FOCUS
5604023118 / P171

FOCUS
5604023012 / P171

FOCUS
5604023112 / P171

FOCUS
5605013118 / P175

BULLO
6383001012 / P177

HELENA
6402105012 / P191

HELENA
6402101118 / P191

HELENA
5191605012 / P193

HELENA
5191601118 / P193

HELENA
5191602118 / P193

ARCHITECTURAL

wall & ceiling

FOCUS
6304201118 / P173

ROLA
6382201118 / P179

ROLA
6382201012 / P179

TITAN
6336201118 / P181

KAYAH *NEW*
6392202457 / P183

SWEEP
6303401118 / P185

GOLETA *NEW*
5205801012 / P187

SEINE
6338201118 / P189

HELENA
5102101118 / P193

spike

EXPLORER
6609201118 / P77

bollard

CONROY
7207001118 / P57

CUBA
7193801118 / P63

CUBA
7193803118 / P63

CUBA
7193802118 / P67

CUBA
7193802012 / P67

CUBA
7193805118 / P67

FELE
7196301118 / P69

PANO
7289001118 / P79

POLO
7105701118 / P83

KIRA
7288902118 / P91

QUBO
7193001118 / P97

QUBO
7193004118 / P97

BATI
7188601125 / P109

HEROS *NEW*
7288201118 / P111

FULTON
7207601012 / P115

GEMINI XF
7104001118 / P133

GEMINI XF
7104002012 / P133

CYPRES *NEW*
6604004118 / P161

FOCUS
7204803118 / P173

MAINS
9702201012 / P197

MAINS
9702202012 / P197

MAINS
9702203012 / P197

IN

OUT

230°

230°

conroy

wall & bollard

What makes the CONROY wall & bollard light very multifunctional is its rotatable light components. You can shine these up or down and play with the light. The lamp comes with an integrated LED, which shines warm white light of 3000K.

230°

230°

Dark Grey	**5107001118**	**7207001118**
	CLASS I	CLASS I
	IP44	IP44
	LED 17.8W	LED 17.8W
	1300 Lumen	1300 Lumen
	Die Cast Aluminium	Die Cast Aluminium
	F	F
	3000K	3000K

230°
155
97
225

230°
155
225
715

107°

107°

57

cuba

---

wall

Modern & versatile outdoor wall light with integrated LED module. The light head with double diffuser can be rotated over 90° and is equipped with a motion sensor and powerful lightbeam of more than 1000 lumen.

90°　90°

| Dark Grey | **5193811118** |

CLASS I
IP54
LED 14W
1000 Lumen
Die Cast Aluminium

D

3000K

90° 90°

308

146   93

LUX   TIME

303°   120°   0-10 m   2.5 m

59

cuba

wall

Modern & versatile wall lights suitable for vertical and horizontal mounting. The 2 light heads can be rotated over 350°, resulting in up – down or side light effects. Available with a warm white and daylight white integrated LED module.

350°

BLACK edition

reddot design award
winner 2019

| Matt Black | **5193801012** |
| Dark Grey | **5193801118** |

5193801118

CLASS I
IP54
LED 12.2Wx2
1000 Lumen
Die Cast Aluminium
F

3000K

260° 90° 100
213
147 — 100

150°

5193808118

CLASS I
IP54
LED 12.2Wx2
1000 Lumen
Die Cast Aluminium
F

4000K

260° 90° 100
213
147 — 100

150°

61

cuba

bollard

This modern outdoor bollard is your best friend and companion. With its 75cm the CUBA bollard leads you along the darkest paths. And that's not all, it's available with a warm white and daylight white integrated LED module. Both versions will create an excellent atmosphere.

350°

Dark Grey

7193801118	7193803118
CLASS I	CLASS I
IP54	IP54
LED 12.2Wx2	LED 12.2Wx2
900 Lumen	900 Lumen
Die Cast Aluminium	Die Cast Aluminium
F	F
3000K	4000K

237
260°
90°
750
110
150°

237
260°
90°
750
110
150°

350°

63

cuba

wall

CUBA, design award winning LED light, now available in a one head version with warm light or daylight integrated LED module.
Resulting in a compact solution providing the same superb lighting effects and orienation flexibility.

350°

BLACK edition

350°

Matt Black	**5193803012**	
Dark Grey	**5193803118**	**5193814118**

CLASS I	CLASS I
IP54	IP54
LED 12.2W	LED 12.2W
500 Lumen	500 Lumen
Die Cast Aluminium	Die Cast Aluminium
F	F
3000K	4000K

260°   90°   116   148   100

138°

260°   90°   116   148   100

138°

cuba

bollard

Our award-winning bollard version of the CUBA features one orientable head. This model is also available with an integrated side earth socket.

350°

BLACK edition

Type F socket

350°

Integrated Dusk to Dawn Sensor

| Matt Black | 7193802012 |
| Dark Grey | 7193802118 |

CLASS I
IP54
LED 12.2W
500 Lumen
Die Cast Aluminium

F

3000K

260°
90°

137

750

110

138°

7193805118

CLASS I
IP54
LED 12.2W
500 Lumen
16A – Max. 3500W
Die Cast Aluminium

F

3000K

137

90°
260°

750

110

138°

Fele

wall & bollard

Wall & bollard light FELE brings outdoor lighting with an architectural value, including rotatable head. FELE wall light fits perfectly at your front door, the head can give an up or down powerfull lightbeam. A combination of technical excellence and tasteful design.

320°

320°

Dark Grey	**5196301118**	**7196301118**
	CLASS I	CLASS I
	IP54	IP54
	LED 13.5W	LED 13.5W
	1000 Lumen	1000 Lumen
	Die Cast Aluminium	Die Cast Aluminium
	E	E
	3000K	3000K

200
50
160
320°

320°
700
75 200

113°

113°

69

eklips

wall

Multi purpose LED Outdoor wall light with two half-moon shape diffusors. You can turn these two lightheads over an angle of 90°, creating a combination of an Up & Down light, a wall washer or a frontal light effect.

90°
90°

Dark Grey | **5199001118**

CLASS I
IP54
LED 13W
1000 Lumen
Aluminium+Synthetics
F

3000K

146
90
Ø161
Ø161

137°

90°
90°

cyra

wall

Tubular wall light with a combination of anthracite grey aluminium body and opal white diffuser. The two moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or a frontal diffuse lightbeam. Comes also in a motion sensor version.

350°

InMotion
Security Sensor Light

InMotion
Security Sensor Light

Dark Grey	**5198101118**	**5198102118**
	CLASS I	CLASS I
	IP54	IP54
	LED 16.1W	LED 16.5W
	950 Lumen	1000 Lumen
	Die Cast Aluminium	Die Cast Aluminium
	F	F
	3000K	3000K

260° 90°
Ø78
245
120
155°

260° 90°
Ø78
245
120
155° 180° 0-17 m 2,5 m

LUX TIME

350°

350°

trumpet

wall

Accentuate your outdoor places with this powerful LED wall light with moveable spothead. Now also available in small version with a light output of 600 lumen.

90°

Dark Grey	**5626001118**	**5626101125**
	CLASS I	CLASS I
	IP54	IP54
	LED 10W	LED 6.7W
	900 Lumen	600 Lumen
	Die Cast Aluminium	Aluminium+Synthetics
	E	D
	4000K	4000K

Ø94 — 90°
Ø93

Ø87 — 90°
Ø85

108°

114°

explorer
wall & spike

Elegant and compact spotlight orientable horizontally and vertically, featuring a warm white LED light beam. The separate spot-cap can be used to direct the light beam to avoid any glare. Available in wall version and spike version with wire and plug.

145°
350°

Dark Grey	**6609202118**	**6609201118**
	CLASS I	CLASS I
	IP54	IP54
	LED 5.9W	LED 5.9W
	380 Lumen	380 Lumen
	Die Cast Aluminium	Die Cast Aluminium
	F	F
	3000K	3000K

136
118
107

Ø80
405
1.5m

90.5
430
91
1.5m

102°
102°

77

pano

wall & bollard

An elegant LED Outdoor wall & Bollard light with an ultra flat , frameless diffuror. Comes with an integrated adjustable colour switch. You can tune the light colour from warm white to cool white in a very convenient way.

Dark Grey	**5289001118**	**7289001118**
	CLASS I	CLASS I
	IP54	IP54
	LED 17.5W	LED 17.5W
	1300 Lumen	1300 Lumen
	Die Cast Aluminium	Die Cast Aluminium
	3000K-5000K	3000K-5000K

130
190
40
140
116°

160 156
635
200
116°

moon

wall

Elegant LED Outdoor wall light with downlight function. Your frontdoor area or garden wall will light up completely thanks to the powerful light beam. The cylindric white synthetic diffusor creates a nice homogenous daylight or warm white light. Convenient control thanks to the manual switch (3000K/4000K).

FAST CONNECTION

Dark Grey **5206001118**

CLASS I
IP44
LED 11.1W
1000 Lumen
Die Cast Aluminium

3000K/4000K

217
96
160

80°

81

polo

wall & bollard

A touch of modern simplicity and an enchanting light for your garden or patio. The POLO wall light & bollard made of aluminum offers a downward-facing, bright beam of warm-white LED light, making it ideal for lighting your outdoor spaces. The wall light model comes also with motion sensor , perfectly integrated in the luminaire base.

FAST CONNECTION

IN   OUT

Dark Grey

5205701118	**5205702118**	**7105701118**
CLASS I	CLASS I	CLASS I
IP54	IP54	IP54
LED 15W	LED 16.1W	LED 15W
1100 Lumen	1100 Lumen	1100 Lumen
Die Cast Aluminium	Die Cast Aluminium	Die Cast Aluminium
F	F	F
3000K	3000K	3000K

Ø180
164
162
117°

Ø180
164
162
117°
120°
0-10 m
2.5 m
LUX
TIME

Ø180
650
162
117°

meridian

wall

Elegant combination of anthracite grey aluminium body and opal white polycarbonate diffuser. Small sized wall light gives a strong diffused light and a design statement in your garden.

Dark Grey **5616302118**

CLASS I
IP54
LED 16W
1100 Lumen
Die Cast Aluminium

3000K

Ø180
266
177

120°

ghost

wall

Very sleek oval design which discretely gives an indirect light, resulting in a distinctive beam pattern.

IN
OUT

Dark Grey | **5188003118**

CLASS I
IP54
LED 7.5W
360 Lumen
Die Cast Aluminium

F

4000K

134
70
264

86°

apollo

wall

Wall light with an optimal light combination. The narrow light beam shows a visually striking effect and the front diffusor radiates a homogeneous warm white LED light without any shadow. Ideal companion next to your front door.

Dark Grey **5188801118**

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminium

3000K

60
210
180

100°

89

kira

wall & bollard

The KIRA outdoor LED wall & bollard light featuring a bended and frameless diffusor, distributes a homogenous white light (4000K) to illuminate walls, pathways and other open spaces around your home.

Dark Grey	5288902118	5288903118	7288902118
	CLASS I	CLASS I	CLASS I
	IP54	IP54	IP54
	LED 17.3W	LED 18W	LED 17.3W
	1100 Lumen	1100 Lumen	1100 Lumen
	Die Cast Aluminium	Die Cast Aluminium	Die Cast Aluminium
	E	F	E
	4000K	4000K	4000K

qubo

wall

Modern small outdoor wall light creating a stunning atmosphere while making an architectural statement ideal for general lighting in your garden or on your terrace.

5195401118	5195404118
CLASS I	CLASS I
IP54	IP54
LED 9.5W	LED 9.5W
650 Lumen	850 Lumen
Die Cast Aluminium	Die Cast Aluminium

3000K

4000K

72 · 140 · 140

72 · 140 · 140

114°

114°

qubo

wall

Wall light creating a stunning atmosphere while making an architectural statement. Ideal for general lighting around your house, in your garden or on your terrace. Also available with fully adjustable PIR motion sensor.

InMotion
Security Sensor Light

Dark Grey	**5193001118**	**5193013118**	**5193002118**
	CLASS I	CLASS I	CLASS I
	IP54	IP54	IP54
	LED 17.3W	LED 17.3W	LED 14W
	1100 Lumen	1300 Lumen	800 Lumen
	Die Cast Aluminium	Die Cast Aluminium	Die Cast Aluminium
	E	E	F
	3000K	4000K	3000K

71
220
110

71
220
110

110 — 76
270
124° 180° 0-18 m 2.5 m
LUX TIME

124°

124°

qubo
bollard

QUBO dark grey bollard diffuse a stunning homogenous light. Ideal for general lighting in your garden or terrace. This model is now also available with integrated PIR motion sensor

Dark Grey	**7193001118**	**7193004118**
	CLASS I	CLASS I
	IP54	IP54
	LED 17.3W	LED 17W
	1100 Lumen	1000 Lumen
	Die Cast Aluminium	Die Cast Aluminium
	E	F
	3000K	3000K

93

750

110

124°

750

93 1.10

124°   120°   0-10 m   2.5 m

LUX   TIME

doblo

wall

This LED wall light in anthracite grey sits in a cubic holder made of durable die cast aluminium. The elegant design catches the eye and radiates powerful rays of warm white light that illuminate the wall.

Dark Grey **5197002125**

CLASS I
IP54
LED 14.5W
1100 Lumen
Die Cast Aluminium

3000K

├— 100 —┤

110

├— 110 —┤

◁ 168° ▷

doblo

wall

This medium square DOBLO is available with 2 different kelvins, a warm white and a daylight white light. Both are anthracite grey wall lights and sit in a cubic holder made of durable die cast aluminium.

Dark Grey	**5105001125**	**5105002125**
	CLASS I	CLASS I
	IP54	IP54
	LED 19.1W	LED 19.1W
	1500 Lumen	1500 Lumen
	Die Cast Aluminium	Die Cast Aluminium
	3000K	4000K

150 · 150 · 150

241°   241°

doblo

wall

The DOBLO flat models, beside the square version, now also available in a long version suitable for horizontal or vertical mounting. The elegant design radiates a powerful cool white light of 2200 lumen.

FAST CONNECTION

Dark Grey	**5105003125**	**5107401125**
	CLASS I	CLASS I
	IP54	IP54
	LED 19.1W	LED 34W
	1500 Lumen	2200 Lumen
	Die Cast Aluminium	Die Cast Aluminium
	E	F
	4000K	4000K

150
150
80
137°

100
80
350
145°

adalyn

wall

This compact wall light will turn your garden into an intimate place and welcomes you at home. Smooth radiation of warm white LED light.

Dark Grey **5193602118**

CLASS I
IP44
LED 10.2W
600 Lumen
Die Cast Aluminium

F

3000K

105
200
70

197°

bati

wall

Modern & stylish wall light with integrated LED light and optional PIR sensor. Ideal for your front door or garden walls.

Dark Grey	**5188601125**	**5188602125**
	CLASS I	CLASS I
	IP44	IP44
	LED 13W	LED 15W
	1100 Lumen	1100 Lumen
	Die Cast Aluminium	Die Cast Aluminium
	F	F
	4000K	4000K

141
292
80

141
292
80

145° 120° 0-12 m 2.5 m

LUX TIME

146°

bati

bollard

Modern and stylish bollard with integrated LED light source. Ideal for your driveway or garden path in a multiple installation .

7188601125

CLASS I
IP44
LED 13W
1100 Lumen
Die Cast Aluminium

F

4000K

650

Ø82

146°

heros

wall & bollard

HEROS the evergreen cylindrical LED Outdoor Light. Robust yet subtle, thanks to the double transparent and white ribbed polycarbonate diffusor. The HEROS family consists of a wall light, a wall light with a perfectly integrated PIR sensor and a bollard with a convenient 360° light beam. Suitable for E27 retrofit bulbs, not included.

FAST CONNECTION

Dark Grey	**5288201118**	**5288202118**	**7288201118**
	CLASS I	CLASS I	CLASS I
	IP44	IP44	IP44
	E27 LED Max.15W	E27 LED Max.15W	E27 LED Max.15W
	Die Cast Aluminium	Die Cast Aluminium	Die Cast Aluminium

96 — 120
262

96 — 120
262

Ø96
700

120°   0-10 m   2,5 m

LUX   TIME

box cube

wall

Striking form fits in all your contemporary garden spaces. The opal impact proof diffuser offers the perfect homogeneous light without any shadows. Elegant construction with no screws on the surface. The E27 Edison fitting is suitable for all kind of retrofit bulbs.

FAST CONNECTION

IN

OUT

Dark Grey	**5184601118**

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium

171
165
165

fulton

wall & bollard

An evergreen concept catches the eye. FULTON wall & bollard series with retrofit solution feel right at home in your garden. The robust design with multiple bars attracts the attention in any outdoor space.

FAST CONNECTION

IN OUT

Matt Black	**5207601012**	**7207601012**
	CLASS I	CLASS I
	IP54	IP54
	E27 Max.40W	E27 Max.40W
	Die Cast Aluminium	Die Cast Aluminium

130
243
100

160
~130
750
170

115

city

wall

Large size and robust wall light, fit to lighten large areas both in public or private places. The impact proof polycarbonate diffusor in combination with the sturdy die cast aluminum frame will make this fixture destruction proof.

Dark Grey | **5183601118**

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium

111
350
120

urban

wall

GU10 retrofit LED Outdoor dark grey wall light, suitable for the newest smart bulbs. The invisible lightbulb creates a subtle light effect on your external walls.

Dark Grey	**5196501118**

CLASS II
IP54
GU10 LED Max.7W
Die Cast Aluminium

92
220
124

lotus

wall

Captivating design with a beautiful up & down light effect. This elegant wall light is the perfect addition to your entry door.

5193201118

CLASS I
IP54
LED 11W
500 Lumen
Die Cast Aluminium

F ▶

3000K

180
140
64

32°
52°

gridy

wall

Compact LED Outdoor wall light with grill design. Can be used in horizontal and vertical position. Ideal to create lovely patterns on garden walls in double or triple installation. Comes in the actual colour: mat white

White **5289401469**

CLASS I
IP54
LED 14.5W
700 Lumen
Die Cast Aluminium

F

3000K

110 74
110

93°

123

gemini beams

wall

The GEMINI BEAMS Up & Down wall light comes with a new adjustable light beams option. The built-in mechanical ring with diaphragms can be adjustated to 4 different patterns. These will create beautiful light patterns on your exterior walls. Now also available in white.

Beam your way !

IN / OUT

Matt Black	**5104003012**		
White	**5104003032**	Dark Grey	**5104005118**

CLASS I
IP54
LED 10W
400 Lumen
Die Cast Aluminium
F

3000K

110
54 — 110

CLASS I
IP54
LED 10W
400 Lumen
Die Cast Aluminium
F

4000K

110
54 — 110

96° 21° 30° 106°
30° 96° 106°

96° 21° 30° 106°
30° 96° 106°

gemini beams

wall

The GEMINI BEAMS Up & Down wall light comes with a new adjustable light beams option. The built-in mechanical ring with diaphragms can be adjustated to 4 different patterns. These will create beautiful light patterns on your exterior walls. New in the range is the matt black rounded version.

BLACK edition

Beam your way !

IN **OUT**

| Matt Black | **5104006012** |

CLASS I
IP54
LED 10W
400 Lumen
Die Cast Aluminium

F

3000K

110
73
110

96°
21°
30°
106°

30°
96°
106°

rialto

wall

RIALTO , LED Outdoor Up & Down light can be seen as the elegant combination of two extra flat square forms.   The light up is adjustable to 3 different patterns ,thanks to the mechanical built-in ring with diaphragms.

BLACK edition

Beam your way !

FAST CONNECTION

IN

OUT

| Matt Black | **5287901012** |

CLASS I
IP44
LED 14.8W
850 Lumen
Die Cast Aluminium

3000K

195
64
195

80° 100°   30° 100°   18° 21° 18° 100°

gemini xF

wall

New member of the GEMINI family is the GEMINI XF, this extra Flat downlight version is very convenient for single or multiple installation. A powerful, white LED light of 800 lumens is emitted by this compact and flat wall light. Available in 3 different versions.

BLACK edition

Dark Grey **5104001118**	Matt Black **5104002012**	S/S **5104004001**
CLASS I	CLASS I	CLASS I
IP54	IP54	IP54
LED 9.5W	LED 9.5W	LED 9.5W
750 Lumen	750 Lumen	750 Lumen
Die Cast Aluminium	Die Cast Aluminium	Stainless Steel
F	F	F
4000K	3000K	4000K
110 / 38 / 110	110 / 38 / 110	110 / 38 / 110
79°	79°	79°

gemini xf

bollard

The bollard GEMINI XF is perfect to install along you garden paths as there is no sky pollution thanks to the one direction powerful light beam. XF stands for "EXTRA FLAT"

BLACK edition

Dark Grey	7104001118	Matt Black	7104002012
CLASS I		CLASS I	
IP54		IP54	
LED 9.5W		LED 9.5W	
750 Lumen		750 Lumen	
Die Cast Aluminium		Die Cast Aluminium	
F		F	
4000K		3000K	

~92

650

110

79°

~92

650

110

79°

gemini

wall

A small square version is new in our offer. Inside this mini cube a strong LED light engine (850 lumen) radiates a perfectly symmetrical up & down beam.

BLACK edition

Dark Grey **5189114118**	Matt Black **5189125012**
CLASS I	CLASS I
IP54	IP54
LED 9W	LED 9W
850 Lumen	850 Lumen
Die Cast Aluminium	Die Cast Aluminium
F	F
4000K	3000K

88
85
86

88
85
86

180°
180°

180°
180°

gemini

ceiling

The GEMINI ceiling has a minimalistic design, the elegant brick light radiates a perfect light beam. This small ceiling version is available in 2 different colors and with 2 different kelvins, a warm white and a daylight white light.

BLACK edition

FAST CONNECTION

IN
OUT

Dark Grey	**6389101118**	Matt Black	**6389102012**
	CLASS I		CLASS I
	IP65		IP65
	LED 7W		LED 7W
	750 Lumen		750 Lumen
	Die Cast Aluminium		Die Cast Aluminium
	4000K		3000K

85
85
85

85
85
85

97°

97°

gemini

wall

Minimalistic design but great light output. This elegant "brick" light in die-cast aluminum radiates a perfect bi-directional beam. Next to the actual finishes: dark grey, white and stainless steel, we introduce now a brand new version in an imitation wood look.

Wood Look	**5189135118**	
Dark Grey	**5189102118**	5189113118
White	**5189102032**	
S/S	**5189103118**	

CLASS I	CLASS I
IP54	IP54
LED 10.5W	LED 10.5W
700 Lumen	700 Lumen
Die Cast Aluminium	Die Cast Aluminium
F	F
4000K	3000K
140	140
65	65
89	89
166° 166°	166° 166°

gemini
wall

The medium version is very convenient for an installation on larger external wall or entrances. Thanks to the light output of 1230 lumen the light beam will cover the full surface in two directions. Available in warm white (3000K) and in daylight (4000K) execution.

BLACK edition

IN

OUT

| Matt Black | | **5189112012** |
| Dark Grey | **5189101118** | 5189112118 |

CLASS I	CLASS I
IP54	IP54
LED 21W	LED 21W
1230 Lumen	1230 Lumen
Die Cast Aluminium	Die Cast Aluminium
F	F
4000K	3000K

220
85
103

220
85
103

143°
143°

143°
143°

141

gemini

wall

The large version in this family is very convenient for an installation at a certain height for larger external walls or entrances. Thanks to a light output of more than 3000 lumen, the light beam will cover the full surface in two directions.

IN

OUT

Dark Grey   **5189104118**

CLASS I
IP54
LED 46W
3300 Lumen
Die Cast Aluminium

4000K

300
120
108

146°
146°

bonn

wall

This elegant anthracite or stainless steel wall light fits in perfectly with your contemporary outdoor surrounding. It creates a perfect bi-directional light effect on your walls. The small vertical window in the front adds to the character. The traditional E27 fitting is suitable for energy saving bulbs but also for the latest LED retro-fit bulbs.

Dark Grey	**6330401118**	S/S	**6330402001**

CLASS I	CLASS II
IP54	IP44
E27 Max.60W	E27 Max.40W
Die Cast Aluminium	Stainless Steel

135 120 250

123 110 265

maya

wall

This small Up & Down wall light in Aluminium with stainless steel cover has a timeless design and is slim and efficient. Rectangular version comes with motion sensor.

InMotion
Security Sensor Light

S/S

5198302001	**5198401001**
CLASS I	CLASS I
IP44	IP44
LED 14.5W	LED 18.5W
1000 Lumen	1200 Lumen
Stainless Steel	Stainless Steel
F	F
3000K	3000K

65
108
180

68
175
150

132°
132°
180°
0-10 m
2.5 m

LUX   TIME

178°
178°

147

ran

wall

RAN is an Extreme Climate Proof wall light with a hot galvanized body, perfectly suitable for installation at coastal areas. They come with a 15 years anti-corrosion guaranty. Offering a unique lighting experience from top, bottom and front view. Retrofit 2xGU10 solution, bulbs are not included.

Galvanised **5011701461**

CLASS II
IP54
GU10 Max.2*35W
Metal

115
254
83

FAST CONNECTION

IN
OUT

TREATMENT AGAINST CORROSION
www.lutec.com/warranty

YEAR
15
WARRANTY

vidar

wall

VIDAR is an Extreme Climate Proof square wall light with a hot galvanized body, perfectly suitable for installation at coastal areas. They come with a 15 years anti-corrosion guaranty. Offering a unique lighting experience from top, bottom and front view. Retrofit E27 solution, bulb is not included.

Galvanised **5011602461**

CLASS II
IP54
E27 Max.40W
Metal

250
110
113

FAST CONNECTION

IN
OUT

TREATMENT AGAINST CORROSION
www.lutec.com/warranty

YEAR 15 WARRANTY

leo

wall

Magical wall light. Features a strong light beam up & down and a vertical light-strip in the front. The effect will be amplified in a multiple arrangement.

BLACK edition

| Matt Black | **5192701330** |
| Dark Grey | **5192701335** |

CLASS I
IP54
LED 14.5W
750 Lumen
Die Cast Aluminium

3000K

87.5
300
66
146°
146°

brund

wall

BRUND is a modern Up & Down wall light. The double asymmetric conic form stands for a tasteful addition to your garden or home. It comes wit a double GU10 fitting, bulbs are not included.

FAST CONNECTION

IN

OUT

Matt Black	**5206701012**

CLASS I
IP44
GU10 LED Max.2*15W
Die Cast Aluminium

218

143   161

marbo

wall

Up & Down LED light revisited, MARBO shows an updated and fresh design, combining round and square geometric elements. Suitable for GU10 retrofit spot lights. The ideal solution to create distinctive light patterns around your house.

Dark Grey **5288001118**

CLASS I
IP44
GU10 LED Max.2*15W
Die Cast Aluminium

140
140
80

FAST CONNECTION

IN
OUT

cypres

wall

CYPRES designs showing updated possibilities for Up & Down LED lighting. Thanks to the adjustable heads, you can create distinctive and perfectly positioned light patterns on the outdoor walls of your house. Suitable for GU10 retrofit spot lights, not included.

20° 20°

FAST CONNECTION

IN

OUT

20° 20°

Dark Grey	**6604001118**	**6604002118**
	CLASS I	CLASS I
	IP44	IP44
	GU10 LED Max.7W	GU10 LED Max.2*7W
	Die Cast Aluminium	Die Cast Aluminium

109 96
107
20° 20°

96
20° 20°
202
20° 20°
109

cypres

wall & bollard

CYPRES designs showing updated possibilities for Down LED lighting. Thanks to the adjustable double heads, the wall and bollard model will create distinctive and perfectly positioned light patterns on the outdoor walls and pathways around your house. Suitable for GU10 retrofit spot lights, not included.

20° 20° 20° 20°

FAST CONNECTION

IN

OUT

Dark Grey

6604003118

CLASS I
IP44
GU10 LED Max.2*7W
Die Cast Aluminium

173 — 88
107
20°20° 20° 20°

6604004118

CLASS I
IP44
GU10 LED Max.2*7W
Die Cast Aluminium

173 — 130
20°20° 20°20°
750
77 — 110

ridge
wall

The RIDGE is a dark grey wall lamp with Up & Down light made of aluminum. The lamp is finished with opal diffusors which give a nice spread of light. The modern design is a tasteful addition to your garden or home. This lamp has two GU10 fittings.

Dark Grey   **5107101118**

CLASS I
IP54
GU10 Max.2*25W
Die Cast Aluminium

106
235
81

FAST CONNECTION

focus

---

wall

Round shapes in premium stainless steel showing a soft & shiny appearance. The correct position of the GU10 bulb will guarantee the perfect light pattern for this wall washer.

S/S **5604021001**

CLASS I
IP44
GU10 Max.2*35W
Stainless Steel

89

225

102

focus

---

wall

Heavy duty die-cast aluminum versions available in anthracite color in combination with clear glass diffusors, giving a robust construction and a perfect light radiation both functional as decorative.

Dark Grey	**5604011118**	**5604101118**
	CLASS I	CLASS I
	IP44	IP44
	GU10 Max.2*35W	GU10 Max.35W
	Die Cast Aluminium	Die Cast Aluminium

109

235 150

110

109

150

110

focus

---

wall

Evergreen FOCUS design, Up & Down Outdoor LED wall light, now also available with movement detection. The black and compact PIR sensor is perfectly integrated in the housing. Time and Twilight setting manually adjustable.

Dark Grey   **5604014118**

CLASS I
IP44
GU10 LED Max.2*7W
Die Cast Aluminium

96
239
110

120°   0-10 m   2.5 m

LUX   TIME

**FAST
CONNECTION**

focus

---

wall

FOCUS, Up & Down wall light, comes now in a Dusk to Dawn execution. The D2D sensor is perfectly integrated in the evergreen and original LUTEC design.

Matt Black	**5604023012**
Silver Grey	**5604023112**
Dark Grey	**5604023118**

CLASS I
IP44
GU10 Max.2*35W
Die Cast Aluminium

109
150 235
110

Integrated Dusk to Dawn Sensor

IN
OUT

focus

ceiling & bollard

Cylindrical versions with the very typical single or double horizontal light glow. This range is equipped with a traditional GU10 fitting and are suitable for retrofit LED bulbs.

Dark Grey	**6304201118**	**7204803118**
	CLASS I	CLASS I
	IP44	IP44
	GU10 Max.35W	GU10 Max.35W
	Die Cast Aluminium	Die Cast Aluminium

Ø100
102

Ø101
400
Ø160

focus

wall

Square execution in die-cast aluminum, with an integrated LED engine comes in a downlight version and in an up & down light version.

Dark Grey **5605013118**

CLASS I
IP44
LED 8.3W
500 Lumen
Die Cast Aluminium

F

4000K

109
235
65 110

42°
42°

bullo

wall

LED Outdoor aluminium wall & ceiling light, in a modern interpretation of the classic bullseye design. Radiates a homogenous an strong warm white light.

Dark Grey **6383001118**

CLASS I
IP54
LED 14.5W
1100 Lumen
Die Cast Aluminium

F

3000K

102   86

193

135°

rola

wall & ceiling

The round ROLA outdoor wall lamp in dark grey and mat black colour with integrated LED and warm white light has a decorative frame in aluminum. An elegant wall & ceiling decoration that illuminates your outdoor spaces.

BLACK edition

| Matt Black | **6382201012** |
| Dark Grey | **6382201118** |

CLASS I
IP54
LED 13W
800 Lumen
Die Cast Aluminium

3000K

Ø183
48

114°

x

titan

wall & ceiling

Medium sized wall & ceiling light with a decorative aluminium cover creating the desired effect for the location. With traditional Edison fitting, it is suitable for energy saving bulbs, up to 60W. Easy installation with a standard loop in loop out wiring option.

Dark Grey **6336201118**

CLASS I
IP54
E27 Max.60W
Die Cast Aluminium

Ø260

95

IN
OUT

kayah

wall & ceiling

Medium sized wall & ceiling LED light with an robust aluminium ring. The opal impact proof polycarbonate diffusor creates an homogenous yet super powerful warm white light. Perfect for corridors with a higher ceiling.

Dark Grey **6392202457**

CLASS I
IP54
LED 16.5W
1250 Lumen
Die Cast Aluminium

3000K

Ø305

40

109°

FAST CONNECTION

sweep

wall & ceiling

The SWEEP LED outdoor ceiling light with its powerful LEDs provides absolutely reliable, energy-efficient and glare-free lighting for outdoor applications. With its modern and simple design, it hardly stands out, but provides safe lighting in the evening and at night. Armed with an integrated manual switch to select the desired colour temperature. Warm White or Cool White.

Dark Grey   **6303401118**

CLASS I
IP54
LED 23.5W
1600 Lumen
Die Cast Aluminium

3000K/4000K

Ø260

55

114°

3000K

4000K

FAST CONNECTION

IN

OUT

goleta
wall & ceiling

GOLETA LED Outdoor Ceiling light combines a flat and contemporary design with a number of convenient options. Integrated manual switch to select Warm White or Cool White light.   Powerful and homogenous light glow in the front and subtle light glow on the back. Seperately controllable with the standard room switch.

320°

FAST CONNECTION

IN

OUT

3000K

4000K

Dark Grey   **5205801012**

CLASS I
IP44
LED 24.3W
1700 Lumen
Die Cast Aluminium
Ⓓ

3000K/4000K

370
320°
Ø300
Ø260
63
117°

187

seine

wall & ceiling

Robust heavy duty die-cast aluminium fixture. This large model with two traditional E27 fittings, is suitable for different kind of retrofit bulbs offering a very powerful light output. The soft glowing light effect to the back creates a "floating" impression. Ideal for creating a safe atmosphere around your home at night.

Dark Grey **6338201118**

CLASS I
IP54
E27 2*20W CFL
Die Cast Aluminium

83
300
185

IN
OUT

helena

wall

Small orientation wall light with opal diffusor is very convenient for a built-on installation. Thickness of the luminaire is only 31mm. No more hassle to make a hole in your garden wall. Available in 2 different combinations: matt black /3000K and dark grey/4000K.

BLACK edition

Matt Black	**6402105012**	Dark Grey	**6402101118**

CLASS I	CLASS I
IP54	IP54
LED 4.5W	LED 4.5W
200 Lumen	200 Lumen
Die Cast Aluminium	Die Cast Aluminium

3000K

4000K

31.5 · 101 · 101

31.5 · 101 · 101

112°

112°

helena

wall & ceiling

The outdoor Helena LED wall and ceiling light sits in a large and elegant die cast aluminum frame. This extra slim design will illuminate your outdoor space and give a strong & homogeneous light output. Can be combined with HELENA rectangular & square wall lights.

Dark Grey | **5102101118**

CLASS I
IP54
LED 21.5W
1500 Lumen
Die Cast Aluminium

4000K

36
220
220

110°

helena

wall

Orientation wall light with opal diffuser or directed down light. Very convenient built-on installation. Thickness of the luminaire is not more than 30mm. No more hassle to make a hole in your garden walls.

BLACK edition

Matt Black **5191605012**	Dark Grey **5191601118**	**5191602118**
CLASS I	CLASS I	CLASS I
IP54	IP54	IP54
LED 11W	LED 11W	LED 11W
450 Lumen	450 Lumen	450 Lumen
Die Cast Aluminium	Die Cast Aluminium	Die Cast Aluminium
F	F	F
3000K	4000K	4000K
230 / 101 / 32	230 / 101 / 32	230 / 101 / 32
113°	113°	87°

mains

These dark grey outdoor power supply sockets in die cast aluminium are very easy to install and provide your entire garden with energy, so you can enjoy your outdoor space . Comes with side earth or pin earth version. Total power supply up to 3500W. Small bollard with one socket with side earth

Matt Black	**9702201012**	**9702202012**	**9702203012**
	CLASS I	CLASS I	CLASS I
	IP54	IP54	IP54
	16A – Max.3500W	16A – Max.3500W	16A – Max.3500W
	Die Cast Aluminium	Die Cast Aluminium	Die Cast Aluminium

80 80
310

Type F socket

80 80
310

Type E socket

80 80
241

Type F socket

TRADITION

there's a
new tradition

TRADITION

wall

SHIVA	ZAGO	FIA	WEST	PINE	FLAIR	FLAIR	FLAIR	FLAIR
5206501012 / P203	5294502012 / P205	5290903012 / P207	5207901012 / P209	5296602012 / P211	5288801012 / P213	5288802012 / P213	5288814012 / P215	5288803012 / P215

FLAIR	KELSEY	KELSEY	KELSEY	KELSEY	CATE
5288804012 / P215	5273701012 / P219	5273702012 / P219	5273601012 / P219	5273603012 / P219	5264201213 / P225

bollard

FIA	PINE	KELSEY	FLAIR	KELSEY	CATE
7290901012 / P207	7196601012 / P211	7273604012 / P221	7288801012 / P217	7273605012 / P223	7264210213 / P225

FIA	PINE	KELSEY	CATE
7290903012 / P207	7196603012 / P211	7273606012 / P223	7264230213 / P225

portable   **pendant**

FLAIR	KELSEY
6588801012 / P217	6273601012 / P221

shiva

wall

Elegant, stylish and yet contemporary. SHIVA is a wall light for outdoor spaces. Its rustic form with reference to the classical lantern goes hand in hand with a modern finish and a characteristic artisanal touch. Clear transparent glass.

suitable for smartbulb

Matt Black **5206501012**

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium

spare glass
9705518000

IN

OUT

184

174 — 127

zago

wall

Inspired by the old-fashioned carriage lamp model, this ZAGO outdoor lamp will create a warm and atmospheric atmosphere in your garden. Thanks to the black coating of the frame, it can handle any weather. Clear transparent glass.

suitable for smartbulb

Matt Black **5294502012**

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium

spare glass 9705516000
9705517000

163
199
160

**FAST
CONNECTION**

IN

OUT

Fia

wall & bollard

This classic lamp with a rustic shape and clear glass gives a refined touch to your outdoor spaces. Ideal in combination with newest "filament" retrofit E27 LED bulbs. The new small bollard and big 3-light lantern post makes the FIA family complete.

suitable for smartbulb

Matt Black

5290903012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium

spare glass
9705514000

216
160   140

7290901012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium

spare glass
9705514000

120   140
338
Ø110

7290903012

CLASS I
IP44
3*E27 Max.40W
Die Cast Aluminium

spare glass
9705514000

424x424
1868

west

wall

WEST is a wall down lantern, perfectly matching with your front door or garden shed. Elegant combination of the matt black open frame and the clear cylindric glass. You can apply the newest E27 filament LED bulbs, now available in all forms & shades. (bulb not included)

suitable for smartbulb

Matt Black　**5207901012**

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium

spare glass
9788802000

160
288
199

FAST CONNECTION

pine

wall & bollard

The stylish outdoor light PINE, combines a rustic touch with contemporary shapes. This family for outdoor is pure elegance thanks to a mix of high-end aluminium with sleek lines and the shapes of the clear glass that protects the light bulb. This medium size lantern sits perfectly at your front door, alongside your terrace or can accentuate a façade.

suitable for smartbulb

Matt Black

5296602012	**7196601012**	**7196603012**
CLASS I	CLASS I	CLASS I
IP44	IP44	IP44
E27 Max.40W	E27 Max.40W	3*E27 Max.40W
Die Cast Aluminium	Die Cast Aluminium	Die Cast Aluminium
spare glass 9705519000	spare glass 9705519000	spare glass 9705519000

FAST CONNECTION

187
402
122

120 120
426
Ø110

420x420
1986

211

flair

wall

The FLAIR lantern family in cottage style gives you the possibility to create a diverse lighting design in your garden & around your house in the same style. In combination with LED filament retrofit bulbs you will create a perfect cosy & safe atmosphere.

suitable for smartbulb

Matt Black	**5288801012**	**5288802012**
	CLASS I	CLASS I
	IP44	IP44
	E27 Max.40W	E27 Max.40W
	Die Cast Aluminium	Die Cast Aluminium
	spare glass 9788801000	spare glass 9788801000

120
313
172

120
313
172

LUX   TIME   DISTANCE

120°   0-7 m   2.5 m

DESIGN AWARD 2020

flair

small wall & double wall

These two wall lanterns will create extra possibilities to work out the desired luminaires design around your home and beside your entry doors. Comes also with E27 fitting suitable for the newest filament LED bulbs.

suitable for smartbulb

Wood Look
Matt Black

5288814012
5288803012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium

spare glass
9788801000

5288804012

CLASS I
IP44
2*E27 Max.40W
Die Cast Aluminium

spare glass
9788802000

120
260
139

120
393
172

flair

portable & bollard

The portable version, with an 1.5 meter outdoor wire and plug, will create a cosy atmosphere on your garden tables & terraces. The bollard makes the FLAIR family complete. Also these two executions are suitable for E27 filament LED retrofit bulbs.

suitable for smartbulb

Matt Black	**6588801012**	**7288801012**
	CLASS I	CLASS I
	IP44	IP44
	E27 Max.40W	E27 Max.40W
	Die Cast Aluminium	Die Cast Aluminium
	spare glass 9788801000	spare glass 9788801000

120 — 120
272
1.5 m

120 — 120
750

217

kelsey

wall

Give your outdoor spaces an intimate look and feel with this complete outdoor light family. While using the newest "filament" retrofit LED bulbs with your KELSEY wall lights, you will create a charming atmosphere on your outside walls. Available with 2 different types of glass, water glass and clear glass diffuser.

suitable for smartbulb

	Matt Black	5273701012	5273601012
	Water Glass		
	Matt Black	5273702012	5273603012
	Clear Glass		

5273702012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium

spare glass
9705501000
9705502000
9705506000
9705508000

5273603012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium

spare glass
9705503000
9705508000

120
200
120

185
265
170

kelsey

bollard & Pendant

KELSEY pedestal and the new introduced pendant can be applied to complete your light plans and create a charming and warm atmosphere on your terrace or patio.

suitable for smartbulb

Matt Black	**7273604012**	**6273601012**
Clear Glass		
	CLASS I	CLASS I
	IP44	IP44
	E27 Max.40W	E27 Max.40W
	Die Cast Aluminium	Die Cast Aluminium
	spare glass 9705508000	spare glass 9705508000

150
400
170

906
170
143 271

kelsey

bollard

While using the newest "filament" retrofit LED bulbs with your KELSEY bollards, you will create a charming atmosphere along your garden paths. Available with 2 different types of glass, water glass and clear glass diffuser.

suitable for smartbulb

Matt Black	**7273605012**	**7273606012**
Clear Glass		
	CLASS I	CLASS I
	IP44	IP44
	E27 Max.40W	3*E27 Max.40W
	Die Cast Aluminium	Die Cast Aluminium
	spare glass	spare glass
	9705508000	9705508000

150
1035
170

560
1910

223

cate

wall & bollard

This complete family with an authentic feel will turn your garden into a cozy & warm atmosphere, while using the newest "filament" LED bulbs.

suitable for smartbulb

Matt Black	**5264201213**	**7264210213**	**7264230213**
	CLASS I	CLASS I	CLASS I
	IP44	IP44	IP44
	E27 Max.60W	E27 Max.60W	3*E27 Max.60W
	Die Cast Aluminium	Die Cast Aluminium	Die Cast Aluminium

spare glass 9705505000

spare glass 9705505000

spare glass 9705505000

225

SOLAR

enjoy the solar
side of light

SOLAR

smart solar

TUDA
6935501330 / P235

TUDA
6935502330 / P237

FRAN
6941502330 / P241

FADI
6939501330 / P243

GINBO
6938405330 / P239

KARLO
6935802012 / P245

DIAS
6996601012 / P247

WITH LUTEC connect INSIDE

portable

POPS
6910901012 / P251

POPPY
6910802335 / P253

DIVA
6938602330 / P255

KOZY
6933701330 / P257

TABLE CUBE
6908001337 / P259

TABLE CUBE
6908001331 / P259

DRAGONFLY
6904101337 / P261

DRAGONFLY
6904101331 / P261

wall integrated panel

MOZE
6943101012 / P263

TRY
6939101330 / P265

ARROW
6910601335 / P267

BRICK
6908501308 / P269

BUBBLE
6908701001 / P271

DISO
6906702335 / P273

MOON
6906001118 / P275

DOBLO
6940101125 / P277

DOBLO
6943701125 / P279

DOBLO
6943801125 / P281

CURTIS
6934601118 / P283

FIA
6990901012 / P285

FLAIR
6988804012 / P287

GHOST SOLAR
6901401337 / P289

TILLY
6901201000 / P291

bollard integrated panel

DISO
6906703335 / P273

FLAIR
6988802012 / P287

LONDON
6951301189 / P293

flood independent panel

SUNSHINE
6925701345 / P295

SUNSHINE
6925604345 / P295

SUNSHINE
6925601345 / P297

LUTEC
SOLAR

WITH
LUTEC connect
INSIDE

finally solar lighting
becoming smart!

Bluetooth® **MESH**

| **solar** | **+** | **connected** |

solar
- ☑ Energy Saving
- ☑ Easy installation no wires needed
- ☑ Higher lumen output
- ☑ Long life solar battery

connected
- ☑ Easy to install, connect and control
- ☑ Fast & Stable bluetooth connection
- ☑ Lights are connected to each other via Bluetooth Mesh
- ☑ Range up to 50m
- ☑ Adjustable light settings
- ☑ Control by smart phone or motion sensor

Control and adjust your SOLAR lights

Switch your lights on or off, dim your lights, change the temperature or the color according to your mood.

CONTROL & ADJUST   LIGHT OUTPUT

High tech Low energy

Easy to control solar lights for better efficiency and comfort.

RANGE DETECTION   DUSK & DAWN   BATTERY LEVEL

Create Groups for more convenience

Control all your lights at once! Easy and fast set up, you can add or delete any light from the group.

Manage the battery life

Check the battery level at any time. At low battery levels, switch easily from ON to PIR or OFF mode.

AUTONOMY   BATTERY LEVEL

CHARGE 100%

800 Lumen → 90 Minutes

80 Lumen → 8 Hours

Control and adjust your SOLAR lights

With the LUTEC connect App you can switch your lights On/Off,dim or change the color temperature easily.

The led color feature available in either the bollard or spike, allows you to create your own personalised garden atmosphere, desiging your outdoor space in style with colors or dedicated scenes.

Create Groups for more convenience

From first detection at your driveway or path create a group which allows all lights to illuminate

Create a group with the Solar connect light through the APP.
Thanks to Bluetooth MESH the lights can be easily linked and work simultaneously.

① Detection   ② All solar lights ON

Bluetooth® MESH

High tech Low energy

Within the application you can select OFF-AUTO-ON mode. SelectIng AUTO mode activates the movement sensor, which enables the light to come on only when someone is passing and increases battery life from a single charge.

From the sensor menu you can :
• Activate the detection from near to the sensor to further away
• Set Twilight mode from dusk to dawn
• Choose light reaction time from 10 seconds to 3 minutes
• Constant light : Additional option to set your light output at 20% and also duration from 2 to 8 hours.

Manage the battery life

This feature enables you to quickly check the battery level.
You can decide to increase or decrease the brightness or switch to AUTO mode or even Off, allowing full user control.

| CHARGE 100% | **800** Lumen → **90** Minutes |
| | **80** Lumen → **8** Hours |

**Visit our dedicated website
which supports
and inspires
our consumers
with their experience**

www.lutec-connect.world

Powered by
tuya
Intelligence Inside

Download on the
App Store

GET IT ON
Google Play

233

tuda

integrated panel

TUDA LED outdoor wall light is a highly efficient light source. It provides light 365 days a year because it is equipped with a highly efficient solar panel and a powerful rechargeable battery. This allows a completely powerless installation. The integrated sensor ensures that the light is automatically switched on when the PIR sensor detects an approaching person.

OFF · ON

2W monocrystalline

CONTROL & ADJUST

Bluetooth MESH

Matt Black **6935501330**

CLASS III
IP44
LED 8.5W
2*2200mAh 3.7V Li-ion battery
1000 Lumen
Synthetics

Battery
Item nr:9759804000

111
192
180

33°   120°   0-10 m   2,5 m

WITH LUTEC connect INSIDE

Dimming*

Adjustable whites

2700 K   6500 K

Instant full light
* Dimmable via the app and voice control

WITH LUTEC connect INSIDE

tuda

integrated panel

TUDA LED outdoor wall light is a highly efficient light source. It provides light 365 days a year because it is equipped with a highly efficient solar panel and a powerful rechargeable battery. This allows a completely powerless installation. The integrated sensor ensures that the light is automatically switched on when the PIR sensor detects an approaching person. Available with three adjustable heads.

OFF → ON

2W monocrystalline

CONTROL & ADJUST

Bluetooth MESH

Matt Black **6935502330**

CLASS III
IP44
LED 13W
2*2200mAh 3.7V Li-ion battery
1500 Lumen
Synthetics

Battery
Item nr:9759804000

321
117
209

Dimming*

Adjustable whites

2700 K   6500 K

☀ **Instant full light**
* Dimmable via the app and voice control

WITH LUTEC connect INSIDE

58°   120°   0-10 m   2.5 m

WITH LUTEC connect INSIDE

237

ginbo
wall & spike

The GINBO Solar lamp is good for the environment. This lamp works on solar energy! In addition, it has a modern look and fit every garden or balcony. Furthermore, it also gives exactly the light you want. Thanks to the free app you can adjust color and intensity and even save scenes. From the comfort of your own home!

0.8W monocrystalline

OFF ON

Bluetooth MESH

CONTROL & ADJUST

Matt Black | **6938405330**

CLASS III
IP44
LED 7W
2200mAh 3.7V Li-ion battery
500 Lumen
Synthetics

Battery
Item nr:9759804000

109 — 155

86

93°   120°   0-10 m   2.5 m

WITH LUTEC connect INSIDE

☀ **Dimming*** ☀

Adjustable whites

2700 K   6500 K

RGB

☀ **Instant full light**

* Dimmable via the app or voice control

fran

integrated panel

FRAN is a cordless, solar wall light in a modern and minimalist design. It is charged by sunlight during the day, and turns on automatically when detecting motion. The light is perfect for illuminating your main entrance, driveway or other areas with a lot of traffic. Easy installation with no cables needed. Thanks to the connected module you can light your outdoor space completely to your personal taste via the free app.

OFF   ON

1.5W monocrystalline

CONTROL & ADJUST

Bluetooth MESH

Matt Black   **6941502330**

CLASS III
IP44
LED 9.7W
2200mAh 3.7V Li-ion battery
800 Lumen
Synthetics

Battery
Item nr:9759804000

91
79
180

150°   120°   2-10 m   2.5 m

WITH LUTEC connect INSIDE

Dimming*

Adjustable whites

2700 K	6500 K

❊ **Instant full light**
 * Dimmable via the app and voice control

WITH LUTEC connect INSIDE

Fadi

integrated panel

Solar connected wall light FADI has a sleek and modern look. The wall lamp has a convenient sensor which will automatically turn on when it gets dark. Can be used as fence lighting or facade lighting. Thanks to the connected module you can light your outdoor space completely to your personal taste via the free app. During the day the lamp will charge itself by means of the solar panel, so that in the evening and at night you can enjoy the cozy warm white light in your garden.

OFF **ON**

1.5W monocrystalline

Dimming*

Adjustable whites

2700 K — 6500 K

❈ **Instant full light**
* Dimmable via the app and voice control

WITH LUTEC connect INSIDE

Matt Black   **6939501330**

CLASS III
IP54
LED 5W
2200mAh 3.7V Li-ion battery
800 Lumen
Synthetics

🔋 Battery
Item nr:9759804000

180
43
105

345°   120°   2-10 m   2.5 m   WITH LUTEC connect INSIDE

karlo

bollard & spike

The modern garden pathway light KARLO is a beautiful solar lamp that can be used wirelessly anywhere outdoors. The garden path light gets its energy from the solar panel at the head of the fixture. The integrated LEDs shines and reliably illuminate the path. Thanks to the integrated motion detector, light is always available when a person approaches the luminaire. In this way, dark paths from the garage to the house can be illuminated effectively and safely.

OFF ON

1W
monocrystalline

Bluetooth MESH

CONTROL & ADJUST

Matt Black | **6935802012**

CLASS III
IP44
LED 6.8W
2200mAh 3.7V Li-ion battery
500 Lumen
Synthetics

Battery
Item nr:9759804000

Ø130

450

173

174°   120°   0-8 m

WITH LUTEC connect INSIDE

Dimming*

Adjustable whites

2700 K   6500 K

RGB

❋ **Instant full light**

* Dimmable via the app or voice control

WITH LUTEC connect INSIDE

dias

bollard & spike

DIAS bollard LED Solar light with spike is a nice extension in the LUTEC connect Solar range. The perfect model to create and program the desired atmosphere for every occasion in your garden or on your terrace. Enhanced by LUTEC connect dynamic CCT & RGB colour technology.

OFF — ON

2W monocrystalline

Bluetooth MESH

CONTROL & ADJUST

Matt Black **6996601012**

CLASS III
IP44
LED 8.4W
2200mAh 3.7VDC Li-ion battery
900 Lumen
Die Cast Aluminium

Battery
Item nr:9759804000

122 122

484

0-10 m

2.5 m

120°

WITH LUTEC connect INSIDE

Dimming*

Adjustable whites

2700 K   6500 K

RGB

☀ **Instant full light**
* Dimmable via the app or voice control

WITH LUTEC connect INSIDE

complete lighting solution: green & convenient

Solar Energy, no electricity consumption

Full comfort Autonomy all night long

Portable

No electrical wiring, no connection to the mains

Clever & multiple control options

Integrated solar panel

Powerful LED Light

Easy and fast installation

Separate Solar panel

nice to know

DAY

Solar Energy Battery Energy

NIGHT

Battery Energy Light Output

Longer light or more powerfull light

HIGH / LOW

MEDIUM / MEDIUM

LOW / HIGH

High efficiency monocrystalline or polycrystalline solarpanel

LED module with strong light output: 100 lumen up to 500 lumen

Li-ion rechargeable battery included

Integrated dusk to dawn sensor, automatic switch to light-on during night

Weatherproof materials and finishing

how to choose

solar panel
Integrated
Compact, no extra wiring

Separate
Higher solar energy capacity

orientation of solar panel
Fixed
The luminaire should be placed in the most optimal position; south orientation

Adjustable
The panel can be oriented in the most efficient position; south orientation (tilt angle 35° in summer - 65° in winter)

orientation of LED light
Fixed
Diffuse light - Up & down light

Adjustable
Directional spotlight

clever control
PIR motion sensor
Smart use of the available solar energy
Always light when somebody is passing

High-Medium-Low switch
Personalized choice to come to ideal combination of light output and autonomy

DIM
The Light stays in low brightness all night and turns to high brightness when it detects motion.

OFF / ON

pops

portable post

POPS LED Solar portable post. Starightforward design with dividable post and elegant white donut shaped diffusor. The big solar panel guarantees a powerful light during the night. Executed with a High-Medium-Low push switch giving you you the possibility to extend the autonomy. The extra USB connection can be used for extra charging of the batteries.

USB Rechargeable

4W monocrystalline

1 - 2 - 3

| 1	480lm	7h
2	240lm	21.5h
3	48lm	34h
4		off

Matt Black | **6910901012**

CLASS III
IP54
LED 5.1W
1*4400mAh 3.7VDC
Li-ion battery
480 Lumen
Synthetics

3000K

Battery
Item nr:9759805000

Ø300
1735
Ø280

251

poppy

portable post

All in one Solar lighting solution. Trendy & convenient design. Listen to your favourite music on your terrace or in your garden during a lovely summer night.

1 - 2 - 3

6W
monocrystalline

| 1	300lm	6h
2	150lm	11h
3	50lm	32h
4		oFF

Dark Grey **6910802335**

CLASS III
IP54
LED 8W
1*4400mAh 3.7V
Li-ion battery
300 Lumen
Synthetics

3000K

Battery
Item nr:9759805000

Ø380

1900

455   475

121°

Bluetooth

POPPY

diva

portable

DIVA LED Solar table lights create a gentle and unique light pattern, thanks to the faceted transparant diffusor. Excellent to transfer your garden table in a magical surrounding. All night long!

0.36W
monocrystalline

2-Pack

1	13lm	10h
2		oFF

Matt Black | **6938602330**

CLASS III
IP44
LED 0.11W
1*900mAh 1.2VDC Ni-MH battery
13 Lumen
Synthetics

4000K

110
82

255

kozy

portable

KOZY LED Solar table light creates a gentle and unique ray of lights . Excellent to convert your garden table or terrace in a cosy family place. All night long!

USB Rechargeable

1W polycrystalline

1 - 2 - 3

1	300lm	2.5h
2	150lm	5h
3	30lm	25h
4		off

Matt Black **6933701330**

CLASS III
IP44
LED 2.8W
1*1500mAh 3.7VDC Li-ion battery
300 Lumen
Synthetics

4000K

Battery
Item nr:9759808000

Ø137

186

table cube

portable

Handy & movable outdoor solar table light. The 3 step dimmer will always give you the right atmosphere in combination with a suffcient autonomy. With the touch dimmer you can dim the white light .

1W
polycrystalline

1 - 2 - 3

|		
1	100lm	4h
2	40lm	10h
3	10lm	40h
4		off

Silver	**6908001337**
White	**6908001331**

CLASS III
IP44
LED 1W
1*1200mAh 3.7V Li-ion battery
100 Lumen
Synthetics

3000K

Battery
Item nr:9759806000

120 120
130
179°

259

IP44 Water Resistant

Touch Dimmer

DESIGN AWARD — iF

dragonfly
portable

In the "open" position this portable solar lamp will accumulate sucient solar energy during the daytime or alternatively be charged through a built-in USB connector and included cable. In closed position it will give an inviting light when it is dark. Comes with 3 step dimmer. Available in white and silver colours.

USB Rechargeable

2*0.8W polycrystalline

1 - 2 - 3

| 1	120lm	4h
2	50lm	10h
3	10lm	40h
4		off

Silver	**6904101337**
White	**6904101331**

CLASS III
IP54
LED 1.2W
1*2200mAh 3.7V Li-ion battery
120 Lumen
Synthetics

4000K

Battery
Item nr:9759804000

281.5

233°   Ø102

moze

integrated panel

A sleek design, the MOZE outdoor solar wall lighting is not only functional, but also a treat for the eye - during the day and in the evening. The built-in motion sensor assures you a welcoming light. The integrated LED makes it ideal for illuminating a path, but also to create the right mood on your terrace.

1 - 2 - 3

90°

OFF   ON

1.5W polycrystalline

1	75times	AUTO
2	75times	DIM
3	10H	on
4		off

Matt Black

6943101012

CLASS III
IP44
LED 8W
1*1500mAh 3.7V Li-ion battery
1000 Lumen
Synthetics

4000K

Battery
Item nr:9759808000

140 150

195

87°   120°   0-10 m   ~2.5 m

90°

try

integrated panel

This outdoor SOLAR with integrated solar panels combines a simple functional design with a high user-friendliness. This Try wall light works without a power connection: you can easily install it in your garden or as mood lighting next to your front door. Thanks to the built-in motion sensor, it lights up automatically. An extra feature of this new design is the dim switch.

|		
1	100times	AUTO
2	100times	DIM
3	10H	on
4		off

Matt Black   **6939101330**

CLASS III
IP54
LED 8W
1*1500mAh 3.7V Li-ion battery
500 Lumen
Synthetics

5000K

Battery
Item nr:9759808000

125
69
118

114°   120°   0-10 m   2.5 m

arrow

integrated panel

Very compact Solar wall light. The small size and light weight assures an easy mounting on the smallest surfaces. Sensor-switched and executed with an inclined solar panel for a better sunlight capture.

1W
polycrystalline

1	160times	on
2		off

Dark Grey **6910601335**

CLASS III
IP44
LED 2.3W
1*1200mAh 3.7V Li-ion battery
180 Lumen
Synthetics

5000K

Battery
Item nr:9759806000

176
109
74

84°   120°   0-12 m   2,3 m

267

brick

integrated panel

Minimalistic design, easy installation on all different surfaces. Elegant built-in motion sensor with wide angle and large reach will capture every movement. Time & Light sensitivity regulation possible with levers at the inside.

1.5W
polycrystalline

| 1	120times	AUTO
2	2h	on
3		off

S/S **6908501308**

CLASS III
IP44
LED 2W
1*2200mAh 3.7V Li-ion battery
150 Lumen
Synthetics

4000K

Battery
Item nr:9759804000

180
48
95

62°   120°   3-12 m   2.5 m

bubble

integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The elegant design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch.

1.5W
polycrystalline

1	190times	AUTO
2	3h	on
3		off

S/S

6908701001

CLASS III
IP44
LED 2.3W
1*2200mAh 3.7V Li-ion battery
200 Lumen
Synthetics

4000K

Battery
Item nr:9759804000

218   ^125
126

117°   120°   0-12 m   2.5 m

diso

integrated panel

Solar panel is perfectly integrated in the ingenious design. Ready to capture the full sunlight. Moveable head will orientate the light beam to the desired spot. The wall version comes with a PIR motion sensor which assures you a power full light any time someone is passing. Bollard version mountable with screws or with included ground spike.

1.5W polycrystalline

1	130 times	AUTO
2	2h	on
3		off

1	200lm	2h
2	100lm	5h
3		off

Dark Grey	**6906702335**	**6906703335**

6906702335

CLASS III
IP44
LED 2W
1*2200mAh 3.7V
Li-ion battery
200 Lumen
Synthetics

4000K

Battery
Item nr:9759804000

175
125
160

96°   120°   1-8 m   2.5 m

6906703335

CLASS III
IP44
LED 2W
1*2200mAh 3.7V
Li-ion battery
200 Lumen
Synthetics

4000K

Battery
Item nr:9759804000

175
450
150

79°

moon

integrated panel

Elegant LED Outdoor Solar wall light with downlight function. Your frontdoor area or garden wall will light up completely thanks to the powerfull light beam. The cylindric white synthetic diffusor creates a nice homogenous cool white light. Integrated switch with AUTO (with motion sensor) - DIMming - ON (permament light) - OFF function.

1 - 2 - 3

OFF   ON

1.7W
monocrystalline

1	100times	AUTO
2	100times	DIM
3	15H	on
4		off

Dark Grey   **6906001118**

CLASS III
IP44
LED 9.5W
1*2200mAh 3.7VDC Li-ion battery
1000 Lumen
Synthetics

4000K

Battery
Item nr:9759804000

217
96
160

80°   120°   0-10 m   2,5 m

doblo

integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The elegant design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch.

1W monocrystalline

1	100times	AUTO
2	100times	DIM
3	10H	on
4		off

**Dark Grey**   **6940101125**

CLASS III
IP54
LED 7.5W
1*1500mAh 3.7V Li-ion battery
500 Lumen
Die Cast Aluminium

4000K

Battery
Item nr:9759808000

110 110
129

187°   120°   0-10 m   2.5 m

doblo

integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The modern design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch. Available in two different sizes.

1.5W monocrystalline

1	100times	AUTO
2	100times	DIM
3	10H	on
4		off

6943701125

CLASS III
IP44
LED 12W
1*1500mAh 3.7V Li-ion battery
1000 Lumen
Die Cast Aluminium

4000K

Battery
Item nr:9759808000

150 90
170

129°   120°   0-10 m   2.5 m

doblo

integrated panel

Despite its modest shape, the LED outdoor wall light DOBLO appears to be extremely practical. A solar panel on the luminaire generates electricity from sunlight, which is stored in a rechargeable battery. You can choose between four settings. The LEDs are installed behind the rectangular diffuser and emit universal white light in all directions.

1 - 2 - 3

OFF → ON

3W monocrystalline

1	60times	AUTO
2	60times	DIM
3	10H	on
4		off

Dark Grey **6943801125**

CLASS III
IP54
LED 16.5W
2*1500mAh 3.7V Li-ion battery
1800 Lumen
Die Cast Aluminium

4000K

Battery
Item nr:9759808000

91   350
90 70

138°   110°   0-8.5m   2.5 m

curtis

integrated panel

LED Solar wall light, with an opal diffusor and square aluminium frame.
The integrated PIR motion sensor will capture all movement and assures a powerfull warm white light when somebody is passing throughout the night.

1W polycrystalline

1	140times	AUTO
2	5.5h	on
3		off

Dark Grey **6934601118**

CLASS III
IP54
LED 3W
1*1200mAh 3.7V Li-ion battery
300 Lumen
Synthetics

3000K

Battery
Item nr:9759806000

165
190
95

120° 120° 0-12 m 2.5 m

fia

integrated panel

The FIA solar LED wall light is the perfect companion of the FIA traditional electrified range. Now, you've the option to mount this model on places without an electicity network . Integarted switch with triple function mode: DIM-AUTO-ON . The filament low voltage bulb is included.

1.2W
monocrystalline

| 1 | 10H | on |
| 2 | | off |

Matt Black **6990901012**

CLASS III
IP44
E27 LED 2W
1*1500mAh 3.7VDC Li-ion battery
200 Lumen
Die Cast Aluminium

2700K

164
207
140

Battery
Item nr:9759808000

Bulb
Item nr:8711802311
LED 2W
200 Lumen

290°

285

Flair

---

independent panel

FLAIR bollard LED Solar light is perfectly fit for lighting of gardenpaths or the driveway of a cottage style house. Full installation freedom , no cables needed. Turns on automatically when it gets dark in the evening. The filament low voltage bulb is included.

1	100times	AUTO
2	100times	DIM
3	15H	on
4		off

1	200lm	2.5H
2	100lm	5H
3	20lm	25H
4		off

Matt Black **6988804012**	**6988802012**
CLASS III IP44 E27 LED 2W 1*1500mAh 3.7VDC Li-ion battery 200 Lumen Die Cast Aluminium	CLASS III IP44 E27 LED 2W 1*1500mAh 3.7VDC Li-ion battery 200 Lumen Die Cast Aluminium
2700K	2700K

Battery
Item nr:9759808000

Bulb
Item nr:8711802311

LED 2W
200 Lumen

120 138
285

120 120
760

198°   120°   0-10 m   2.5 m

287

ghost solar

integrated panel

Sleek and elegant design.
This wall washer with integrated solar panel and wide angle PIR motion sensor offers you a strong light when needed.

1.5W
polycrystalline

1	80times	AUTO
2	2h	on
3		off

Silver   **6901401337**

CLASS III
IP44
LED 2.4W
1*2200mAh 3.7V Li-ion battery
260 Lumen
Synthetics

4000K

Battery
Item nr:9759804000

247
64
132

94°   120°   0-6 m   2.5 m

289

tilly

integrated panel

A slim, futuristic design. The sleek adjustable spot heads can be orientated under the solar panel surface, giving multiple directions and powerful light beams. In combination with the subtle and centrally positioned PIR sensor, it will detect any movement throughout the night and will illuminate any foreseen or unforeseen guest.

3.5W
polycrystalline

1	120times	AUTO
2	2h	on
3		off

Silver

6901201000

CLASS III
IP44
LED 4W
1*2200mAh 7.4V Li-ion battery
420 Lumen
Die Cast Aluminium

4000K

Battery
Item nr:9759802000

210.5
40.5
232
74°
310°

87°   120°   0-12 m   2.5 m

291

london

integrated panel

Classic 6 side lantern powered with Solar energy. The almost invisible Solar panel at the roof of the lantern has a large capacity.with an autonomy of more than 10 hours during night time. Comes with 3 retrofit filament bulbs, creating a warm & gentle light. The die-cast aluminium post can be mounted on a paved surface thanks to the included metal mounting bracket. For unpaved surfaces, you can use the special spike, available as an accessory.

6W
monocrystalline

Estimated Light Run Time for Different Seasons

	Winter	Spring	Summer
300 lumen	(101W/㎡) 03h40	(332W/㎡) 08h00	(603W/㎡) 10h00

Actual run time may vary depending on your specific location

Matt Black

6951301189

CLASS III
IP44
LED 6W E14/incl.
1*2200mAh 7.4V
Li-ion battery
300 Lumen
Die Cast Aluminium

3000K

Battery
Item nr:9759801000

310
2270
261
208°

9700359330

Synthetics

Ø280
449

9700357000

LED 2W
250 Lumen

Ø32±1
96±2

293

Wiring system

sunshine

independent panel

This SUNSHINE wall light offers a complete security light installation without any wiring to the electricity network. The separate adjustable solar panel with its 5 m cable can be positioned on the optimum spot to capture sunlight all day long. Comes with an PIR motion sensor. The movable spot head gives a very powerful lightbeam.

2W polycrystalline (5 meter cable)

1	max 100times	AUTO
2	10h	on
3		off

1	max 75times	AUTO
2	10h	on
3		off

Dark Grey

6925701345

CLASS III
IP54
LED 7W
1*1500mAh 3.7V Li-ion battery
500 Lumen
Synthetics

5000K

Battery
Item nr:9759808000

6925604345

CLASS III
IP54
LED 11W
1*1500mAh 3.7V Li-ion battery
800 Lumen
Synthetics

5000K

Battery
Item nr:9759808000

sunshine

independent panel

Elegant & powerful flood light offers a complete solution wherever there's no electrical power connection available. Ideal for illuminating your courtyards & driveways. The separate moveable solar panel comes with a 5 meter connection cable and can be positioned on the best spot to capture sunlight. Featuring an adjustable (time & distance) PIR motion sensor.

1.4W monocrystalline

1   240times   30S

Wiring system

6925601345

CLASS III
IP44
LED 7.5W
1*2200mAh 3.7V Li-ion battery
500 Lumen
Synthetics

5000K

Battery
Item nr:9759804000

DISTANCE
LM   H

TIME
Test 30. 60. 120.

SECURITY

security for
your comfort

SECURITY

connected camera

FLAIR
5288811012 / P309

CUBA
5193812118 / P311

POLLUX
5196004118 / P313

ELARA
5267106001 / P315

ELARA
5267106118 / P315

DRACO
7622220012 / P317

LIBRA
7632406053 / P319

WITH LUTEC connect INSIDE

wall

MAYA
5198401001 / P325

QUBO
5193002118 / P327

LEDA
5267103001 / P329

CYRA
5198102118 / P331

Flood

SUNSHINE
7625601345 / P333

SUNSHINE
7625701345 / P333

ARTICA
7635605331 / P335

WITH LUTEC connect INSIDE

ARC
7632201053 / P337

SHRIMP
7622221012 / P339

SHRIMP
7622222012 / P339

SHRIMP
7622104330 / P339

sensor

SPHERE
9701601330 / P341

TORUS
9701501330 / P343

LUTEC
SECURITY

always
connected
with your home

As market initiator LUTEC is proud to present the 3th generation of the connected camera light range, replacing in full the first 2 generations.

This new range has been developed based on learnings and consumer insights and by applying the gains and innovations of the fast evolving connected camera technology.

This has resulted in a versatile range of decorative and functional camera light fixtures, ready to install or to make a swift replacement of your actual outdoor luminaires.

LUTEC
SECURITY

WITH LUTEC connect INSIDE

LUTEC outdoor camera light
everything is under control

light **camera**
audio **detection**

+

connected

☑ Powered for lighting
☑ High definition camera
☑ Adjustable motion Sensor
☑ See, talk and dialogue

☑ Easy to install, connect and control
☑ Create groups with other lights
☑ Voice control ready
☑ Recieve notifications

Recieve an alert when someone approaches your home

Get live notifications via your smartphone when someone approaches your door

Keep an eye on your house anytime, anywhere

Enable you to take a picture or record a video from wherever you are.

Listen and talk live with your visitors

«Thanks, you can leave the parcel on the front door, I'm coming down»

Talk with your delivery person, you will never miss your expected parcel

Thanks to Bluetooth MESH

- Quick and easy to find the device and start the configuration process immediately
- Actively send feedback of a problem during the network configuration
- Create groups with your camera light and trigger other LUTEC connect lights on

EASY TO CONNECT

① Detection

② LUTEC connect lights ON

Bluetooth MESH

Bluetooth MESH + WiFi

Thanks to Wifi

Be notified and exchange with people away from home.

Keep in touch with home, images are accessible 24 hours a day from your smartphone, including

Voice control ready
Works with LUTEC access box sold separately.

works with Hey Google

WORKS WITH alexa

Powered for lighting

- Switch your lights on or off
- Dim your lights
- Change the color temperature

OFF
ON
AUTO

Camera high definition

- High-definition video recording at night
- H265-video file size is halved
- Video playback and transmission speed are doubled
- Alert sensitivity: High, Medium, Low

HD CAMERA

Adjustable motion Sensor

- Detection reach from near to far distance
- Twilight settings from dark to dusk
- Light time reaction from 10 seconds till 3 minutes
- Constant light: Set your light output at 20% during all night

Secure storage

- SD card Already installed in the product
- Ready to use
- Storage capacity 16 GB

SECURE STORAGE

See, talk and dialogue

Listen and speak to visitors from wherever you are.
Trigger the siren straight from your app when there is an intruder.
Start continuous recording to get view of the whole event

DIALOGUE

LUTEC connect

Download on the App Store

GET IT ON Google Play

Powered by tuya
Intelligence Inside

Visit our dedicated website which supports and inspires our consumers with their experience

www.lutec-connect.world

Flair

wall

Member of the FLAIR traditional lantern series, this smart security camera light will keep an eye on your home. Features an integrated camera, speaker, micro and motion sensor all controllable in one App. Suitable for LED filament bulbs, not included.

WITH
LUTEC connect
INSIDE

Bluetooth MESH + WiFi

CONTROL & ADJUST

Matt Black **5288811012**

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium

172
326
120

180°
0-18 m
2.5 m

cuba

wall

Extension of the design award winning CUBA series, this smart security camera light will keep an eye on your home. Features an integrated camera, speaker, micro and motion sensor all controllable in one App. Multiple orientation possibilities of the light-head, camera and motion sensor.

Bluetooth MESH + **WiFi**

CONTROL & ADJUST

Dark Grey **5193812118**

CLASS I
IP44
LED 17.3W
1000 Lumen
Die Cast Aluminium
E

149
325
92

303° | 180° | 0-18 m | 2.5 m

☼ **Dimming*** ☼

Adjustable whites

2700 K   6500 K

☼ Instant full light
* Dimmable via the app and voice control

pollux
wall

Compact and elegant aluminium wall light. The tubular design makes a good fit at your front or back door. Features an integrated camera, speaker, micro and motion sensor all controllable in one App.

Bluetooth MESH + WiFi

CONTROL & ADJUST

Dark Grey **5196004118**

CLASS I
IP44
LED 18.8W
1200 Lumen
Die Cast Aluminium
F

80
236
111

163°   180°   0-18 m   2.5 m

☼ **Dimming***

Adjustable whites

2700 K   6500 K

☼ Instant full light

* Dimmable via the app and voice control

313

elara

wall

Tubular stainless steel wall light with a familiar design for entry-door application. This lamp has a perfect finish and appropriate combination of the used materials. The integrated LED connected module will give you all the freedom to control your light on your smart devices. Camera, Speaker, Microphone & PIR motion sensor are fully integrated in the fixture. Also available in dark grey.

Bluetooth MESH + **WiFi** CONTROL & ADJUST

Dimming*

Adjustable whites

2700 K   6500 K

Instant full light

* Dimmable via the app and voice control

WITH LUTEC connect INSIDE

S/S	**5267106001**	Dark Grey	**5267106118**

CLASS II
IP44
LED 17.5W
1300 Lumen
Stainless Steel
F

CLASS II
IP44
LED 17.5W
1300 Lumen
Die Cast Aluminium
F

76
334
140

76
334
140

120° 120° 0-10 m 2.5 m

315

draco

wall

Double head projector with integrated connected LED module & multiple orientation possibilities. It gives you full flexibility to cover the desired area. Comes with light, audio, video and detection all controllable in one App.

Bluetooth MESH + **WiFi**   CONTROL & ADJUST

Matt Black   **7622220012**

CLASS I
IP44
LED 19W
1200 Lumen
Die Cast Aluminium

5000K

158
190
234

96°   180°   0-18 m   2.5 m

WITH LUTEC connect INSIDE

libra

wall & ceiling

Double head projector in the LUTEC connected camera range. The two "wings" feature a diffusor surface without edges, resulting in a perfectly homogeneous light beam. The automatic plug-in connection allows a simple & easy installation.
The multiple orientation possibilities will give you full flexibility to cover the desired area.

Bluetooth MESH + **WiFi**

CONTROL & ADJUST

White

7632406053

CLASS I
IP44
LED 36W
3400 Lumen
Synthetics

309
202
227
60°
45°

309
195
260
60°
45°

111°
180°
0-17 m
2.5 m

Dimming*

Adjustable whites

2700 K ——————— 6500 K

❄ Instant full light

* Dimmable via the app and voice control

WITH LUTEC connect INSIDE

FAST CONNECTION

InMotion
Security Sensor Light

security for
your comfort

LUTEC presents the InMotion concept offering a complete range of Security Sensor Lights.

The range is featuring, besides the powerful flood lights with one or two heads, a number of very elegant designs which make a perfect match with the architecture of your house. The 2 stand-alone PIR sensors with multiple controls make the range complete.

Passive infrared (PIR) motion sensor
How does it work?
A PIR sensor detects changes in the amount of infrared radiation and converts this changes into a switch-on signal.

When a person makes a movement within the detection reach, the sensor will detect a difference in infrared radiation in between the person's body and the environment.

Comfortable detection area
The detection area is a combination of the reach in distance and angle. An adjustable sensor can be tilted and/or turned and gives you full freedom.

6-18 m | 2.5 m | 180°

Your personal settings
Time setting
As from the moment the sensor detects a movement the light stay on from 10 seconds upon 8 minutes according your preference.

TIME

Twilight setting
The environment brightness can be adjusted according your selection from night (10 lux) to daylight. In this way the light will switch into the "ON" position according the selected outside light level and not during the day.

LUX

Distance setting
You can limit the detection distance in accordance with the desired detection area. In this way you can avoid a movement detection outside your private grounds.

For your convenience
Dusk to dawn
Automatic light on switching as soon it's dark outside

Ambient Light
Light stays on all night long in a gentle ambient light, after movement detection the light switches on a powerful light beam.

Double sensor
Assures you a full detection not only frontal but also underneath the luminaire close to the wall.

Test mode
You can define the perfect detection area during installation in daylight situation

How to choose?
Check in a few steps which InMotion Security Sensor Light suits the best for your home situation.

InMotion
Security Sensor Light

BASED ON SENSOR DETECTION REACH

XX m | 2.5 m | XX°

DETECTION DISTANCE		DETECTION ANGLE		ADJUSTABLE SENSOR	FIXED
X-LARGE 18-25M	LARGE 12-15M	X-WIDE 180°	WIDE 120°	TILT & TURN	TURN

BASED ON LUMINAIRE CHARACTERISTICS

LUMINAIRE TYPE		LIGHT HEADS		LIGHT OUTPUT	
FLOOD LIGHT	WALL LIGHT	1 OR 2	MOVEABLE YES OR NO	X-POWERFUL 1700 – 3200 LUMEN	POWERFUL 800 - 1500 LUMEN

maya

wall

This compact Up & Down wall light with wide beam in aluminium with stainless steel cover has a timeless design. Discrete position of the black adjustable PIR motion sensor, makes it almost invisible.

S/S

5198401001

CLASS I
IP44
LED 18.5W
1200 Lumen
Stainless Steel

F

3000K

68
175
150

132°
132°
180°
0-10 m
2.5 m

LUX
TIME

qubo

wall

With this wall light it is always pleasant to come home. Thanks to the performant integrated motion sensor, the visitors to your home will be detected from a distance and light will automatically switch on.

Dark Grey **5193002118**

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminum

F

3000K

110   76

270

124°   180°   0-18 m   2.5 m

LUX   TIME

leda

wall

Tubular stainless steel wall light in the InMotion range contains a horizontal and vertically adjustable motion sensor. Thanks to the integrated sensor the light will automatically illuminates as soon as you get closer.

S/S **5267103001**

CLASS II
IP44
LED 15.5W
1400 Lumen
Stainless Steel

3000K

345
116 76

120° 180° 0-18 m 2.5 m

DISTANCE TIME
L M H Test 1 Min 3 Min 10 Min

cyra

wall

Tubular wall light with a combination of anthracite grey aluminium body and opal white diffuser. The two moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or a frontal diffuse lightbeam. Comes with a black, almost invisible motion sensor.

Dark Grey **5198102118**

CLASS I
IP54
LED 16.5W
1000 Lumen
Die Cast Aluminum

F

3000K

260° 90°
Ø78
245
120

155°   180°   0-17 m   2.5 m   LUX   TIME

350°

350°

sunshine

wall

Elegant & powerful flood light, ideal for illuminating larger areas as your courtyards & driveways. The rectangular head can be directed over 2 axes. Comes with a high quality and fully adjustable PIR motion sensor with a detection reach up to 18 meter. Now also available in compact version – 800 lumen.

Dark Grey

7625601345	7625701345
CLASS II	CLASS II
IP54	IP44
LED 15.4W	LED 12.5W
1100 Lumen	800 Lumen
Synthetics	Synthetics

5000K

5000K

180°
180°
40°
136.5
245

150°
120
40°
110
180

120°
180°
0-18 m
2.5 m

120°
180°
0-18 m
2.5 m

DISTANCE **TIME**
L M H
Test 1 Min 3 Min 10 Min

LUX **TIME**

333

WITH LUTEC connect INSIDE

artica

wall

Modern sensor 2 heads floodlight with high-quality design, ideal for illuminating large areas around buildings thanks to its high light output. An IR sensor with 180° registration angle and a range of up to 18m are fully integrated. Pleasant and powerful light thanks to the high-quality LED panel. The integrated LED connected module will give you all the freedom to control your light on your smart devices.

☀ **Dimming*** ☀

Adjustable whites

2700 K	6500 K

☀ **Instant full light**

* Dimmable via the app and voice control

Bluetooth MESH + **WiFi**

CONTROL & ADJUST

White

7635605331

CLASS II
IP44
LED 14.5W
1200 Lumen
Synthetics

280
120 72
145

112°   180°   0-18 m   2.5 m

arc

wall & ceiling

Elegant double head projector with fully adjustable motion sensor.The two "wings", feature a diffusor surface without edges, resulting in a perfectly homogeneous light beam. The multiple orientation possibility gives you full flexibility to cover the desired area.

Quick install

Automatic Plug-in

White

7632201053

CLASS I
IP54
LED 13W
1200 Lumen
Synthetics

5000K

277
242
156 149
204
277

102°
180°
0-18 m
2.5 m

DISTANCE
L M H
Test
TIME
1 Min 3 Min 10 Min

shrimp

wall & ceiling

Elegant yet powerful security floodlight with typical "bike lamp" design. This new upgraded versions, with and without adjustable motion sensor, feature an increased light-output up to 1700 lumen.
The SHRIMPII is a double insulated, electrical appliance.

Matt Black	**7622221012**	**7622222012**	**7622104330**
	CLASS I	CLASS I	CLASS II
	IP54	IP54	IP54
	LED 23.5W	LED 23.5W	LED 12W
	1700 Lumen	1700 Lumen	1250 Lumen
	Die Cast Aluminum	Die Cast Aluminum	Synthetics
	F	F	E
	4000K	4000K	5000K

253 / 110 / 156
88°

253 / 145 / 156
88° / 120° / 0-15 m / 2.5 m
DISTANCE L M H
TIME Test 1min 3min 10min

181 / 204 / 261
97° / 120° / 0-15 m / 2.5 m
TIME Test 1min 3min 10min

sphere

sensor

Stand alone passive infrared motion sensor. Compact orientable version with detection range up to 12 meter and detection angle of 180°.

Matt Black **9701601330**

CLASS II
IP44
MAX 1100W
Synthetics

87
102
78

180°   0-12 m   2.5 m   LUX   TIME

torus

sensor

Stand alone double and adjustable motion sensor. The frontal sensor has a detection range of up to 21 metres & 270°. The second sensor covering the area underneath detects any movement close to the wall.

Matt Black **9701501330**

CLASS I
IP44
MAX 1000W
Synthetics

113
53.5
94

DISTANCE
L M H
TIME
Test 1min 3min 10min

180° 0-21 m 2.5 m

FUNCTIONAL

where function
meets form

FUNCTIONAL

recessed ground

BERLIN
7700511012 / P349

CYDOPS
7704216012 / P351

CYDOPS
7704223012 / P351

ARCTIC
7701301012 / P353

berlin

recessed ground

Round stainless recessed ground spots creating a nice eect to guide you along your driveway, pathway or terrace. Compact in size yet solid in construction, you can drive over it with a car.

7700511012

CLASS I
IP67 & IP65
GU10 35W
Stainless Steel

Ø110 Ø101
150 145

34°

cydops
recessed ground

This outdoor CYDOPS spotlight is both a practical and decorative addition to your garden, driveway or patio. The lamp is made of aluminium and has an IP67 protection rating, making it suitable for outdoor use. This garden spotlight has low power consumption. Available in different versions.

7704216012

CLASS I
IP67 & IP65
LED 6.8W
580 Lumen
Stainless Steel

E

4000K

Ø110
56
1.5m

107°

7704223012

CLASS I
IP67 & IP65
LED 6.8W
580 Lumen
Stainless Steel

E

4000K

Ø110
56
0.5m

107°

arctic

recessed ground

Robust, powerful yet compact recessed LED ground spot with a limited build-in depth. This spot can be inclined up to an angle of 40°. Pick out ornaments, trees and bushes in your garden with a stunning light effect.

7701301012

CLASS I
IP67 & IP65
LED 13.7W
550 Lumen
Die Cast Aluminum

4000K

Ø170
114
Ø180

Ø180
120

40°

ACCESSORY

control
at the tip of
your fingers

ACCESSORY

LUTEC connect

REMOTE CONTROL
9702315361/ P359

ACCESS BOX
9704401361/ P360

SMART SWITCH
9706201361/ P361

DAWNY
9760002330/ P363

LUTEC solar

BATTERY PACK
9759801000/ P364

BATTERY PACK
9759803000/ P364

BATTERY PACK
9759804000/ P364

BATTERY PACK
9759802000/ P365

BATTERY PACK
9759805000/ P365

BATTERY PACK
9759806000/ P365

BATTERY PACK
9759808000/ P365

Point & Play
in the room
Infra Red individual control

WITH LUTEC connect INSIDE

ON/OFF
Tunnable White
Dimming
Colors
Scenes

Night Light
Work light
Party
Fire
Forest
Ocean
Romantic

Control every light
Inside or outside the house
Bluetooth Group control

You can add as many smart lighting devices as you want to one of the 3 groups (A-B-C).

I/0 push button switches on-off all the lights of the same group.

remote

accessories

A 2-in-1 remote control that allows you to switch the power off from the top half by pointing to change the intensity of the light, the color changing temperature. and access the colors or even multiple varied scenes. From its lower part, you can turn a group of lamps on or off from anywhere in the house.

smart lighting technology

Bluetooth MESH

CONTROL & ADJUST

White

9702315361

Infra Red individual control
Plastic

2cm   4cm

15,7cm

2 x
LR03 AAA

Not included

expand the experience

Add the WiFi LUTEC Connect Access Box to the Bluetooth mesh eco-system. Allows the connection of the Bluetooth mesh ecosystem with your Wifi router at home.

The complete LUTEC Connect lighting portfolio is Voice Control Compatible

works with
Hey Google

Hey Google,
turn on the light!

WORKS WITH
alexa

Alexa, change
the light in blue!

Via Cloud access you can control all the devices in your LUTEC Connect lighting network from anywhere out of home.

WITH
LUTEC
connect
INSIDE

---

access box

accessories

Small in size, it can be easily installed. Even if this accessory is not essential for the proper functioning of the complete system, it is however necessary to access certain functionalities
such as voice control but also the programming of one or more lamps over time or according to a particular condition such as the weather.

smart lighting technology

Bluetooth MESH + **WiFi** | **CONTROL & ADJUST**

White | **9704401361**

Smart switch
Plastic

6cm
6cm
1,6cm

---

smart switch

accessories

Very ingenious, this accessory can be easily attached thanks to its 3M self-adhesive system. No need to connect to the electrical network, it allows you to switch on and off with a single click or to vary the intensity and temperature of the lamps in a room or in a zone defined in the application. 3 zones are possible A, B, C allowing a wide coverage, for example the lamps of the room where the switch is installed, the exterior lighting or a complete zone such as a ground or a complete floor.

Click to turn
on/off the light

Rotate to change
the brightness

Press and rotate
to change the
color temperature

Long press
to change the mode
warm white
cold white
night light
party

Function Buttons A/B/C

A   B   C

1. Long press to add the device to the group
2. Short press to activate and control group devices
3. Long press knob and button A to reset the device

WITH
LUTEC
connect
INSIDE

smart lighting technology

Bluetooth MESH | **CONTROL & ADJUST**

White | **9706201361**

Smart switch
Plastic

1,1cm   8,6cm
8,6cm

dawny

accessories

Automatically control your outdoor lights with DAWNY outdoor & indoor motion sensor. Place the wireless,battery - powered detector anywhere and trigger your lights at any movement .
Versatile mounting options:Ceiling,Wall and Corner.

360°

15°

smart lighting technology

Easy & fast pairing with LUTEC connect app

Adjust in the LUTEC connect app,
Time, Twilight and Distance settings

Works with all the LUTEC connect devices except Solar connect range

WITH LUTEC connect INSIDE

15°
360°
15°
180°

Bluetooth MESH

CONTROL & ADJUST

Matt Black **9760002330**

CLASS III
IP44
2 × 1.5 V 1300mAh NiMH AA battery
Sensor
Plastic

Ø85
56
85
28
89

2 x LR03 AAA

Not included

LUTEC RECHARGEABLE BATTERIES

9759801000

Type	Li-ion rechargeable
Voltage	7.4V
Capacity	2200mAh
Connection	1mm round

6951301189	LONDON

9759802000

Type	Li-ion rechargeable
Voltage	7.4V
Capacity	2200mAh
Connection	SM flat

6901201000	TILLY

9759803000

Type	Li-ion rechargeable
Voltage	3.7V
Capacity	2200mAh
Connection	1mm round

6901601000	SUNSHINE

9759805000

Type	Li-ion rechargeable
Voltage	3.7V
Capacity	4400mAh
Connection	SM flat

6910802335	POPPY
6910901012	POPS

9759804000

Type	Li-ion rechargeable
Voltage	3.7V
Capacity	2200mAh
Connection	NA

6935501330	TUDA
6935502330	TUDA
6938405330	GINBO
6941502330	FRAN
6939501330	FADI
6935802012	KARLO
6904101337	DRAGONFLY
6904101331	DRAGONFLY
6914401000	MINI LEDSPOT
6908501308	BRICK
6901501000	BREAD
6908701001	BUBBLE
6906702335	DISO
6906703335	DISO
6901401337	GHOST SOLAR
6925601345	SUNSHINE
6906001118	MOON
6996601012	DIAS

9759806000

Type	Li-ion rechargeable
Voltage	3.7V
Capacity	1200mAh
Connection	NA

6908001337	TABLE CUBE
6908001331	TABLE CUBE
6910601335	ARROW
6934601118	CURTIS
6933701330	KOZY

9759808000

Type	Li-ion rechargeable
Voltage	3.7V
Capacity	1500mAh
Connection	NA

6943101012	MOZE
6939101330	TRY
6940101125	DOBLO
6943701125	DOBLO
6943801125	DOBLO
6988804012	FLAIR
6925701345	SUNSHINE
6925604345	SUNSHINE
6990901012	FIA
6988802012	FLAIR

LUTEC Icons

Fix & Spike mounting	Spike mounting	No electric wiring	FAST CONNECTION / No tools required	IN / OUT / Loop In – Loop Out
Spare glass	Car drive-over resistant	Type F socket / Schuko	Type E socket / French	Tools
40° Light angle	138° / 138° Up & Down			

LUTEC Icons – PIR motion sensor

PIR motion sensor	OFF ON / Sensor activation	0-10 m / 2.6 m / Detection reach	120° Detection angle	Adjustable sensor Tilt & Turn
Adjustable sensor Turn	LUX / Twilight setting	TIME / Time setting	DISTANCE / Distance setting	DISTANCE / L M H Dusk to Dawn / Distance setting
TIME / Test 1 Min 3 Min 10 Min / Test & Time setting				

LUTEC Icons - Solar

Integrated solar panel	Separated solar panel	Solar panel	Moveable solar panel	USB Rechargeable / connection & cable
Dusk to Dawn	Portable	Touch dimming	1 - 2 - 3 / 3 step dimming	

LUTEC Icons – Connected Light

WITH LUTEC connect INSIDE	Adjustable camera	HD CAMERA / Video	EASY TO CONNECT / Fast & stable connection	DIALOGUE / Audio
SECURE STORAGE / SD Card included	Suitable for smart bulb	Remote control	CONTROL & ADJUST / App control	Voice control

introducing our company
50 years of experience

The origins of a lighting company.

Originally set up as a national aluminum die-cast factory, we gained our first experience of outdoor lighting by producing bulkhead lights & classical garden lanterns. The first export shipment was made in 1996. The new factory in Yuyao became operational in 2001, concentrating on modern garden and professional lighting.

The LUTEC brand was launched in 2010, focusing on architectural LED lighting and the introduction of solar energy products. The success of the company resulted in the opening of a second production facility in 2012, fully devoted to future developments in design and new technologies.

Nowadays, Lighting is both essential and magic.

The challenge of the lighting market is to create products which are a balance between the shape, impact and attractiveness. The LED revolution has completely changed the game, giving many new opportunities. Added to this we must not only continue to offer the latest technical innovations but also anticipate and provoke them, especially with solar energy and smart lighting controls.

We have expanded our international network and organisation: with new central warehouses in Belgium and China, establishing partners in many new countries allowing us to continue building our corporate identity and providing our partners with unique product support and marketing tools.

welcome to the lutec center
connected by lighting

The Future is always here.

Today we are all surrounded by the interactive and connected world. For many reasons it is evident that the lighting market must also embrace this new internet age. The need of control has become a must have feature.

Temperature, colour, dimming, activity sensors and timing controls are the norm. Programmable solutions for energy saving, interactivity between multiple light points or installations are becoming standard. Security options with camera visions, live video, and recording are no longer a futuristic dream as LUTEC products can perform all of the above.

WELCOME TO THE LUTEC CENTER
This is where the magic is born.

The LUTEC centre located our HQ in Yuyao is an international meeting venue where new concepts, innovation & strategies are studied, created and shared with our partners. Recently the virtual showroom can be accessed from anywhere on the globe.

We provide an expert platform in design, sales and services. Staying close to our customers, allows the right design solutions to be found for their consumers.

Our team is trained to be proactive and reactive. The key to realise a win-win product, is to explore all the possibilities, look outside the box to find the best solution.

design & engineering
design, engineering & manufacturing, all interactive.

One of the main decisions we have taken in the LUTEC organisation is to break down the walls between of each department to inprove product strategy.

This brings a culture of flowing communication between the services where everybody has a positive role to play in all projects.

We all know development is complex with many obstacles to overcome however by working together helps our team to aim for the perfect solution as smoothly as possible.
Knowledge is shared at all levels. Creativity, marketing, engineering, production, and sales are seen as one.

warehousing & transport
global logistic footprint assuring availability & proximity.

Unlike many other manufacturers in this sector, LUTEC keeps significant levels of finished goods in the central warehouses in Europe and China. Our aim is to reduce the lead time wherever possible.

The European Central Warehouse is now fully operational for more than 5 years, resulting in a proven logistic performance with a service level well over 90%. Overtime the ECW portfolio has increased up to 350 sku's with permanent availability.

Thanks to this warehouse located in Belgium, centrally situated in Europe. with an average lead time for most shipments is less than 7 days, the LUTEC products are always within reach.

We offer different transport options: direct shipment, cross docking, drop shipment or pick-up. this in close co-operation with each local LUTEC partner.

Recently we've arranged an appropriate set-up to assure different value adding trade marketing services in the ECW.

CCW
China Central
Warehouse
Yuyao - China

ECW
European Central
Warehouse
Bornem - Belgium

LUTEC quality

As a global supplier, our products are fully compliant with all relevant technical & quality requirements of the different regions in the world.

All LUTEC LED products benefit from a 5-years functional warranty. For the SOLAR range we apply a standard 2-years operational warranty.

LUTEC Warranty Conditions, please check on
www.lutec.com/warranty

Integrated LED Light-engines

The LUTEC in-house engineering/production departments only use primary component suppliers, constantly improving the performance of the total LED product, resulting in a higher lumen/watt ratio.

Low Energy Cost: LUTEC products offer at least an 80% saving compared to traditional sources
Long Lifetime: up to 20.000 hours

LUTEC LED-light engines featuring the most appropriate characteristics in order to give the best result for all your outdoor applications.

• Lumen Maintenance: 100% LM-80 test report
• Color deviation: 100% under 5-step MacAdam ellipse

The LED driver is the heart of the LED module and is the main influencer of the life-time. LUTEC develops these drivers to the specification of the product for best performance. The production of the SMD's used in the LUTEC-drivers is done in-house in our approved SMT assembly lines. All drivers are compliant to all relevant standard and regulations.

new ERP regulations 2021

New EU regulation

The new EU regulation concerning Energy Efficiency for Lighting products involves New Energy Labelling regulations (EU) 2019/2015 and New Ecodesign requirements for lightsources. (EU) 2019/2020. Overall objective of this updated regulation is to protect environment, improve durability of lighting products and strengthen consumer protection.

LUTEC Outdoor Portfolio

All LUTEC outdoor luminaires within the scope of the new EU-regulation are fully compliant to the new regulations. This has resulted to the attribution of a new classification with Energy Efficiency Classes in between A & G.

"Containing Products" Classification

The compete range of LUTEC luminaires has been classified as Containing Products with aremovable and (non) replaceable LED-module. As a result the new Energy Efficiency Class is related to the LED-Module and not to the complete luminaire as such.

NON-REPLACEABLE LIGHT SOURCE

REPLACEABLE (LED ONLY)
LIGHT SOURCE BY PROFESSIONAL

LED Module – Energy Efficiency Class

In order to make it clear that the test results are related to the LED Module, a specific EEL label was created with a "M" (Module) indication behind the item nr.

This EEL label can't be shown on the packaging of the complete Outdoor Luminaire. In the Instruction Manual we indicated the Energy Class of the concerned light Source (= LED Module)

EPREL Database

Consumers can access the database by scanning the QR code featured on the new energy labels.
The EPREL database offers detailed information of all registered LUTEC products.

Available information on www.lutec.com

On our LUTEC website all related information is available for consultation and easy download of specific documents:
• Energy Label
• Instruction Manual
• Product Information sheet (with test results)
• Light Source Remove instructions

LUTEC

sustainable & environmental vision

Zero-Plastic Packaging

LUTEC has started the complete **ban of plastic bags** in their consumer packaging as from mid 2021.

Responsible Production & Operations

The roofs of LUTEC production facilities are equipped with high efficiency solar panels (10 000m2) resulting in a green energy saving : **50% of our annual energy consumption.**

We believe outdoor lighting is a unique category with a vast number of specific requirements and challenges. Our aim is to provide creative solutions, innovative designs using quality materials and products.

Our categories include architectural designs with creative forms of illumination. Functional products, combining tough materials with stylish appeal, decorative products ranging from classic to ultra-modern shapes. Solar lighting that incorporates the latest trends alongside unique technologies. All this to support the ever changing climates around the world.

Sustainable Functions & Features

LED Lights : 80% less energy vs traditional light sources
SENSOR Lights : consume energy only when you need light
CONNECTED Lights : smart control of the lights can save up to 90%

Our commitments to everyday actions

Durable Products

LUTEC outdoor luminaires are made from durable materials such high density die-cast aluminium and synthetics glass, fully weatherproof, to **last for many years.**

SOLAR Lights : 100 % green energy

Focus on development of effcient and smart Solar luminaires made with panels :
• Without any rare earth element
• Can be recycled and reused up to 4 times Last year, more than 400 000 homes were equipped with a new LUTEC Solar light.

materials & finishes

LUTEC exterior luminaires are produced using high quality materials and finishes withexcellent weather protection properties as well as mechanical strength to ensure a long lifetime.

Heavy duty die-cast Aluminum (ADC 12) with a thickness of 2mm, is in most cases thepreferred material. The LUTEC in-house fully automatic powder-coating & water paintinginstallation provides excellent protection against corrosion.

Different kind of durable synthetics, depending on the application and form factors. Forthe fixtures: ABS, a strong and light-weighted material , can be used under low and higroutdoor temperatures. For the opal or transparent diffusors: the impact proof and veryresistant PC (polycarbonate) is used. Also clear glass, tempered glass and opal or clearPMMA(plexi-glass) are common in our designs.

LUTEC benefits from an in-house tooling workshop for both aluminum and synthetic components.

IP rating table

The LUTEC Outdoor fixture comply to the International standards concerning Ingress Protection. All articles have a minimum IP44 rate. For some specific applications (Ex. in ground recessed spots) the protection rate goes up to IP67.

	Protection against solids		Protection against liquids
0	Not Protected	0	Not Protected
1	Protected against Solid Objects greater than 50mm	1	Protected against Dripping Water
2	Protected against Solid Objects greater than 12mm	2	Protected against Dripping Water when tilted to 15°
3	Protected against Solid Objects greater than 2.5mm	3	Protected against Spraying Water
4	Protected against Solid Objects greater than 1mm	4	Protected against Splashing Water
5	Dust Protected	5	Protected against Water Jets
6	Dust Tight	6	Protected against Heavy Seas
		7	Protected against the effects of Immersion
		8	Protected against Submersion

Color Indication

Dark Grey	
Matt Black	
Silver Grey	
Bronze	
S/S	
Chrome	
Galvanised	
Wood Look	
White	
Matt Rust	

mounting, installation & maintenance

Instruction Manual

LUTEC pays a lot of attention to a user friendly and effective yet simple instructions, we strive to find time saving methods of installation using uniquely designed interfaces where possible. Every LUTEC Outdoor fixture has a clear instruction manual in the unit box and this manual can also be downloaded from our website. Clear explanations in 8 European languages.

Service network

Our service network is available on global level through our LUTEC Partners. Contact details: www.lutec.com/services/global-network

LUTEC brand identity
packaging

The LUTEC corporate identity has been invigorated in line with our evolving brand values. New trade support tools and POSs have been created to support our products and our customers providing an integrated selling solution, all of which adds value and distinguishes the LUTEC offer from our competitors.

LUTEC
CONNECTED BY LIGHTING

Recently we introduced the fully refreshed packaging, being applied to our complete portfolio. We believe the new look of the new packaging is fresh, vivid and in tune with our style of products. The product is always the hero with an inspiring photography. The refreshed LUTEC logo is visible from all sides of the packaging , together with the emblematic green banner this will further improve the brand recognition.

The LUTEC SOLAR and LUTEC SECURITY unit-box graphics are launched in the market for the newly introduced LUTEC connect Solar and LUTEC connect Camera ranges. By means of a distinctive colour indication, Orange for Solar & Red for Security, the consumers will easily recognize the difference with the standard LUTEC outdoor ranges.

LUTEC brand identity
rich content

We're constantly creating new communication materials to support and improve the presentation of LUTEC products, facilitating an easy consumer selection of one of the LUTEC products.
All support materials are accessible through our refreshed website www.lutec.com. Where you can find the LUTEC database with all kind of "rich content": Product photos, Lifestyle photo's, Tutorials, Inspirational video's, Flash-Intro video's, Unpacking experiences, and many more.

Index : as per ITEM NO.

Index : as per ITEM NO.

Index : as per SERIES NAME

Index : as per SERIES NAME

NOTE