



Lighting collection 22/23

nordlux®



22/23 Collection

Our mission is to create products you want to bring home. That means that we persistently develop and improve our range of products to provide even greater designs, more exciting functionalities and higher quality at surprisingly low prices.

These high standards are also reflected in the novelties for this year in all product categories, where each category has its significant highlights: The style universe of our Decorative collection ranges from classic designs and contemporary style to new, exciting trends. The keywords are new Nordic design, streamlined minimalism and industrial tendencies with an edge.

We also enhance our close collaboration with skilled, Danish designers for our Outdoor collection, acknowledging that practical and beautiful lighting is just as important outdoors, as it is indoors.

Our Functional products this year are both more practical and beautiful than ever.

We provide functional solutions for all needs and areas of the home in a streamlined, modern design. Because functional lighting should always be a beautiful as well as functional part of the interior design.

We are also significantly expanding our range of Smart products that can be controlled with a smartphone or tablet for full customisation and convenience. A brand-new competitive bulb assortment including both Smart and decorative bulbs are also highlights from Nordlux this season.

We recognize that our products need to fulfil real needs in peoples lives, whether it is a functional one, a decorative one or a convenient one. Every day, we work to fulfil these needs, and we aim to do it while providing excellent value for money.

Ultimately, we want to be able to say that we are lifting people's quality of life with light.

Table of contents

Indoor catagories		Outdoor catagories	
06	Families	272	Families
116	Pendants	316	Wall Lights
134	Table Lights	342	Ceiling Lights
138	Wall Lights	346	Garden Lights
144	Link System	350	Battery-Powered Lights
160	Ceiling Lights	362	Recessed
194	Batttens	368	Spot Lights
214	Downlights	372	Smart Light
228	Bathroom	376	Accessories
242	LED Strips		
252	Smart Light		
268	Accessories		
380	Bulbs		



Decorative Families

Find beautiful pendants for your dining table, practical bedside lamps or the perfect floor lamp.

6-115



LED Strips

Create your own light expression anywhere you want - even in narrow places with very little space.

246-254



Smart Light

Take full control of your lights with Nordlux Smart. Set the light with remote control, smartphone or tablet.

110-124



Battery-powered Lights

Our battery-powered lighting range offers stylish, portable lights that can be placed anywhere you want.

346-357

Families








NEW Black 2213603003
Metal

CARMEN 45 Pendant by Says Who

Masterbox Qty. 2
Size H: 15 cm, W: 45 cm, L: 45 cm, Shade Ø: 45 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black 200 cm, non replaceable
Canopy Color: Black, Material: Plastic. Dimension: 9 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Scandinavian clean and soft lines
 Multiple layered shades create a soft, diffused light




NEW Black 2213615003
Metal

CARMEN Table lamp by Says Who

Masterbox Qty. 2
Size H: 43 cm, W: 26 cm, L: 26 cm, Shade Ø: 26 cm,
 Tube Ø: 1,15 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black 150 cm, non replaceable. Switch on the
 cable
Lightsource E14 - not included
 Can not be dimmed

Features

Scandinavian clean and soft lines
 Multiple layered shades create a soft, diffused light





White 45761001
Metal



NEW Black 45761003
Metal




Grey 45761010
Metal

EIK Wall light

Masterbox	Qty. 3
Size	H: 11 cm, W: 15 cm, L: 15 cm, D: 15 cm, Shade Ø: 8,5 cm, Base: Ø 8 cm, Base Ø: 8 cm, Tilt angle: 90°
IP Class	IP20, Class 2 (Double isolated)
Cable	White/Black 200 cm, replaceable. Switch on the base
Lightsource	GU10 - not included Can not be dimmed

Features
Contemporary and simple style
Tilting and turnable shade
Can be used on both wall and ceiling



White 45770101
Metal



NEW Black 45770103
Metal




Grey 45770110
Metal

EIK 2-Spot Spot light

Masterbox	Qty. 3
Size	H: 15 cm, W: 28,5 cm, L: 28,5 cm, D: 15 cm, Shade Ø: 8,5 cm, Base: 26 x 3,7 cm, Tilt angle: 320°
IP Class	IP20, Class 1 (Earth contact)
Canopy	Material: Metal. Dimension: 2,5 cm
Lightsource	GU10 - not included Can be dimmed by choosing a dimmable bulb

Features
Contemporary and simple style
Tilting and turning shade
Can be used on both wall and ceiling





White 45780101
Metal



NEW Black 45780103
Metal




Grey 45780110
Metal

EIK 3-Spot Spot light

- Masterbox** Qty. 3
Size H: 15 cm, W: 45 cm, L: 45 cm, D: 15 cm, Shade Ø: 8,5 cm,
 Base: 45 x 3,7 cm, Tilt angle: 320°
IP Class IP20, Class 1 (Earth contact)
Canopy Color: Grey, Material: Metal. Dimension: 2,5 cm
Lightsource GU10 - not included
 Can be dimmed by choosing a dimmable bulb

- Features**
 Contemporary and simple style
 Tilting and turning shade
 Can be used on both wall and ceiling



Black 2010903003
Metal




Grey 2010903010
Metal

NOTTI Pendant

- Masterbox** Qty. 6
Size H: 12,5 cm, W: 6 cm, L: 6 cm, Ø: 6 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black/White 200 cm, non replaceable
Canopy Color: Black/White, Material: Plastic. Dimension: 12,2 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

- Features**
 Contemporary and simple style
 Organic shape
 Design your own lamp with a decorative bulb





Black 2011003003
Metal




Grey 2011003010
Metal

NOTTI 20 Pendant

- Masterbox** Qty. 3
- Size** H: 23,8 cm, W: 20 cm, L: 20 cm, Shade Ø: 20 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 200 cm, non replaceable
- Canopy** Color: White/Black, Material: Plastic. Dimension: 12,2 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

Features

Contemporary and simple style
Organic shape
White opal mouth blown glass and matte metal



NEW **Black 2213073003**
Metal



NEW **Grey 2213073010**
Metal



NEW **Green 2213073023**
Metal




NEW **Terracotta 2213073059**
Metal

NOTTI 10 Pendant by Says Who

- Masterbox** Qty. 6
- Size** H: 12 cm, W: 10 cm, L: 10 cm, Shade Ø: 10 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 8,5 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

Features

Small, organic and elegantly shaped pendant
Nordic simplicity
Matching colour inside to give a soft light
Hang three or more lamps together in a line or cluster





Black 2011035003
Glass



Grey 2011035010
Glass



NEW Green 2011035023
Glass




NEW Terracotta 2011035059
Glass

NOTTI Table lamp

- Masterbox** Qty. 3
- Size** H: 34,5 cm, W: 15 cm, L: 15 cm, Shade Ø: 15 cm, Base Ø: 12 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black/White 150 cm, non replaceable. Switch on the cable
- Lightsource** E14 - not included
Can not be dimmed

- Features**
- Contemporary and simple style
- Organic shape
- White opal mouth blown glass and matte metal



White 45883001
Marble



Black 45883003
Marble




NEW Brown 45883018
Marble

SIV Pendant

- Masterbox** Qty. 3
- Size** H: 10 cm, Ø: 6 cm
- IP Class** IP20, Class 1 (Earth contact)
- Cable** Textile cable: White/Black 270 cm, non replaceable
- Canopy** Color: White/Black, Material: Metal. Dimension: 8,5 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
- Nature style
- Genuine marble in nature's playful colours
- Create your own design expression with a decorative bulb





White 45875001
Marble



Black 45875003
Marble




NEW **Brown 45875018**
Marble

SIV Table lamp

- Masterbox** Qty. 3
- Size** H: 10,3 cm, Ø: 6 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black/White 180 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included
Can not be dimmed

Features

Nature style
Genuine marble in natures playful colours
Create your own design expression with a decorative bulb



NEW **Black 2213413003**
Metal




NEW **Brass 2213413035**
Metal

ALANIS Pendant by Says Who

- Masterbox** Qty. 3
- Size** H: 15 cm, W: 6 cm, L: 6 cm, Shade Ø: 6 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 200 cm, non replaceable
- Canopy** Color: White/Black, Material: Plastic. Dimension: 8,5 cm
- Lightsource** GU10 - not included
Can be dimmed by choosing a dimmable bulb

Features

Minimalist and streamlined design
10-sided profile giving a streamlined, yet soft look
Hang three or more lamps together in a line or cluster





NEW Black 2213423003
Metal


NEW Brass 2213423035
Metal

ALANIS Pendant by Says Who

- Masterbox** Qty. 3
Size H: 15 cm, L: 90 cm, Shade Ø: 6 cm, Tube Ø: 1,5 cm, Tilt angle: 40°
IP Class IP20, Class 2 (Double isolated)
Cable White/Black 200 cm, non replaceable
Canopy Color: Brass/Black, Material: Metal. Dimension: 2,5 cm
Lightsources GU10 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Minimalist and streamlined design
 10-sided profile giving a streamlined, yet soft look
 Perfect above the dining or kitchen table



NEW Black 2213455003
Metal


NEW Brass 2213455035
Metal

ALANIS Table lamp by Says Who

- Masterbox** Qty. 3
Size H: 49,5 cm, W: 8 cm, L: 8 cm, Shade Ø: 6 cm, Base Ø: 8 cm, Tilt angle: 40°
IP Class IP20, Class 2 (Double isolated)
Cable Black/White 150 cm, non replaceable. Switch on the base
Lightsources GU10 - not included
 Can not be dimmed

Features

Minimalist and streamlined design
 10-sided profile giving a streamlined, yet soft look
 Slim, simple lines
 On/off switch on top of lamp head





NEW Black 2213441003
Metal




NEW Brass 2213441035
Metal

ALANIS Wall light by Says Who

- Masterbox** Qty. 3
Size H: 15 cm, W: 8,6 cm, L: 8,6 cm, Shade Ø: 6 cm, Base Ø: 8,6 cm, Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Cable White/Black 150 cm, replaceable. Switch on the base
Lightsource GU10 - not included
 Can not be dimmed

- Features**
 Minimalist and streamlined design
 10-sided profile giving a streamlined, yet soft look
 Use as wall lamp or spot
 On/off switch on top of lamp head



NEW White 2112013001
Metal




NEW Black 2112013003
Metal

MAGIA 18 Pendant by Says Who

- Masterbox** Qty. 3
Size H: 24,5 cm, W: 18 cm, L: 18 cm, Shade Ø: 18 cm
IP Class IP20, Class 2 (Double isolated)
Cable White/Black 200 cm, non replaceable
Canopy Color: White/Black, Material: Metal. Dimension: 12 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

- Features**
 Nordic contemporary design
 Mouth blown colour fading glass
 With opal white light diffuser for a soft light (optional)
 Can be used without the diffuser and with a decorative bulb of your own choosing





NEW White 2112023001
Metal/Glass




NEW Black 2112023003
Metal/Glass

MAGIA 26 Pendant by Says Who

- Masterbox** Qty. 3
Size H: 32 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black/White 200 cm, non replaceable
Canopy Color: Black/White, Material: Metal. Dimension: 12 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features

- Nordic contemporary design
 Mouth blown colour fading glass
 With opal white light diffuser for a soft light (optional)
 Can be used without the diffuser and with a decorative bulb of your own choosing



NEW White 2112035001
Metal/Glass




NEW Black 2112035003
Metal/Glass

MAGIA Table lamp by Says Who

- Masterbox** Qty. 3
Size H: 42,5 cm, W: 18 cm, L: 18 cm, Shade Ø: 18 cm,
 Tube Ø: 1,6 cm, Base Ø: 15 cm
IP Class IP20, Class 2 (Double isolated)
Cable White/Black 150 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

Features

- Nordic contemporary design
 Mouth blown colour fading glass
 With opal white light diffuser for a soft light (optional)
 Can be used without the diffuser and with a decorative bulb of your own choosing





NEW White 2112044001
Metal/Glass




NEW Black 2112044003
Metal/Glass

MAGIA Floor lamp by Says Who

- Masterbox** Qty. 2
Size H: 130,5 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm,
 Tube Ø: 1,3 cm, Base Ø: 25 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black/White 150 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Nordic contemporary design
 Mouth blown colour fading glass
 With opal white light diffuser for a soft light (optional)
 Can be used without the diffuser and with a decorative bulb of your own choosing



NEW Opal white 2213203001
Metal/Opal glass

MILFORD 20 Pendant

- Masterbox** Qty. 3
Size H: 48,5 cm, W: 20 cm, L: 20 cm, Shade Ø: 20 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: White 200 cm, non replaceable
Canopy Color: White, Material: Plastic. Dimension: 9 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

- Features**
 Vintage design
 Material mix of brass and "pleated" opal white glass
 Opal white, mouth blown glass
 Provides a soft, diffused light






NEW Opal white 2213213001
Metal/Opal glass

MILFORD 30 Pendant

Masterbox Qty. 2
Size H: 38 cm, W: 30 cm, L: 30 cm, Shade Ø: 30 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: White 200 cm, non replaceable
Canopy Color: White, Material: Plastic. Dimension: 9 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Vintage design
 Material mix of brass and "pleated" opal white glass
 Opal white, mouth blown glass
 Provides a soft, diffused light



Opal white 46573001
Metal/Opal glass

MILFORD 20 Pendant

Masterbox Qty. 3
Size H: 33,5 cm, Shade Ø: 20 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: White 300 cm, non replaceable
Canopy Color: White, Material: Plastic. Dimension: 11,7 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Soft and natural style
 Opal mouth blown glass
 Provides a soft, diffused light




Opal white 46583001
Metal/Opal glass

MILFORD 30 Pendant

Masterbox	Qty. 2
Size	H: 23,5 cm, Shade Ø: 30 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: White 300 cm, non replaceable
Canopy	Color: White, Material: Plastic. Dimension: 11,7 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Soft and natural style
Opal mouth blown glass
Provides a soft, diffused light




NEW Brass 2213225001
Metal/Opal glass

MILFORD Table lamp

Masterbox	Qty. 3
Size	H: 48 cm, W: 15 cm, L: 15 cm, Shade Ø: 14 cm, Tube Ø: 1,15 cm, Base Ø: 15 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: White 150 cm, non replaceable. Switch on the cable
Lightsource	E27 - not included Can not be dimmed

Features

Vintage design
Material mix of brass and "pleated" opal white glass
Opal white, mouth blown glass
Provides a soft, diffused light






Nature 48915001
Wood/Opal glass

MILFORD Table lamp

- Masterbox** Qty. 3
Size H: 21,7 cm, Shade Ø: 20 cm, Base Ø: 11 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: White 150 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Soft and natural style
 Opal mouth blown glass
 Provides a soft, diffused light




Black 48965001
Metal/Opal glass

MILFORD Table lamp

- Masterbox** Qty. 3
Size H: 20 cm, Shade Ø: 20 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black 150 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Soft and natural style
 Opal mouth blown glass
 Provides a soft, diffused light






White 48924001
Metal/Opal glass

MILFORD Floor lamp

- Masterbox** Qty. 2
Size H: 139,4 cm, Shade Ø: 30 cm, Base Ø: 28 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: White 180 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Soft and natural style
 Opal mouth blown glass
 Provides a soft, diffused light



White 39489901
Metal



NEW Grey 39489910
Metal




NEW Copper 39489930
Metal

BRETAGNE Pendant by Kaare Bækgaard

- Masterbox** Qty. 3
Size H: 17 cm, Shade Ø: 38 cm
IP Class IP20, Class 1 (Earth contact)
Cable White 200 cm, non replaceable
Canopy Color: White, Material: Metal. Dimension: 7,9 cm
Lightsource G9 - not included
 Can be dimmed by choosing a dimmable bulb

- Features**
 Scandinavian classic design
 Multiple layered shades create a soft, diffused light
 White coloured inside for optimal light





NEW White 2213485001
Metal


NEW Grey 2213485010
Metal

BRETAGNE Table lamp by Kaare Bækgaard

Masterbox Qty. 3
Size H: 46 cm, W: 30 cm, L: 30 cm, Shade Ø: 30 cm, Tube Ø: 1,2 cm, Base Ø: 16 cm
IP Class IP20, Class 2 (Double isolated)
Cable Grey/White 1.5 cm, non replaceable. Switch on the base
Lightsource G9 - not included
 Can not be dimmed

Features

Scandinavian clean and soft lines
 Multiple layered shades create a soft, diffused light
 White coloured inside for optimal light
 On/off rotary switch on lamp foot



NEW White 2213494001
Metal


NEW Grey 2213494010
Metal

BRETAGNE Floor lamp by Kaare Bækgaard

Masterbox Qty. 2
Size H: 150 cm, W: 38 cm, L: 38 cm, Shade Ø: 38 cm, Tube Ø: 1,6 cm, Base Ø: 28 cm
IP Class IP20, Class 2 (Double isolated)
Cable White/Grey 1.5 cm, non replaceable. Switch on the cable
Lightsource G9 - Not included
 Can not be dimmed

Features

Scandinavian clean and soft lines
 Multiple layered shades create a soft, diffused light
 White coloured inside for optimal light
 On/off floor switch





NEW White 2213471001
Metal


NEW Grey 2213471010
Metal

BRETAGNE Wall light by Kaare Bækgaard

Masterbox Qty. 3
Size H: 18 cm, Shade Ø: 30 cm, Tube Ø: 1,27 cm, Base Ø: 7,5 cm, Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Cable White/Black 150 cm, non replaceable. Switch on the base
Lightsource G9 - not included
 Can not be dimmed

Features

Scandinavian clean and soft lines
 Multiple layered shades create a soft, diffused light
 White coloured inside for optimal light
 On/off rocking switch on top



NEW White 2213333001
Metal



NEW Black 2213333003
Metal



NEW Grey 2213333010
Metal




NEW Yellow 2213333026
Metal

DIAL 25 Pendant by Says Who

Masterbox Qty. 3
Size H: 13,5 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm
IP Class IP20, Class 2 (Double isolated)
Cable Grey/Yellow/White/Black 200 cm, non replaceable
Canopy Color: White, Material: Plastic. Dimension: 9 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Nordic simplicity with clean lines
 Decorative uplight effect creating a floating vibe
 Updated look from the fifties and sixties





NEW White 2213353001
Metal



NEW Black 2213353003
Metal



NEW Grey 2213353010
Metal




NEW Yellow 2213353026
Metal

DIAL 45 Pendant by Says Who

- Masterbox** Qty. 2
- Size** H: 17,5 cm, W: 45 cm, L: 45 cm, Shade Ø: 45 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Grey/White/Yellow/Black 200 cm, non replaceable
- Canopy** Color: White, Material: Plastic. Dimension: 9 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
- Nordic simplicity with clean lines
- Decorative uplight effect creating a floating vibe
- Updated look from the fifties and sixties



NEW White 2213385001
Metal



NEW Black 2213385003
Metal



NEW Grey 2213385010
Metal




NEW Yellow 2213385026
Metal

DIAL Table lamp by Says Who

- Masterbox** Qty. 3
- Size** H: 51 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm, Tube Ø: 1,2 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Grey/Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included
Can not be dimmed

- Features**
- Nordic simplicity with clean lines
- Decorative uplight effect creating a floating vibe
- Updated look from the fifties and sixties
- Adjustable lamp head for a directional light





NEW White 2213394001
Metal




NEW Black 2213394003
Metal

DIAL Floor lamp by Says Who

Masterbox Qty. 2
Size H: 150 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm,
 Tube Ø: 1,6 cm, Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Cable White/Black 150 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

Features

Nordic simplicity with clean lines
 Decorative uplight effect creating a floating vibe
 Updated look from the fifties and sixties
 Adjustable lamp head for a directional light



NEW White 2213371001
Metal



NEW Black 2213371003
Metal




NEW Grey 2213371010
Metal

DIAL Wall light by Says Who

Masterbox Qty. 3
Size H: 40,2 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm, Tube Ø: 1,2 cm,
 Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Cable White/Grey/Black 150 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

Features

Nordic simplicity with clean lines
 Decorative uplight effect creating a floating vibe
 Updated look from the fifties and sixties
 Adjustable lamp head for a directional light
 Slim fixture for wall mounting





White 48563001
Metal




Black 48563003
Metal

ELLEN 30 Pendant

- Masterbox** Qty. 3
- Size** Shade Ø: 30 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black/White 200 cm, non replaceable
- Canopy** Color: Black/White, Material: Plastic. Dimension: 12,3 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
Contemporary and simple style
Creating a soft downlight



White 48573001
Metal




Black 48573003
Metal

ELLEN 40 Pendant

- Masterbox** Qty. 2
- Size** Shade Ø: 40 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black 200 cm, non replaceable
- Canopy** Color: White/Black, Material: Plastic. Dimension: 12,3 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
Contemporary and simple style
Creating a soft downlight





Black 2112305003
Metal/Opal glass




Brushed steel 2112305032
Metal/Opal glass



Brass 2112305035
Metal/Opal glass

ELLEN 20 Table lamp

- Masterbox** Qty. 3
- Size** H: 41,5 cm, W: 20 cm, L: 20 cm, Shade Ø: 20 cm,
Tube Ø: 1,15 cm, Base Ø: 15 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black 150 cm, non replaceable. Switch on
the cable
- Lightsource** E14 - not included
Can not be dimmed



- Features**
- Exclusive and classic style
- Mouth blown glass shade



White 48555001
Metal



Black 48555003
Metal




NEW Beige 48555009
Metal



Green 48555023
Metal

ELLEN 20 Table lamp

- Masterbox** Qty. 3
- Size** H: 40 cm, W: 20 cm, L: 20 cm, Shade Ø: 20 cm,
Tube Ø: 1,15 cm, Base Ø: 15 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black 150 cm, non replaceable. Switch on
the base
- Lightsource** E14 - not included
Can not be dimmed



- Features**
- Contemporary and simple style
- Creating a soft downlight



White 48584001
Metal




Black 48584003
Metal

ELLEN 40 Floor lamp

- Masterbox** Qty. 2
- Size** H: 140 cm, Shade Ø: 40 cm, Base Ø: 30 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included
Can not be dimmed

- Features**
- Contemporary and simple style
- Creating a soft downlight



NEW Black 2213505003
Metal

EXPLORE Table lamp

- Masterbox** Qty. 3
- Size** H: 55 cm, W: 23,4 cm, Shade Ø: 5,5 cm, Tube Ø: 1,5 cm, Base Ø: 15 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 150 cm, non replaceable. Switch on the cable
- Lightsource** GU10 - not included
Can not be dimmed

- Features**
- Contemporary and simple style
- Adjustable lamp head for a directional light
- Flexible arm for a directional light



NEW Black 2213514003
Metal

EXPLORE Floor lamp

Masterbox	Qty. 3
Size	H: 179,4 cm, W: 25,4 cm, Shade Ø: 5,5 cm, Tube Ø: 1,5 cm, Base Ø: 25 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Black 150 cm, non replaceable. Switch on the cable
Lightsource	GU10 - not included Can not be dimmed

Features

Contemporary and simple style
Adjustable lamp heads for a directional light
Flexible arms for a directional light



White 2113251001
Metal



Black 2113251003
Metal



NEW Brass 2113251035
Metal

EXPLORE Wall light

Masterbox	Qty. 6
Size	H: 12 cm, W: 8 cm, L: 8 cm, Shade Ø: 5,5 cm, Tilt angle: 90°
IP Class	IP20, Class 2 (Double isolated)
Cable	White/Black 150 cm, replaceable. Switch on the base
Lightsource	GU10 - not included Can not be dimmed

Features

Contemporary and simple style
Adjustable lamp head for a directional light



White 2113261001
Metal



Black 2113261003
Metal



NEW **Brass 2113261035**
Metal

EXPLORE Flex Wall light

- Masterbox** Qty. 6
- Size** H: 35 cm, W: 35 cm, L: 35 cm, Shade Ø: 5,5 cm, Tube Ø: 1 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 150 cm, replaceable. Switch on the base
- Lightsource** GU10 - not included
Can not be dimmed

Features

- Contemporary and simple style
- Adjustable lamp head for a directional light
- Flexible arm for a directional light



White 2113270101
Metal



Black 2113270103
Metal



NEW **Brass 2113700135**
Metal

EXPLORE 3-Spot Spot light

- Masterbox** Qty. 3
- Size** H: 16,4 cm, W: 48 cm, L: 48 cm, Shade Ø: 5,5 cm, Tube Ø: 1,27 cm, Base Ø: 9 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Canopy** Color: Black, Material: Metal. Dimension: 2,6 cm
- Lightsource** GU10 - not included
Can be dimmed by choosing a dimmable bulb

Features

- Contemporary and simple style
- Adjustable lamp head for a directional light



NEW Black 2213083003
Metal



NEW Beige 2213083009
Metal




NEW Green 2213083023
Metal

FREYA 35 Pendant by Says Who

Masterbox	Qty. 2
Size	H: 17 cm, W: 35 cm, L: 35 cm, Shade Ø: 35 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Black/White 200 cm, non replaceable
Canopy	Color: Black/White, Material: Plastic. Dimension: 9 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Organically shaped pendant in Nordic design
Non-visible light source for an indirect light
Removeable lower shade for easy change of bulb



NEW Black 2213115003
Metal



NEW Beige 2213115009
Metal




NEW Green 2213115023
Metal


FREYA Table lamp by Says Who

Masterbox	Qty. 2
Size	H: 43 cm, W: 31 cm, L: 31 cm, Shade Ø: 25 cm, Tube Ø: 1,15 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Black/White 150 cm, non replaceable. Switch on the cable
Lightsource	E14 - not included Can not be dimmed

Features

Organically shaped table lamp in Nordic design
Non-visible light source for an indirect light
Removeable lower shade for easy change of bulb






NEW Black 2213124003
Metal

FREYA Floor lamp by Says Who

Masterbox Qty. 2
Size H: 153 cm, W: 38 cm, L: 38 cm, Shade Ø: 25 cm,
 Tube Ø: 1,55 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, non replaceable. Switch on the cable
Lightsource E14 - not included
 Can not be dimmed

Features
 Organically shaped floor lamp in Nordic design
 Non-visible light source for an indirect light
 Removeable lower shade for easy change of bulb




NEW Black 2213101003
Metal

FREYA Wall light by Says Who

Masterbox Qty. 3
Size H: 26 cm, W: 35 cm, L: 35 cm, Shade Ø: 25 cm,
 Tube Ø: 1,15 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, non replaceable. Switch on the cable
Lightsource E14 - not included
 Can not be dimmed

Features
 Organically shaped wall lamp in Nordic design
 Non-visible light source for an indirect light
 Removeable lower shade for easy change of bulb





Black 48603003
Metal/Opal glass




Brass 48603035
Metal/Opal glass

LILLY 3-Spot Pendant

- Masterbox** Qty. 2
- Size** H: 36,5 cm, W: 32 cm, Shade Ø: 15 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 12,3 cm
- Lightsource** E14 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
- Glamorous modern style
- Matt white opal mouth blown glass
- Provides a soft, diffused light



NEW Grey 2213575010
Marble




NEW Brown 2213575018
Marble

LILLY Marble Table lamp

- Masterbox** Qty. 3
- Size** H: 28,5 cm, W: 15 cm, L: 15 cm, Shade Ø: 15 cm, Base Ø: 8 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black/White 150 cm, non replaceable. Switch on the cable
- Lightsource** E14 - not included
Can not be dimmed

- Features**
- Contemporary art deco design expression
- Genuine marble in nature's playful colours
- Mouth blown glass and exclusive details
- Marble structure means that not two are alike






Black 48613003
Metal/ Opal glass

LILLY Floor lamp

- Masterbox** Qty. 2
Size H: 150 cm, Shade Ø: 15 cm, Base Ø: 23 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black 150 cm, non replaceable. Switch on the cable
Lightsource E14 - not included
 Can not be dimmed

- Features**
 Glamorous modern style
 Matt white opal mouth blown glass
 Provides a soft, diffused light




Black 48891003
Metal/ Opal glass

LILLY Wall light

- Masterbox** Qty. 6
Size H: 17 cm, Shade Ø: 13 cm, Base: Ø 12 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black 150 cm, replaceable. Switch on the cable
Lightsource E14 - not included
 Can not be dimmed

- Features**
 Glamorous modern style
 Matt white opal mouth blown glass
 Provides a soft, diffused light






NEW Matt black 2213623003
Metal

POP Pendant by Sebastian Holmbäck

Masterbox Qty. 3
Size H: 20 cm, W: 21,5 cm, L: 21,5 cm, Shade Ø: 21,5 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 200 cm, non replaceable
Canopy Color: Black, Material: Plastic. Dimension: 9 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features
 Contemporary and simple style
 Some glossy, some matt




NEW Matt black 2213633003
Metal

POP 3-Spot Pendant by Sebastian Holmbäck

Masterbox Qty. 2
Size H: 20 cm, W: 100 cm, L: 100 cm, Shade Ø: 21,5 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 200 cm, non replaceable
Canopy Color: Black, Material: Plastic. Dimension: 2,7 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features
 Contemporary and simple style
 Matt surface with brass details





White 45833001
Metal



Black 45833003
Metal



NEW Beige 45833009
Metal



Green 45833023
Metal




Anthracite 45833050
Metal

POP Pendant by Sebastian Holmbäck

- Masterbox** Qty. 3
- Size** H: 20 cm, W: 21,5 cm, L: 21,5 cm, Shade Ø: 21,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 200 cm, non replaceable
- Canopy** Color: White/Black, Material: Plastic. Dimension: 11,8 x 9 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
- Contemporary and simple style
- Some glossy, some matt



White 48733001
Metal




Grey 48733011
Metal

POP Rough Pendant by Sebastian Holmbäck

- Masterbox** Qty. 3
- Size** Shade Ø: 21,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 200 cm, non replaceable
- Canopy** Color: White/Black, Material: Plastic. Dimension: 12,3 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
- Contemporary and simple style
- Brass joint connecting shade and base
- Rough matte surface with brass details





White 48745001
Metal




Grey 48745011
Metal

POP Rough Table lamp by Sebastian Holmbäck

- Masterbox** Qty. 3
- Size** H: 47 cm, Shade Ø: 15 cm, Base Ø: 23 cm, Tilt angle: 30°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included
Can not be dimmed

Features

- Contemporary and simple style
- Brass joint connecting shade and base
- Rough matte surface with brass details



White 48754001
Metal




Grey 48754011
Metal

POP Rough Floor lamp by Sebastian Holmbäck

- Masterbox** Qty. 2
- Size** H: 145 cm, Shade Ø: 15 cm, Base Ø: 15 cm, Tilt angle: 30°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included
Can not be dimmed

Features

- Contemporary and simple style
- Brass joint connecting shade and base
- Rough matte surface with brass details





NEW **Matt black 2213641003**
Metal




NEW **Beige 45841009**
Metal

POP Wall light by Sebastian Holmbäck

Masterbox Qty. 3
Size H: 20 cm, W: 19 cm, L: 19 cm, Shade Ø: 15,5 cm,
 Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

Features
 Contemporary and simple style
 Some glossy, some matt
 Adjustable lamp head for a directional light



White 45841001
Metal



Black 45841003
Metal



Green 45841023
Metal




Anthracite 45841050
Metal

POP Wall light by Sebastian Holmbäck

Masterbox Qty. 3
Size H: 20 cm, W: 19 cm, L: 19 cm, D: 19 cm, Shade Ø: 15,5 cm,
 Tube Ø: 1,3 cm, Base: Ø 11 cm, Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Cable White/Black 180 cm, replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

Features
 Contemporary and simple style
 Some glossy, some matt
 Adjustable lamp head for a directional light






NEW Galvanized 2213023031
Metal

Porter 9 Pendant by Says Who

Masterbox Qty. 3
Size H: 19 cm, W: 9 cm, L: 9 cm, Shade Ø: 9 cm, Tilt angle: 25°
IP Class IP20, Class 2 (Double isolated)
Cable Black 200 cm, non replaceable
Canopy Color: Galvanized, Material: Metal. Dimension: 2 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Rough and industrial galvanized expression
 Adjustable lamp head
 Hang three or more lamps together in a line or cluster
 Galvanized inside




NEW Galvanized 2213033031
Metal

Porter 21 Pendant by Says Who

Masterbox Qty. 3
Size H: 24 cm, W: 21 cm, L: 21 cm, Shade Ø: 21 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 200 cm, non replaceable
Canopy Color: Galvanized, Material: Metal. Dimension: 2 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Rough and industrial galvanized expression
 Decorative grid covering the opening
 Galvanized inside






NEW Galvanized 2213043031
Metal

Porter 40 Pendant by Says Who

Masterbox Qty. 2
Size H: 30 cm, W: 40 cm, L: 40 cm, Shade Ø: 40 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 200 cm, non replaceable
Canopy Color: Galvanized, Material: Metal. Dimension: 2 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Rough and industrial galvanized expression
 Decorative grid covering the opening
 Galvanized inside




NEW Galvanized 2213051031
Metal

Porter Wall light by Says Who

Masterbox Qty. 3
Size H: 17 cm, W: 20 cm, L: 20 cm, Shade Ø: 9 cm, Tilt angle: 80°
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, replaceable. Switch on the cable
Canopy . Dimension: 2 cm
Lightsource E27 - not included
 Can not be dimmed

Features

Rough and industrial galvanized expression
 Adjustable lamp head for a directional light
 Can both be used as wall lamp and spot
 Galvanized inside






NEW Galvanized 2213062031
Metal

Porter Clamp lamp by Says Who

Masterbox Qty. 3
Size H: 20 cm, W: 17 cm, L: 17 cm, Shade Ø: 9 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

Features

Rough and industrial galvanized expression
 Adjustable lamp head for a directional light
 Moveable lamp that can be fixed on e.g. a shelf
 No need for fixed mounting
 Galvanized inside




NEW Galvanized 2213010131
Metal

Porter 3-Spot Spot light by Says Who

Masterbox Qty. 3
Size H: 26 cm, W: 76 cm, L: 76 cm, Shade Ø: 9 cm, Tube Ø: 9,8 cm,
 Tilt angle: 80°
IP Class IP20, Class 2 (Double isolated)
Canopy Color: Galvanized, Material: Metal. Dimension: 2 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Rough and industrial galvanized expression
 Adjustable lamp head for a directional light
 Can be placed both on ceiling and wall
 Galvanized inside





Black 2010803003
Metal

Moodmaker™ Step Dimming




CLYDE Pendant

- Masterbox** Qty. 2
- Size** H: 22,25 cm, W: 8,5 cm, L: 89,6 cm, Shade Ø: 8,5 cm, Tilt angle: 320°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Metal. Dimension: 12,5 cm
- Lightsource** LED Module - 4X5WSMD, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°
Has built-in dimmable light source with Moodmaker™ functionality


Features

- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable with memory function
- 350 lumen per lamp head
- Rotatable arms for creating your own style and directions
- 5 year LED guarantee



Black 2010813003
Metal

Moodmaker™ Step Dimming




CLYDE Pendant

- Masterbox** Qty. 2
- Size** H: 9,3 cm, W: 8,5 cm, L: 115 cm
- IP Class** IP20, Class 2 (Double isolated)
- Canopy** Color: Black, Material: Metal. Dimension: 35 x 9 cm
- Lightsource** LED Module - 4X5WSMD, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°
Has built-in dimmable light source with Moodmaker™ functionality

Features

- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable with memory function
- 350 lumen per lamp head
- 5 year LED guarantee





NEW Black 2213543003
Metal

Moodmaker™ Step Dimming




CLYDE Pendant

- Masterbox** Qty. 6
- Size** H: 17,5 cm, W: 8,5 cm, L: 8,5 cm, Shade Ø: 8,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 9 cm
- Lightsource** LED Module - 5W LED, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°
Has built-in dimmable light source with Moodmaker™ functionality


Features

- Scandinavian minimalistic design
- 3-step Moodmaker™ dimming with memory function
- Hight light output (350 lumen)
- 5 year LED guarantee



Black 2010835003
Metal

Moodmaker™ Step Dimming




CLYDE Table lamp

- Masterbox** Qty. 3
- Size** H: 40,7 cm, W: 15 cm, L: 25,5 cm, Shade Ø: 8,5 cm, Tube Ø: 1,15 cm, Tilt angle: 130°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 150 cm, non replaceable. Switch on the cable
- Lightsource** LED Module - 5W LED, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°
Has built-in dimmable light source with Moodmaker™ functionality

Features

- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable with memory function
- 350 lumen per lamp head
- Adjustable joint and flexible lamp head for a directional light
- 5 year LED guarantee





Black 2010844003
Metal

Moodmaker™ Step Dimming




CLYDE Floor lamp

- Masterbox** Qty. 2
- Size** H: 138 cm, W: 23 cm, L: 26,6 cm, Shade Ø: 8,5 cm, Tube Ø: 1,6 cm, Base Ø: 23 cm, Tilt angle: 130°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 150 cm, non replaceable. Switch on the cable
- Lightsource** LED Module - 2X5W LED, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°
Has built-in dimmable light source with Moodmaker™ functionality

Features

- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable with memory function
- 350 lumen per lamp head
- Adjustable joint and flexible lamp head for a directional light
- 5 year LED guarantee



Black 2010821003
Metal

Moodmaker™ Step Dimming




CLYDE Wall light

- Masterbox** Qty. 3
- Size** H: 10 cm, W: 10 cm, D: 13,6 cm, Shade Ø: 8,5 cm, Tilt angle: 320°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 150 cm, replaceable. Switch on the cable
- Lightsource** LED Module - 5W LED, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°
Has built-in dimmable light source with Moodmaker™ functionality

Features

- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable with memory function
- 350 lumen per lamp head
- Adjustable joint and flexible lamp head for a directional light
- 5 year LED guarantee






NEW Black 2213530103
Metal

Moodmaker™ Step Dimming



CLYDE 4-Spot Spot light

- Masterbox** Qty. 3
- Size** H: 10 cm, W: 115 cm, L: 115 cm, Shade Ø: 8,5 cm, Tube Ø: 1,25 cm
- IP Class** IP20, Class 2 (Double isolated)
- Canopy** Color: Black, Material: Metal. Dimension: 2,5 cm
- Lightsource** LED Module - 5W LED, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°
Has built-in dimmable light source with Moodmaker™ functionality



Features

- Scandinavian minimalistic design
- 3-step Moodmaker™ dimming with memory function
- Hight light output (350 lumen per lamp head)
- 5 year LED guarantee




Black 2112053003
Metal

Brass 2112053035
Metal

PACO Pendant

- Masterbox** Qty. 6
- Size** H: 17,3 cm, W: 4,2 cm, L: 4,2 cm, Tube Ø: 0,9 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 12,5 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb




Features

- Minimalist and modern style
- Create your own design expression with a decorative bulb
- Hang 3 or more lamps together in a line or cluster



Black 2112063003
Metal




Brass 2112063035
Metal

PACO 3-Spot Pendant

- Masterbox** Qty. 3
- Size** H: 17,3 cm, W: 18,1 cm, L: 4,2 cm, Tube Ø: 0,9 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm, non replaceable
- Canopy** Color: Black/Brass, Material: Metal. Dimension: 22,6 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

Features
Minimalist and modern style
Create your own design expression with a decorative bulb




Black 2112085003
Metal

PACO Table lamp

- Masterbox** Qty. 4
- Size** H: 55 cm, W: 18 cm, L: 18 cm, Tube Ø: 1,13 cm, Base Ø: 18 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included
Can not be dimmed

Features
Minimalist and modern style
Create your own design expression with a decorative bulb






Black 2112094003
Metal

PACO Floor lamp

- Masterbox** Qty. 3
Size H: 155 cm, W: 30 cm, L: 30 cm, Tube Ø: 1,53 cm, Base Ø: 30 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

Features
 Minimalist and modern style
 Create your own design expression with a decorative bulb




Black 2112071003
Metal

PACO Wall light

- Masterbox** Qty. 3
Size H: 16 cm, W: 9 cm, L: 17,5 cm, D: 17,5 cm, Tube Ø: 1,13 cm, Base Ø: 9 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

Features
 Minimalist and modern style
 Create your own design expression with a decorative bulb






NEW Black 2213273003
Metal

PACO 5-Spot Spot light

Masterbox Qty. 3
Size H: 11,5 cm, W: 80 cm, L: 80 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 200 cm, non replaceable
Canopy Color: Black, Material: Metal. Dimension: 2,5 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Minimalistic and industrial design expression
 Create your own design expression with a decorative bulb
 Perfect above the dining or kitchen table



Black 2010603003
Metal



Brushed steel 2010603032
Metal



NEW **Dark grey steel 2010603051**
Metal

Moodmaker™ Step Dimming



Step 1
100%



Step 2
50%




Step 3
20%

LILT Pendant by Says Who

Masterbox Qty. 3
Size H: 10,2 cm, W: 115 cm, L: 115 cm, D: 4,3 cm, Shade Ø: 3,7 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black 205 cm, non replaceable. Switch on the base
Canopy Color: Black, Material: Metal. Dimension: 9 x 2,5 cm
Lightsource LED Module - 27W LED, 2000 Lumen, 2700 Kelvin, 30000 Hours,
 RA 80, Beamangle 120°
 Has built-in dimmable light source with Moodmaker™ functionality

Features

Scandinavian minimalistic design
 Moodmaker™ 3-step dimmable from wall switch
 Perfect above a long dining table or kitchen island
 Rough surface and decorative fittings
 Easy adjustment for wires
 3 year LED guarantee





NEW Black 2113053003
Metal




NEW Brass 2113053035
Metal

GLOOM Pendant

- Masterbox** Qty. 4
- Size** H: 36 cm, W: 74 cm, L: 4,3 cm, Shade Ø: 4,3 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm, non replaceable
- Canopy** Color: Black/Brass, Material: Metal. Dimension: 10 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
- Modern interpretation of the classic chandelier
- Rotatable arms
- Create your own design expression with a decorative bulb




NEW Nature 2213133014
Wood

ASTI 30 Pendant

- Masterbox** Qty. 3
- Size** H: 40 cm, W: 30 cm, L: 30 cm, Shade Ø: 30 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 9 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
- Natural and soft design bringing nature inside
- Wooden structure creates beautiful light and shadow play
- Create your own design expression with a decorative bulb
- Increased number of slats for elegant effect
- Elegant chrome socket






NEW Nature 2213143014
Wood

ASTI 50 Pendant

Masterbox	Qty. 3
Size	H: 25 cm, W: 50 cm, L: 50 cm, Shade Ø: 50 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: White 200 cm, non replaceable
Canopy	Color: Black, Material: Plastic. Dimension: 9 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Natural and soft design bringing nature inside
Wooden structure creates beautiful light and shadow play
Create your own design expression with a decorative bulb
Increased number of slats for elegant effect
Elegant chrome socket




NEW Clear 2213173000
Metal/Glass

TORINA 20 Pendant

Masterbox	Qty. 3
Size	H: 10,5 cm, W: 20 cm, L: 20 cm, Shade Ø: 20 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	White 200 cm, non replaceable
Canopy	Color: White, Material: Plastic. Dimension: 9 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Vintage design
Light and retro design expression
Create your own design expression with a decorative bulb
Hang three or more lamps together in a line or cluster






NEW Clear 2213183000
Metal/Glass

TORINA 25 Pendant

Masterbox Qty. 3
Size H: 11,5 cm, W: 24 cm, L: 24 cm, Shade Ø: 24 cm
IP Class IP20, Class 2 (Double isolated)
Cable White 200 cm, non replaceable
Canopy Color: White, Material: Plastic. Dimension: 9 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Vintage design
 Light and retro design expression
 Create your own design expression with a decorative bulb
 Hang three or more lamps together in a line or cluster



NEW White 2213253201
Paper




NEW Grey 2213253250
Paper

VILLO 60 Pendant

Masterbox Qty. 12
Size H: 24 cm, W: 60 cm, L: 60 cm, Shade Ø: 60 cm
Cable Whitenon replaceable
Lightsource

Features

Natural and soft feeling bringing nature inside
 Light and retro design expression
 Provides a soft, diffused light
 Excluding suspension bracket, cable and canopy






NEW Black 2213303003
Metal

BERONI 35 Pendant by Says Who

Masterbox	Qty. 2
Size	H: 33 cm, W: 35 cm, L: 35 cm, Shade Ø: 35 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black 200 cm, non replaceable
Canopy	Color: Black, Material: Plastic. Dimension: 8,7 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Minimalistic, yet industrial expression
Create your own design expression with a decorative bulb
Elegant finish connecting shade to socket




NEW Black 2213313003
Metal

BERONI 40 Pendant by Says Who

Masterbox	Qty. 2
Size	H: 33 cm, W: 40 cm, L: 40 cm, Shade Ø: 40 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black 200 cm, non replaceable
Canopy	Color: Black, Material: Plastic. Dimension: 8,7 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Minimalistic, yet industrial expression
Create your own design expression with a decorative bulb
Elegant finish connecting shade to socket





NEW Black 2213323003
Metal

BERONI 45 Pendant by Says Who

- Masterbox** Qty. 2
- Size** H: 43 cm, W: 45 cm, L: 45 cm, Shade Ø: 45 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 8,7 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

Features

Minimalistic, yet industrial expression
Create your own design expression with a decorative bulb
Elegant finish connecting shade to socket



NEW Black 2213155003
Wood




NEW Nature 2213155014
Wood

GROA Table lamp

- Masterbox** Qty. 3
- Size** H: 40 cm, W: 26 cm, L: 26 cm, Shade Ø: 26 cm, Base Ø: 19 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included
Can not be dimmed

Features

Natural and soft design bringing nature inside
Wooden structure creates beautiful light and shadow play
Create your own design expression with a decorative bulb
Knock-down packing for easy self-assembly





Light grey 48905011
Glass/Concrete



NEW Clear 48905014
Glass/Wood



NEW Anthracite 48905050
Glass/Concrete


CHRISTINA 20 Table lamp

- Masterbox** Qty. 3
- Size** H: 30 cm, W: 19,5 cm, L: 19,5 cm, Shade Ø: 19,5 cm, Base Ø: 13 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included
Can not be dimmed

Features

Industrial style

Design your own lamp with a decorative bulb



White 0100001
Plastic



NEW Black 2212003003
Plastic

PEND Accessories

- Masterbox** Qty. 12
- Size** L: 200 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm,
- Canopy** Color: Black, Material: Plastic
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

Features

Accessory for pendant

Includes socket, spiral cable and canopy



Brushed steel 2113171032
Metal

AVENUE Wall light

Masterbox Qty. 6
Size H: 8 cm, W: 8 cm, L: 8 cm, Shade Ø: 3,6 cm, Tilt angle: 90°
IP Class IP20, Class 1 (Earth contact)
Cable Black 150 cm, replaceable. Switch on the cable
Lightsource GU10 - not included
Can not be dimmed

Features
Industrial style
Tilting and turning shade



Brushed steel 2113180132
Metal

AVENUE 2-Rail Spot light

Masterbox Qty. 3
Size H: 10 cm, W: 38 cm, L: 38 cm, Tilt angle: 90°
IP Class IP20, Class 1 (Earth contact)
Canopy Material: Metal. Dimension: 2,5 cm
Lightsource GU10 - not included
Can be dimmed by choosing a dimmable bulb

Features
Industrial style
Tilting and turning shade



Brushed steel 2113190132
Metal

AVENUE 3-Rail Spot light

Masterbox Qty. 3
Size H: 10 cm, W: 56,5 cm, L: 56,5 cm, Tilt angle: 90°
IP Class IP20, Class 1 (Earth contact)
Canopy Material: Metal. Dimension: 2,5 cm
Lightsource GU10 - not included
Can be dimmed by choosing a dimmable bulb

Features
Industrial style
Tilting and turning shade



Brushed steel 2113200132
Metal

AVENUE 3-Rondel Spot light

Masterbox Qty. 3
Size H: 8 cm, W: 25 cm, L: 25 cm, Shade Ø: 3,6 cm
IP Class IP20, Class 1 (Earth contact)
Canopy Material: Metal. Dimension: 2,5 cm
Lightsource GU10 - not included
Can be dimmed by choosing a dimmable bulb

Features
Industrial style
Tilting and turning shade



Brushed steel 2113210132
Metal

AVENUE 6-Rail Spot light

Masterbox Qty. 2
Size H: 15,5 cm, W: 119 cm
IP Class IP20, Class 1 (Earth contact)
Lightsource GU10 - not included
Can be dimmed by choosing a dimmable bulb

Features

Industrial style
Tilting and turning shade




Black 19874003
Metal

BREAK Floor lamp

Masterbox Qty. 2
Size H: 158 cm, Shade Ø: 44 cm, Tube Ø: 2 cm, Base Ø: 25,5 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 200 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
Can not be dimmed

Features

Classic style
Fabric shade
Adjustable arm for a directional light






Black 19861003
Metal

BREAK Wall light

- Masterbox** Qty. 3
Size H: 34 cm, W: 29 cm, D: 53 cm, Shade Ø: 29 cm,
 Tube Ø: 1,2 cm, Base: Ø 12 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 170 cm, replaceable. Switch on the fixture
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Classic style
 Fabric shade
 Adjustable arm for a directional light



Brushed steel 2113221032
Metal

CHICAGO Wall light

- Masterbox** Qty. 3
Size H: 10,5 cm, W: 14,5 cm, L: 14,5 cm, Shade Ø: 8 cm
IP Class IP20, Class 1 (Earth contact)
Cable Black 150 cm, non replaceable
Canopy . Dimension: 8 x 2,5 cm
Lightsource GU10 - not included
 Can not be dimmed

- Features**
 #NUM!



Brushed steel 2113230132
Metal

CHICAGO 2-Spot Spot light

Masterbox Qty. 3
Size H: 16 cm, W: 35 cm, L: 35 cm, Shade Ø: 8 cm
IP Class IP20, Class 1 (Earth contact)
Canopy . Dimension: 10 x 2,5 cm
Lightsource GU10 - not included
Can be dimmed by choosing a dimmable bulb

Features

Contemporary style
Tilting and turning shade



Brushed steel 2113240132
Metal

CHICAGO 4-Spot Spot light

Masterbox Qty. 3
Size H: 16 cm, W: 64 cm, L: 64 cm, Shade Ø: 8 cm
IP Class IP20, Class 1 (Earth contact)
Canopy . Dimension: 12 x 2,5 cm
Lightsource GU10 - not included
Can be dimmed by choosing a dimmable bulb

Features

Contemporary style
Tilting and turning shade




Black 2112890003
Metal/Opal glass

COLE 2-Spot Wall light

- Masterbox** Qty. 3
Size H: 17,6 cm, W: 28,5 cm, L: 21,3 cm, D: 21,3 cm, Shade Ø: 8 cm,
 Base Ø: 0 cm, Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, replaceable. Switch on the fixture
Canopy . Dimension: 9,5 cm
Lightsource E14 - not included
 Can not be dimmed

Features

- Minimalist and classic design
- Opal glass shade
- Adjustable lamp head for a directional light
- Separate on/off switch on base
- Ideal for bed light




Black 2112991003
Metal/Opal glass

COLE Wall light

- Masterbox** Qty. 3
Size H: 15,3 cm, W: 9,5 cm, L: 19 cm, D: 19 cm, Shade Ø: 8 cm,
 Base Ø: 9,5 cm, Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, replaceable. Switch on the fixture
Lightsource E14 - not included
 Can not be dimmed

Features

- Minimalist and classic design
- Opal glass shade
- Adjustable lamp head for a directional light
- Ideal for bed light






Black 2112910003
Metal/Opal glass

COLE 3-Spot Spot light

Masterbox Qty. 3
Size H: 17,6 cm, W: 48,5 cm, L: 21,3 cm, D: 21,3 cm, Shade Ø: 8 cm,
 Base Ø: 9 cm, Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Canopy Color: Black, Material: Metal. Dimension: 9,5 cm
Lightsource E14 - not included
 Can be dimmed by choosing a dimmable bulb

Features
 Minimalist and classic design
 Opal glass shade
 Adjustable lamp head for a directional light




Black 2112950003
Metal/Opal glass

COLE 5-Spot Spot light

Masterbox Qty. 3
Size H: 18,6 cm, W: 87 cm, L: 24,2 cm, D: 24,2 cm, Shade Ø: 8 cm,
 Base Ø: 11 cm, Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Canopy Color: Black, Material: Metal. Dimension: 11 cm
Lightsource E14 - not included
 Can be dimmed by choosing a dimmable bulb

Features
 Minimalist and classic design
 Opal glass shade
 Adjustable lamp head for a directional light






White 49801001
Metal

FRIDA Wall light

- Masterbox** Qty. 6
Size H: 11,5 cm, D: 11,5 cm, Shade Ø: 5,1 cm, Base: 8,5 x 8,5 cm, Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Cable White 150 cm, replaceable. Switch on the cable
Lightsource GU10 - not included
 Can not be dimmed

- Features**
 Contemporary and simple style
 Adjustable lamp head for a directional light




White 49810101
Metal

FRIDA 2-Spot Spot light

- Masterbox** Qty. 3
Size W: 8 cm, L: 29 cm, D: 11,5 cm, Shade Ø: 5,1 cm, Base: 29 x 6 cm, Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Lightsource GU10 - not included
 Can be dimmed by choosing a dimmable bulb

- Features**
 Contemporary and simple style
 Adjustable lamp head for a directional light
 Can be used on both wall and ceiling






White 49820101
Metal

FRIDA 4-Spot Spot light

Masterbox Qty. 3
Size W: 23 cm, L: 23 cm, D: 11,5 cm, Shade Ø: 5,1 cm,
 Base: 20 x 20 cm, Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Lightsource GU10 - not included
 Can be dimmed by choosing a dimmable bulb

Features
 Contemporary and simple style
 Adjustable lamp head for a directional light




Black/Brass 2011053003
Metal

GALLOWAY Pendant

Masterbox Qty. 6
Size H: 16,8 cm, W: 5,5 cm, L: 5,5 cm, Ø: 5.5 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black 200 cm, non replaceable
Canopy Color: Black, Material: Plastic. Dimension: 12,2 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features
 Art deco style
 Design your own luminaire with a decorative bulb
 Beautiful brass details






Black/Brass 2011075003
Metal

GALLOWAY Table lamp

- Masterbox** Qty. 6
Size H: 17,5 cm, W: 10 cm, L: 10 cm, Shade Ø: 5,5 cm, Base Ø: 10 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black 150 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

Features

- Art deco style
- Design your own luminaire with a decorative bulb
- Beautiful brass details



Clear 46483000
Glass



Amber 46483027
Glass




Smoked 46483047
Glass

HOLLYWOOD Pendant

- Masterbox** Qty. 3
Size Shade Ø: 10,8 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black 300 cm, non replaceable
Canopy Color: Black, Material: Plastic. Dimension: 11 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features

- Glamorous art deco style
- Diamond pattern that reflects light in an exciting way
- Hang 3 lamps together in a line or cluster





Clear 46645000
Glass



Amber 46645027
Glass




Smoked 46645047
Glass

HOLLYWOOD Table lamp

- Masterbox** Qty. 3
- Size** H: 12,8 cm, Ø: 10.8 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 180 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included
Can not be dimmed

- Features**
- Glamorous art deco style
- Diamond pattern that reflects light in an exciting way
- Create your own design expression with a decorative bulb



Black/Brass 50101003
Metal

LOTUS Wall light

- Masterbox** Qty. 6
- Size** H: 14 cm, D: 16 cm, Shade Ø: 6,6 cm, Base: Ø 9 cm, Tilt angle: 150°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White 150 cm, replaceable. Switch on the cable
- Lightsource** E14 - not included
Can not be dimmed

- Features**
- Industrial style
- Adjustable lamp head for a directional light
- Black silk matt finish and polished brass details



Black/Brass 50110103
Metal

LOTUS 2-Spot Spot light

Masterbox Qty. 3
Size L: 37 cm, D: 20 cm, Shade Ø: 6,6 cm, Base: Ø 9 cm,
Tilt angle: 150°
IP Class IP20, Class 2 (Double isolated)
Cable White
Lightsource E14 - not included
Can be dimmed by choosing a dimmable bulb

Features

Industrial style
Adjustable lamp head for a directional light
Black silk matt finish and polished brass details



Black/Brass 50120103
Metal

LOTUS 3-Spot Spot light

Masterbox Qty. 3
Size L: 58 cm, D: 20 cm, Shade Ø: 6,6 cm, Base: Ø 9 cm,
Tilt angle: 150°
IP Class IP20, Class 2 (Double isolated)
Cable White
Lightsource E14 - not included
Can be dimmed by choosing a dimmable bulb

Features

Industrial style
Adjustable lamp head for a directional light
Black silk matt finish and polished brass details



Black/Brass 50130103
Metal

LOTUS 4-Spot Spot light

Masterbox Qty. 3
Size L: 78 cm, D: 20 cm, Shade Ø: 6,6 cm, Base: Ø 9 cm,
 Tilt angle: 150°
IP Class IP20, Class 2 (Double isolated)
Cable White
Lightsource E14 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Industrial style
 Adjustable lamp head for a directional light
 Black silk matt finish and polished brass details



White 75531001
Metal




Black 75531003
Metal

MENTO Wall light

Masterbox Qty. 6
Size H: 30 cm, W: 5 cm, D: 19 cm, Shade Ø: 3,5 cm, Base: 2 x 12 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black/White 180 cm, replaceable. Switch on the fixture
Lightsource LED Module - 3W LED, 130 Lumen, 3000 Kelvin, 30000 Hours,
 RA 80, Beamangle 60°
 Can not be dimmed

Features

Minimalistic functional style
 Flexible arm for a directional light
 5 year LED guarantee





White 75582001
Metal




Black 75582003
Metal

MENTO Clamp lamp

- Masterbox** Qty. 6
- Size** H: 40 cm, W: 6,5 cm, Shade Ø: 3,5 cm
- IP Class** IP20, Class 3 (12V)
- Cable** Black/White 180 cm, non replaceable. Switch on the fixture
- Lightsource** LED Module - 3W LED, 130 Lumen, 3000 Kelvin, 30000 Hours, RA 80, Beamangle 60°
Can not be dimmed

- Features**
- Minimalistic functional style
 - Clamp for fasten on shelf or other edge
 - Flexible arm for a directional light
 - 5 year LED guarantee



White 2010763001
Metal/Plastic



Grey 2010763010
Metal/Plastic


Moodmaker™ Step Dimming



PISO Pendant

- Masterbox** Qty. 3
- Size** H: 17,15 cm, W: 36,5 cm, L: 36,5 cm, Shade Ø: 36,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Grey 200 cm, non replaceable
- Canopy** Color: White/Grey, Material: Metal. Dimension: 12,5 cm
- Lightsource** LED Module - 21W
LED, 1600 Lumen, 2200-2700 Kelvin, 25000 Hours, RA 80,
Beamangle 120°
Has built-in dimmable light source with Moodmaker™ functionality

- Features**
- Scandinavian minimalistic design
 - Moodmaker™ built-in dim-to-warm technology operated from dimmer switch
 - Provides a soft, diffused light





White 2010756001
Metal/Plastic



Grey 2010756010
Metal/Plastic

Moodmaker™ Step Dimming




PISO Ceiling light

- Masterbox** Qty. 3
- Size** Shade Ø: 36,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Grey
- Lightsource** LED Module - 22W
LED, 1600 Lumen, 2200-2700 Kelvin, 25000 Hours, RA 80,
Beamangle 120°
Has built-in dimmable light source with Moodmaker™
functionality

Features

- Scandinavian minimalistic design
- Moodmaker™ built-in dim-to-warm technology operated from dimmer switch
- Provides a soft, diffused light





White 48635001
Metal




Black 48635003
Metal

ALEXANDER 16 Table lamp

- Masterbox** Qty. 2
- Size** H: 54 cm, Shade Ø: 16 cm, Base Ø: 18 cm, Tilt angle: 30°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White 150 cm, non replaceable. Switch on the base
- Lightsource** E27 - not included
Can not be dimmed

Features

- Contemporary and simple style
- Adjustable lamp head for a directional light



White 48654001
Metal




Black 48654003
Metal

ALEXANDER 16 Floor lamp

- Masterbox** Qty. 2
- Size** H: 140 cm, Shade Ø: 16 cm, Base Ø: 25 cm, Tilt angle: 30°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White 150 cm, non replaceable. Switch on the fixture
- Lightsource** E27 - not included
Can not be dimmed

Features

- Contemporary and simple style
- Adjustable lamp head for a directional light





White 48621001
Metal




Black 48621003
Metal

ALEXANDER 16 Wall light

- Masterbox** Qty. 2
Size H: 30 cm, D: 37 cm, Shade Ø: 16 cm, Base: Ø 12 cm,
Tilt angle: 30°
IP Class IP20, Class 2 (Double isolated)
Cable White 150 cm, replaceable. Switch on the base
Lightsource E27 - not included
Can not be dimmed

- Features**
Contemporary and simple style
Adjustable lamp head for a directional light






Black 2112765003
Aluminium

BEND Table lamp by Says Who

Masterbox	Qty. 2
Size	H: 45,5 cm, W: 15 cm, L: 27,3 cm, Shade Ø: 12 cm, Tube Ø: 1,6 cm, Base Ø: 15 cm, Tilt angle: 60°
IP Class	IP20, Class 3 (12V)
Cable	Textile cable: Black 150 cm, non replaceable. Switch on the fixture
Lightsource	LED Module - 5W LED, 410 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 110° Has built-in dimmable light source with Moodmaker™ functionality

Features

- Scandinavian minimalistic design
- Moodmaker™ Touch dimmable on fixture
- Adjustable arm and turn of lamp head for a directional light
- USB port for charging your phone or other device
- 5 year LED guarantee




Black 2112774003
Aluminium

BEND Single Floor lamp by Says Who

Masterbox	Qty. 2
Size	H: 135 cm, W: 25 cm, L: 36,8 cm, Shade Ø: 12 cm, Tube Ø: 1,6 cm, Base Ø: 25 cm, Tilt angle: 60°
IP Class	IP20, Class 3 (12V)
Cable	Textile cable: Black 150 cm, non replaceable. Switch on the fixture
Lightsource	LED Module - 5W LED, 410 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 110° Has built-in dimmable light source with Moodmaker™ functionality

Features

- Scandinavian minimalistic design
- Moodmaker™ Touch dimmable on fixture
- Adjustable arm and turn of lamp head for a directional light
- 5 year LED guarantee






Black 2112784003
Aluminium

BEND Double Floor lamp by Says Who

- Masterbox** Qty. 2
- Size** H: 135 cm, W: 25 cm, L: 53 cm, Shade Ø: 12 cm, Tube Ø: 1,6 cm, Base Ø: 25 cm, Tilt angle: 60°
- IP Class** IP20, Class 3 (12V)
- Cable** Textile cable: Black 150 cm, non replaceable. Switch on the fixture
- Lightsource** LED Module - 2x5W LED, 410 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 110°
Has built-in dimmable light source with Moodmaker™ functionality

Features

- Scandinavian minimalistic design
- Moodmaker™ Touch dimmable on fixture
- Adjustable arm and turn of lamp head for a directional light
- 5 year LED guarantee




Black 2112751003
Aluminium

BEND Wall light by Says Who

- Masterbox** Qty. 3
- Size** H: 21 cm, W: 12 cm, L: 31,8 cm, D: 31,8 cm, Shade Ø: 12 cm, Tube Ø: 1,6 cm, Base Ø: 11 cm, Tilt angle: 90°
- IP Class** IP20, Class 3 (12V)
- Cable** Textile cable: Black 150 cm, non replaceable. Switch on the fixture
- Lightsource** LED Module - 5W LED, 410 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 110°
Has built-in dimmable light source with Moodmaker™ functionality

Features

- Scandinavian minimalistic design
- Moodmaker™ Touch dimmable on fixture
- Adjustable arm and turn of lamp head for a directional light
- 5 year LED guarantee






Brass 2010203035
Metal

CERA Pendant by Kaare Bækgaard

Masterbox	Qty. 2
Size	W: 36 cm, L: 36 cm, Shade Ø: 36 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black 200 cm, non replaceable
Canopy	Color: Black, Material: Plastic. Dimension: 12,3 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Contemporary art deco style
Brass adds cosiness and warmth to the interior




Brass 2010225035
Metal

CERA Table lamp by Kaare Bækgaard

Masterbox	Qty. 3
Size	H: 47 cm, Shade Ø: 24 cm, Tube Ø: 1,6 cm, Base Ø: 18 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black 150 cm, non replaceable. Switch on the cable
Lightsource	E14 - not included Can not be dimmed

Features

Contemporary art deco style
Brass adds cosiness and warmth to the interior






Brass 2010244035
Metal

CERA Floor lamp by Kaare Bækgaard

- Masterbox** Qty. 2
Size H: 140 cm, Shade Ø: 36 cm, Tube Ø: 1,9 cm, Base Ø: 24 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black 150 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

Features

Contemporary art deco style
 Brass adds cosiness and warmth to the interior



White 73065001
Metal




Black 73065003
Metal

CYCLONE Table lamp

- Masterbox** Qty. 3
Size H: 33 cm, Shade Ø: 11 cm, Tube Ø: 1,4 cm, Base Ø: 15 cm
IP Class IP20, Class 2 (Double isolated)
Cable White/Black 155 cm, non replaceable. Switch on the cable
Lightsource E14 - not included
 Can not be dimmed

Features

Contemporary classic style
 Flexible arms for a directional light





White 72991001
Metal




Black 72991003
Metal

CYCLONE Wall light

- Masterbox** Qty. 6
Size H: 37 cm, W: 12,5 cm, D: 37 cm, Shade Ø: 11 cm,
 Tube Ø: 1,1 cm, Base: Ø 12,5 cm
IP Class IP20, Class 1 (Earth contact)
Cable Black/White. Switch on the fixture
Lightsource E14 - not included
 Can not be dimmed

- Features**
 Contemporary classic style
 Flexible arms for a directional light
 Supplied without cable



White 73072001
Metal




Black 73072003
Metal

CYCLONE Clamp lamp

- Masterbox** Qty. 3
Size H: 27 cm, Shade Ø: 11 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black/White 200 cm, non replaceable. Switch on the cable
Lightsource E14 - not included
 Can not be dimmed

- Features**
 Contemporary classic style
 Clamp for fasten on shelf or other edge
 Flexible arms for a directional light






Beige 2112115001
Metal

FLEUR 15 Table lamp by Says Who

- Masterbox** Qty. 3
Size H: 49 cm, W: 20 cm, L: 38,4 cm, Shade Ø: 15,3 cm,
 Tube Ø: 1,25 cm, Base Ø: 20 cm, Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Cable White 150 cm, non replaceable. Switch on the fixture
Lightsource E14 - not included
 Can not be dimmed

- Features**
 Vintage design
 Elegant brass details
 On/off rocking switch
 Adjustable lamp head for a directional light




Beige 2112124001
Metal

FLEUR 24 Floor lamp by Says Who

- Masterbox** Qty. 2
Size H: 148 cm, W: 26,5 cm, L: 61,2 cm, Shade Ø: 23,4 cm,
 Tube Ø: 1,6 cm, Base Ø: 26,5 cm, Tilt angle: 64°
IP Class IP20, Class 2 (Double isolated)
Cable White 150 cm, non replaceable. Switch on the fixture
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Vintage design
 Elegant brass details
 On/off rocking switch
 Adjustable lamp head for a directional light






Beige 2112101001
Metal

FLEUR 15 Wall light by Says Who

Masterbox	Qty. 3
Size	H: 26,4 cm, W: 15,3 cm, L: 21,2 cm, D: 21,2 cm, Shade Ø: 15,3 cm, Tube Ø: 1,25 cm, Base Ø: 15 cm, Tilt angle: 35°
IP Class	IP20, Class 2 (Double isolated)
Cable	White 150 cm, replaceable. Switch on the fixture
Lightsource	E14 - not included Can not be dimmed

Features

- Vintage design
- Elegant brass details
- On/off rocking switch
- Adjustable lamp head for a directional light




Brass 2010553035
Metal/Opal Glass

GRANT 15 Pendant

Masterbox	Qty. 3
Size	H: 29 cm, W: 15 cm, L: 15 cm, Shade Ø: 15 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	White 200 cm, non replaceable
Canopy	Color: Brass, Material: Metal. Dimension: 12 cm
Lightsource	E14 - not included Can be dimmed by choosing a dimmable bulb

Features

- Glamorous modern style
- Decorative brass canopy
- Provides a soft, diffused light
- Matt white opal mouth blown glass






Brass 2010563035
Metal/Opal Glass

GRANT 25 Pendant

Masterbox	Qty. 3
Size	H: 40 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	White 200 cm, non replaceable
Canopy	Color: Brass, Material: Metal. Dimension: 12 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Glamorous modern style
Decorative brass canopy
Provides a soft, diffused light
Matt white opal mouth blown glass




Brass 2010573035
Metal/Opal Glass

GRANT 35 Pendant

Masterbox	Qty. 2
Size	W: 35 cm, L: 35 cm, Shade Ø: 35 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	White 200 cm, non replaceable
Canopy	Color: Brass, Material: Metal. Dimension: 12 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Glamorous modern style
Decorative brass canopy
Provides a soft, diffused light
Matt white opal mouth blown glass





Black 2010583003
Metal/Opal Glass




Brass 2010583035
Metal/Opal Glass

GRANT 3-Spot Pendant

- Masterbox** Qty. 3
Size H: 29,23 cm, W: 14,5 cm, L: 69,3 cm
IP Class IP20, Class 2 (Double isolated)
Canopy Color: Black/Brass, Material: Metal. Dimension: 12 cm
Lightsource E14 - not included
 Can be dimmed by choosing a dimmable bulb

Features

- Glamorous modern style
- Three glass domes that emit a soft light
- Provides a soft, diffused light
- Matt white opal mouth blown glass



Black 46635003
Metal/Opal Glass




Brass 46635025
Metal/Opal Glass

GRANT Table lamp

- Masterbox** Qty. 3
Size H: 41 cm, Shade Ø: 14,5 cm, Base Ø: 20 cm
IP Class IP20, Class 2 (Double isolated)
Cable White/Black 180 cm, non replaceable. Switch on the cable
Lightsource E14 - not included
 Can not be dimmed

Features

- Glamorous modern style
- Matt white opal mouth blown glass
- Provides a soft, diffused light





Black 47091003
Metal/Opal Glass




Brass 47091025
Metal/Opal Glass

GRANT Wall light

- Masterbox** Qty. 3
- Size** H: 16,4 cm, D: 20,7 cm, Shade Ø: 14,5 cm, Base: Ø 10 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black/White 200 cm, replaceable. Switch on the cable
- Lightsource** E14 - not included
Can not be dimmed

Features

- Art deco style
- Matt white opal mouth blown glass
- Provides a soft, diffused light




Black 2010303003
Metal

JOSEFINE 7-Spot Pendant

- Masterbox** Qty. 3
- Size** H: 4,4 cm, W: 91 cm, L: 45 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Metal. Dimension: 30,2 x 9 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

Features

- Industrial style
- Industrial expression with raw, masculine tubes
- New interpretation of a traditional chandelier
- Design your own lamp expression with beautiful decorative bulbs






Matt black 48933003
Metal

JOSEFINE Pendant

- Masterbox** Qty. 2
- Size** H: 79 cm, W: 55 cm, L: 55 cm, Shade Ø: 4,2 cm, Tube Ø: 1,9 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Metal. Dimension: 12 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

Features

- Industrial style
- Industrial expression with raw, masculine tubes
- New interpretation of a traditional chandelier
- Design your own lamp expression with beautiful decorative bulbs
- Rotatable arms for creating your own style and directions




Matt black 48955003
Metal

JOSEFINE Table lamp

- Masterbox** Qty. 3
- Size** H: 44 cm, Shade Ø: 4,2 cm, Tube Ø: 0,8 cm, Base Ø: 14 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included
Can not be dimmed

Features

- Industrial style
- Industrial expression with raw, masculine tubes
- Elegant table decoration
- Design your own lamp expression with beautiful decorative bulbs






Matt black 48941003
Metal

JOSEFINE Wall light

- Masterbox** Qty. 3
Size H: 36,18 cm, W: 22,15 cm, L: 22,15 cm, D: 10 cm,
 Shade Ø: 4 cm, Tube Ø: 0,93 cm, Base: Ø 8 cm, Base Ø: 8 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Industrial style
 Industrial expression with raw, masculine tubes
 Elegant wall decoration
 Design your own lamp expression with beautiful decorative bulbs




Grey 2010673047
Glass

ORBIFORM Pendant by Kaare Bækgaard

- Masterbox** Qty. 3
Size H: 21,5 cm, W: 23 cm, L: 23 cm, Shade Ø: 23 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black 200 cm, non replaceable
Canopy Color: Brass, Material: Metal. Dimension: 12 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

- Features**
 Glamorous art deco design
 A beautiful mix of brass and smoked glass
 Diamond pattern that reflects light in an exciting way
 Hang 3 lamps together in a line or cluster






Brass 2010693047
Glass

ORBIFORM 3-Spot Pendant by Kaare Bækgaard

Masterbox Qty. 3
Size H: 15,2 cm, W: 15 cm, L: 71 cm, Shade Ø: 15 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black 200 cm, non replaceable
Canopy Color: Brass, Material: Metal. Dimension: 70 x 5 cm
Lightsource E14 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Glamorous art deco design
 A beautiful mix of brass and smoked glass
 Diamond pattern that reflects light in an exciting way
 Perfect match for the long dining table or kitchen island




Brass 2010715047
Glass

ORBIFORM Table lamp by Kaare Bækgaard

Masterbox Qty. 3
Size H: 46,8 cm, W: 23 cm, L: 23 cm, Shade Ø: 23 cm,
 Tube Ø: 1,15 cm, Base Ø: 15 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black 150 cm, non replaceable. Switch on the
 cable
Lightsource E27 - not included
 Can not be dimmed

Features

Glamorous art deco design
 A beautiful mix of brass and smoked glass
 Diamond pattern that reflects light in an exciting way
 Elegant table decoration






Brass 2010656047
Glass

ORBIFORM Ceiling light by Kaare Bækgaard

- Masterbox** Qty. 3
Size H: 25,3 cm, Shade Ø: 23 cm
IP Class IP20, Class 2 (Double isolated)
Canopy Color: Brass, Material: Metal. Dimension: 15 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Glamorous art deco design
 A beautiful mix of brass and smoked glass
 Diamond pattern that reflects light in an exciting way
 Perfect for the entrance hall




Black 2010353003
Metal

PINE Pendant by Kaare Bækgaard

- Masterbox** Qty. 3
Size H: 31 cm, W: 30 cm, L: 30 cm, Shade Ø: 30 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 200 cm, non replaceable
Canopy Color: Black, Material: Plastic. Dimension: 12,5 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Soft industrial design
 Beautiful light effect with holes in the shade
 Elegant mix of matt metal and brass details
 Hang 3 or more lamps together in a line or cluster






Black 2010405003
Metal

PINE Table lamp by Kaare Bækgaard

- Masterbox** Qty. 3
Size H: 47 cm, W: 15 cm, L: 21 cm, Shade Ø: 13,5 cm, Tube Ø: 1,53 cm, Base Ø: 15 cm, Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, non replaceable. Switch on the fixture
Lightsource GU10 - not included
 Can not be dimmed

Features

- Soft industrial design
- Beautiful light effect with holes in the shade
- Elegant mix of matt metal and brass details
- On/off Switch in brass on the top of the shade




Black 2010381003
Metal

PINE Wall light by Kaare Bækgaard

- Masterbox** Qty. 6
Size H: 13,5 cm, W: 19,5 cm, L: 13,5 cm, Shade Ø: 13,5 cm, Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, replaceable. Switch on the fixture
Lightsource GU10 - not included
 Can not be dimmed

Features

- Soft industrial design
- Beautiful light effect with holes in the shade
- Elegant mix of matt metal and brass details
- On/off Switch in brass on the top of the shade





White 72695001
Metal




Black 72695003
Metal

VANILA Table lamp by Kaare Bækgaard

- Masterbox** Qty. 2
- Size** H: 44 cm, Shade Ø: 14,5 cm, Tube Ø: 1 cm, Base Ø: 18 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black/White 200 cm, non replaceable. Switch on the fixture
- Lightsources** E14 - not included
Can not be dimmed

- Features**
- Contemporary and simple style
- Suitable for the office, living room, and bedroom



White 72704001
Metal




Black 72704003
Metal

VANILA Floor lamp by Kaare Bækgaard

- Masterbox** Qty. 2
- Size** H: 129 cm, Shade Ø: 14,5 cm, Tube Ø: 1,5 cm, Base Ø: 24 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Clear/Black 210 cm, non replaceable. Switch on the fixture
- Lightsources** E14 - not included
Can not be dimmed

- Features**
- Contemporary and simple style
- Suitable for the office, living room, and bedroom





White 72711001
Metal


Black 72711003
Metal

VANILA Wall light by Kaare Bækgaard

- Masterbox** Qty. 3
Size H: 17 cm, W: 14,5 cm, D: 28,5 cm, Shade Ø: 14,5 cm, Base: Ø 9.5 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black/Clear 210 cm, replaceable. Switch on the fixture
Lightsources E14 - not included
 Can not be dimmed

Features

Contemporary and simple style
 Suitable for the office, living room, and bedroom




Black 2010863001
Metal/Opal glass

VERONA Pendant

- Masterbox** Qty. 3
Size H: 18,8 cm, W: 40 cm, L: 40 cm, Shade Ø: 40 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black 200 cm, non replaceable
Canopy Color: Black, Material: Plastic. Dimension: 12,2 cm
Lightsources E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features

Contemporary classic style
 Matt mouth blown opal glass that emits a soft light






Black 2010875001
Metal/Opal glass

VERONA Table lamp

Masterbox	Qty. 3
Size	H: 40 cm, W: 27,5 cm, L: 27,5 cm, Shade Ø: 27,5 cm, Tube Ø: 1,15 cm, Base Ø: 15 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black 150 cm, non replaceable. Switch on the fixture
Lightsource	E27 - not included Can not be dimmed

Features

Contemporary classic style
Matt mouth blown opal glass that emits a soft light
Elegant on/off string on the socket




Black 2010884001
Metal/Opal glass

VERONA Floor lamp

Masterbox	Qty. 2
Size	H: 150 cm, W: 40 cm, L: 40 cm, Shade Ø: 40 cm, Tube Ø: 1,55 cm, Base Ø: 30 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black 150 cm, non replaceable. Switch on the fixture
Lightsource	E27 - not included Can not be dimmed

Features

Contemporary classic style
Mouth blown opal glass that emits a soft light
Elegant on/off string on the socket






Anthracite 48783003
Metal

ADRIAN 16 Pendant

- Masterbox** Qty. 6
Size H: 24 cm, W: 16 cm, L: 16 cm, Shade Ø: 16 cm, Tilt angle: 180°
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black/White 200 cm, non replaceable
Canopy Color: Black, Material: Metal. Dimension: 12 x 7 cm
Lightsource E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
Industrial style
Tilting and turning shade




Anthracite 48793003
Metal

ADRIAN 25 Pendant

- Masterbox** Qty. 3
Size H: 36 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm, Tilt angle: 180°
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black/White 200 cm, non replaceable
Canopy Color: Black, Material: Metal. Dimension: 12 x 7 cm
Lightsource E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
Industrial style
Tilting and turning shade






Anthracite 48815003
Metal

ADRIAN 12 Table lamp

- Masterbox** Qty. 3
Size H: 46,5 cm, W: 29,5 cm, L: 29,5 cm, Shade Ø: 12,5 cm,
 Tube Ø: 43 cm, Base Ø: 16,5 cm, Tilt angle: 120°
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black/White 150 cm, non replaceable. Switch on
 the base
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Industrial style
 Tilting and turning shade




Anthracite 48824003
Metal

ADRIAN Floor lamp

- Masterbox** Qty. 2
Size H: 143 cm, W: 38 cm, L: 38 cm, Shade Ø: 12,5 cm,
 Tube Ø: 114 cm, Base Ø: 23 cm, Tilt angle: 45°
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black/White 180 cm, non replaceable. Switch on
 the base
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Industrial style
 Flexible arm to direct light where needed






Anthracite 48801003
Metal

ADRIAN Wall light

- Masterbox** Qty. 3
Size H: 20,2 cm, W: 20 cm, L: 20 cm, D: 17 cm, Shade Ø: 12,5 cm, Base: Ø 10 cm, Tilt angle: 120°
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black/White 150 cm, replaceable. Switch on the base
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Industrial style
 Tilting and turning shade




White 47303001
Metal/Opal glass

Black 47303047
Metal/Glass

ALTON 23 Pendant

- Masterbox** Qty. 3
Size H: 43 cm, Shade Ø: 23 cm
IP Class IP20, Class 1 (Earth contact)
Cable Textile cable: White/Black 300 cm, non replaceable
Canopy Color: White/Black, Material: Metal. Dimension: 12 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

- Features**
 Contemporary art deco style
 Mouth blown glass and exclusive details
 Optional top in brass and black included





White 47313001
Metal/Opal glass




Black 47313047
Metal/Glass

ALTON 25 Pendant

Masterbox	Qty. 3
Size	H: 33 cm, Shade Ø: 25 cm
IP Class	IP20, Class 1 (Earth contact)
Cable	Textile cable: Black/White 300 cm, non replaceable
Canopy	Color: Black/White, Material: Metal. Dimension: 12 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Contemporary art deco style
Mouth blown glass and exclusive details
Optional top in brass and black included



White 48973001
Metal/Opal glass




Black 48973047
Metal/Glass

ALTON 35 Pendant

Masterbox	Qty. 3
Size	H: 30 cm, Shade Ø: 35 cm
IP Class	IP20, Class 1 (Earth contact)
Cable	Textile cable: White/Black 300 cm, non replaceable
Canopy	Color: White/Black, Material: Metal. Dimension: 12 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Contemporary art deco style
Mouth blown glass and exclusive details
Optional top in brass and black included





Brass 47645001
Metal/Opal glass




Black 47645047
Metal/Glass

ALTON 20 Table lamp

- Masterbox** Qty. 3
- Size** H: 29 cm, Shade Ø: 20 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E14 - not included
Can not be dimmed

- Features**
- Contemporary art deco style
- Mouth blown glass and exclusive details



Brass 2010514001
Metal/Opal glass




Black 2010514047
Metal/Glass

ALTON 27,5 Floor lamp

- Masterbox** Qty. 2
- Size** H: 150 cm, Shade Ø: 27,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black/White 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - not included
Can not be dimmed

- Features**
- Contemporary art deco style
- Mouth blown glass and exclusive details





Brass 2010506001
Metal/Opal glass




Black 2010506047
Metal/Glass

ALTON 27,5 Ceiling light

- Masterbox** Qty. 3
- Size** H: 24 cm, Shade Ø: 27,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black non replaceable
- Canopy** Color: Brass/Black, Material: Metal. Dimension: 12,6 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

Features

Contemporary art deco style
Mouth blown glass and exclusive details



Black 2010103003
Metal

Moodmaker™ Step Dimming




BALANCE Pendant by Kaare Bækgaard

- Masterbox** Qty. 3
- Size** Shade Ø: 42 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 12,3 cm
- Lightsource** LED Module - 17,5W LED, 1700 Lumen, 2700 Kelvin, 30000 Hours,
RA 80, Beamangle 120°
Has built-in dimmable light source with Moodmaker™ functionality

Features

Scandinavian minimalistic design
Moodmaker™ 3-step dimmable on wall switch
With acrylic diffuser
5 year LED guarantee





Black 2010145003
Metal

Moodmaker™ Step Dimming




BALANCE Table lamp by Kaare Bækgaard

- Masterbox** Qty. 2
- Size** H: 49,5 cm, W: 30 cm, Shade Ø: 30 cm, Tube Ø: 1,35 cm, Base Ø: 18,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 150 cm, non replaceable. Switch on the fixture
- Lightsource** LED Module - 17,5W LED, 1200 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°
Has built-in dimmable light source with Moodmaker™ functionality

Features

- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable on socket switch
- Interchangeable decorative top in black & brass
- With acrylic diffuser
- 5 year LED guarantee



Black 2010164003
Metal

Moodmaker™ Step Dimming




BALANCE Floor lamp by Kaare Bækgaard

- Masterbox** Qty. 2
- Size** H: 140 cm, Shade Ø: 42 cm, Tube Ø: 1,55 cm, Base Ø: 26 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 150 cm, non replaceable. Switch on the fixture
- Lightsource** LED Module - 17,5W LED, 1700 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°
Has built-in dimmable light source with Moodmaker™ functionality

Features


- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable on socket switch
- Interchangeable decorative top in black & brass
- With acrylic diffuser
- 5 year LED guarantee





Black 2010121003
Metal

Moodmaker™ Step Dimming




BALANCE Wall light by Kaare Bækgaard

- Masterbox** Qty. 2
- Size** H: 31 cm, W: 30 cm, D: 50 cm, Shade Ø: 30 cm, Tube Ø: 1,3 cm, Tilt angle: 136°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 150 cm, non replaceable. Switch on the cable
- Lightsource** LED Module - 17,5W LED, 1200 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°
Has built-in dimmable light source with Moodmaker™ functionality

Features

- Scandinavian minimalistic design
- Moodmaker™ 3-step dimmable on cable switch
- Adjustable up/down and to both sides
- With acrylic diffuser
- 5 year LED guarantee



Black 2010953003
Metal/Opal glass




Brass 2010953035
Metal/Opal glass

CONTINA 3-Spot Pendant by Says Who

- Masterbox** Qty. 2
- Size** H: 41,3 cm, W: 10 cm, L: 90 cm, Shade Ø: 10 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black 200 cm,
- Canopy** Color: Black, Material: Metal. Dimension: 40 x 5 cm
- Lightsource** G9 - not included
Can be dimmed by choosing a dimmable bulb

Features

- Contemporary art deco style
- Matt white opal mouth blown glass
- Three lamp heads that emits a practical light





Black 2113153003
Metal/Opal glass



Brass 2113153035
Metal/Opal glass

CONTINA Pendant by Says Who

Masterbox	Qty. 4
Size	H: 23 cm, W: 10 cm, L: 10 cm, Shade Ø: 10 cm, Base Ø: 12 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: White/Black 200 cm, non replaceable
Canopy	Color: Brass/Black, Material: Metal. Dimension: 12 cm
Lightsource	G9 - not included Can be dimmed by choosing a dimmable bulb

Features

Contemporary art deco style
Matt white opal mouth blown glass
Provides a soft, diffused light



Black 2010985003
GlassMetal/Opal glass




Brass 2010985035
Metal/Opal glass

CONTINA Table lamp by Says Who

Masterbox	Qty. 3
Size	H: 48,5 cm, W: 15 cm, L: 27 cm, Shade Ø: 10 cm, Tube Ø: 1,25 cm, Base Ø: 15 cm, Tilt angle: 130°
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black/White 150 cm, non replaceable. Switch on the cable
Lightsource	G9 - not included Can not be dimmed

Features

Contemporary art deco style
Matt white opal mouth blown glass
Adjustable lamp shade to both sides and up/down





Black 2010994003
Metal/Opal glass




Brass 2010994035
Metal/Opal glass

CONTINA Floor lamp by Says Who

- Masterbox** Qty. 2
Size H: 139,5 cm, W: 25 cm, L: 35,5 cm, Shade Ø: 10 cm,
 Tube Ø: 1,35 cm, Base Ø: 25 cm, Tilt angle: 140°
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black/White 150 cm, non replaceable. Switch on
 the cable
Lightsource G9 - not included
 Can not be dimmed

Features

- Contemporary art deco style
 Matt white opal mouth blown glass
 Adjustable lamp shade to both sides and up/down



Black 2010971003
Metal/Opal glass




Brass 2010971035
Metal/Opal glass

CONTINA Wall light by Says Who

- Masterbox** Qty. 3
Size H: 37,2 cm, W: 12,5 cm, L: 73,6 cm, Shade Ø: 10 cm, Base
 Ø: 12 cm, Tilt angle: 165°
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: White/Black 150 cm, replaceable. Switch on the
 cable
Lightsource G9 - not included
 Can not be dimmed

Features

- Contemporary art deco style
 Matt white opal mouth blown glass
 Adjustable joints for perfect placement
 Can be used on both wall and ceiling





White 2112353001
Textile/Metal




Beige 2112353009
Textile/Metal

DICTE 40 Pendant by Says Who

- Masterbox** Qty. 2
- Size** H: 33,7 cm, W: 40 cm, L: 40 cm, Shade Ø: 40 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Metal. Dimension: 12 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
Soft and natural design
Handtied pleated cotton shade



White 2112373001
Textile/Metal




Beige 2112373009
Textile/Metal

DICTE 53 Pendant by Says Who

- Masterbox** Qty. 2
- Size** H: 29 cm, W: 53 cm, L: 53 cm, Shade Ø: 53 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Metal. Dimension: 12 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
Soft and natural design
Handtied pleated cotton shade





White 2112405001
Textile/Metal




Beige 2112405009
Textile/Metal

DICTE Table lamp by Says Who

- Masterbox** Qty. 3
Size H: 42,5 cm, W: 21 cm, L: 21 cm, Shade Ø: 21 cm,
 Tube Ø: 1,15 cm, Base Ø: 15 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, non replaceable. Switch on the cable
Lightsource E14 - not included
 Can not be dimmed

- Features**
 Soft and natural design
 Handtied pleated cotton shade



White 2112414001
Textile/Metal




Beige 2112414009
Textile/Metal

DICTE Floor lamp by Says Who

- Masterbox** Qty. 1
Size H: 180 cm, W: 53 cm, L: 103,5 cm, Shade Ø: 53 cm,
 Tube Ø: 2,2 cm, Base Ø: 38 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Soft and natural design
 Handtied pleated cotton shade





White 2112391001
Textile/Metal





Beige 2112391009
Textile/Metal

DICTE Wall light by Says Who

Masterbox	Qty. 3
Size	H: 37,5 cm, W: 21 cm, L: 24 cm, Shade Ø: 21 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Black 150 cm, replaceable. Switch on the fixture
Lightsource	E14 - not included Can not be dimmed

Features

- Soft and natural design
- Handtied pleated cotton
- Multifunctional bedside lamp with USB port for charging your phone or other device
- Small shelf for storage
- USB plug placed underneath the shelf




Black 2112803003
Metal/Opal glass

MOLLI Pendant

Masterbox	Qty. 3
Size	H: 18,7 cm, W: 10 cm, L: 10 cm, Shade Ø: 10 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Black 200 cm, non replaceable
Canopy	Color: Black, Material: Plastic. Dimension: 12,2 cm
Lightsource	E14 - not included Can be dimmed by choosing a dimmable bulb

Features

- Minimalist and classic design
- Oblique, opal glass shade
- Set of 2 pcs.






Black 2112825003
Metal/Opal glass

MOLLI Table lamp

Masterbox Qty. 3
Size H: 46 cm, W: 15 cm, L: 16,7 cm, Shade Ø: 10 cm,
 Tube Ø: 1,27 cm, Base Ø: 15 cm, Tilt angle: 90°
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, non replaceable. Switch on the fixture
Lightsource E14 - not included
 Can not be dimmed

Features

Minimalist and classic design
 Oblique, opal glass shade
 Adjustable lamp head for a directional light




Black 2112834003
Metal/Opal glass

MOLLI Floor lamp

Masterbox Qty. 2
Size H: 156,5 cm, W: 23 cm, L: 23 cm, Shade Ø: 10 cm,
 Tube Ø: 1,53 cm, Base Ø: 15 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 150 cm, non replaceable. Switch on the cable
Lightsource E14 - not included
 Can not be dimmed

Features

Minimalist and classic design
 Oblique, opal glass shade
 Adjustable lamp head for a directional light






Black 2112844003
Metal/Opal glass

MOLLI Double Floor lamp

Masterbox	Qty. 2
Size	H: 166,4 cm, W: 25,4 cm, L: 25,4 cm, Shade Ø: 10 cm, Tube Ø: 1,53 cm, Base Ø: 25,4 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Black 150 cm, non replaceable. Switch on the fixture
Lightsource	E14 - not included Can not be dimmed

Features

Minimalist and classic design
Oblique, opal glass shade
Adjustable lamp head for a directional light




Black 2112811003
Metal/Opal glass

MOLLI Wall light

Masterbox	Qty. 3
Size	H: 22,5 cm, W: 11 cm, L: 16,8 cm, D: 16,8 cm, Shade Ø: 10 cm, Base Ø: 11 cm, Tilt angle: 90°
IP Class	IP20, Class 2 (Double isolated)
Cable	Black 150 cm, replaceable. Switch on the fixture
Lightsource	E14 - not included Can not be dimmed

Features

Minimalist and classic design
Oblique, opal glass shade
Adjustable lamp head for a directional light





White 63233001
Metal/Opal glass



Black 63233003
Metal



Chrome 63233033
Metal/Opal glass

RAY 2-Kit Pendant

Masterbox	Qty. 3
Size	H: 16,5 cm, Shade Ø: 12 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Clear/Black 180 cm, non replaceable
Canopy	Color: White/Black, Material: Plastic. Dimension: 7,2 cm
Lightsource	E14 - not included Can be dimmed by choosing a dimmable bulb

Features

Classic and stylish design
Create your own look with either brass or chrome ring (replaceable) on black lamp



Black 63201003
Metal




Chrome 63201033
Metal/Opal glass

RAY Table lamp

Masterbox	Qty. 3
Size	H: 46 cm, D: 22 cm, Shade Ø: 12 cm, Tube Ø: 1,2 cm, Base Ø: 15 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Black/Clear 180 cm, non replaceable. Switch on the cable
Lightsource	E14 - not included Can not be dimmed

Features

Classic and stylish design
Create your own look with either brass or chrome ring (replaceable) on black lamp





Black 63214003
Metal



Chrome 63214033
Metal/Opal glass

RAY Single Floor lamp

Masterbox	Qty. 2
Size	H: 155 cm, Shade Ø: 12 cm, Tube Ø: 1,6 cm, Base Ø: 25 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Clear/Black 180 cm, non replaceable. Switch on the cable
Lightsource	E14 - not included Can not be dimmed

Features

Classic and stylish design
Create your own look with either brass or chrome ring (replaceable) on black lamp



Black 63224003
Metal



Chrome 63224033
Metal/Opal glass

RAY Double Floor lamp

Masterbox	Qty. 2
Size	H: 155 cm, Shade Ø: 12 cm, Tube Ø: 1,6 cm, Base Ø: 25 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Black 180 cm, non replaceable. Switch on the cable
Lightsource	E14 - not included Can not be dimmed

Features

Classic and stylish design
Create your own look with either brass or chrome ring (replaceable) on black lamp



Black 72224003
Metal




Chrome 72224033
Metal/Opal glass

RAY 2-Spot Floor lamp

Masterbox	Qty. 2
Size	H: 164 cm, Shade Ø: 12 cm, Tube Ø: 1,6 cm, Base Ø: 28 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Clear/Black 180 cm, non replaceable. Switch on the fixture
Lightsource	E14 - not included Can not be dimmed

Features

Classic and stylish design
Dim the light by rotating the switch
Create your own look with either brass or chrome ring (replaceable) on black lamp



Black 63191003
Metal




Chrome 63191033
Metal/Opal glass

RAY Wall light

Masterbox	Qty. 3
Size	H: 20 cm, D: 23 cm, Shade Ø: 12 cm, Tube Ø: 1,2 cm, Base: Ø 11 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Clear/Black 180 cm, replaceable. Switch on the fixture
Lightsource	E14 - not included Can not be dimmed

Features

Classic and stylish design
Suitable for bedside light
Create your own look with either brass or chrome ring (replaceable) on black lamp






Black 2112603003
Wood/Metal

THEO Pendant by Says Who

Masterbox	Qty. 2
Size	H: 16 cm, W: 12,5 cm, L: 92,6 cm, Shade Ø: 12,5 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black 200 cm, non replaceable
Canopy	Color: Black, Material: Metal. Dimension: 50 x 4 cm
Lightsource	GU10 - not included Can be dimmed by choosing a dimmable bulb

Features
Soft natural design
Elegant mix of wood and metal




Black 2112645003
Wood/Metal

THEO Table lamp by Says Who

Masterbox	Qty. 2
Size	H: 42,7 cm, W: 15 cm, L: 33 cm, Shade Ø: 12,5 cm, Tube Ø: 1,9 cm, Base Ø: 15 cm, Tilt angle: 90°
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black 150 cm, non replaceable. Switch on the cable
Lightsource	GU10 - not included Can not be dimmed

Features
Soft natural design
Elegant mix of wood and metal
Adjustable lamp head for a directional light






Black 2112654003
Wood/Metal

THEO Floor lamp by Says Who

Masterbox	Qty. 2
Size	H: 130,5 cm, W: 25 cm, L: 53,6 cm, Shade Ø: 12,5 cm, Tube Ø: 2,2 cm, Base Ø: 25 cm, Tilt angle: 90°
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black 150 cm, non replaceable. Switch on the cable
Lightsource	GU10 - not included Can not be dimmed

Features

Soft natural design
Elegant mix of wood and metal
Adjustable lamp head for a directional light




Black 2112631003
Wood/Metal

THEO Wall light by Says Who

Masterbox	Qty. 3
Size	H: 13 cm, W: 13 cm, L: 20,7 cm, D: 20,7 cm, Shade Ø: 12,5 cm, Base Ø: 13 cm, Tilt angle: 90°
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black 150 cm, replaceable. Switch on the fixture
Lightsource	GU10 - not included Can not be dimmed

Features

Soft natural design
Elegant mix of wood and metal
Adjustable lamp head for a directional light






Black 46553003
Metal

ASLAK Pendant

Masterbox Qty. 3
Size H: 24,5 cm, Shade Ø: 20 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 300 cm, non replaceable
Canopy Color: Black, Material: Plastic. Dimension: 11,7 cm
Lightsource E27 - not included
 Can be dimmed by choosing a dimmable bulb

Features
 Industrial style
 Same color inside as outside




Black 46685003
Metal

ASLAK Table lamp

Masterbox Qty. 3
Size H: 48 cm, Shade Ø: 15 cm, Base Ø: 15 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 180 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

Features
 Industrial style
 Tilting and turning shade
 Same color inside as outside






Black 46724003
Metal

ASLAK Floor lamp

- Masterbox** Qty. 3
Size H: 140 cm, Shade Ø: 23 cm, Base Ø: 15 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 200 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Industrial style
 Tilting and turning shade
 Same color inside as outside



White 45721001
Metal




Black 45721003
Metal

ASLAK Wall light

- Masterbox** Qty. 3
Size H: 10,5 cm, D: 18,5 cm, Shade Ø: 8 cm, Base: Ø 8 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black/White 200 cm, replaceable. Switch on the cable
Lightsource GU10 - not included
 Can not be dimmed

- Features**
 Industrial style
 Tilting and turning shade
 Same color inside as outside





White 45730101
Metal




Black 45730103
Metal

ASLAK 2-Spot Spot light

- Masterbox** Qty. 3
- Size** L: 32,5 cm, D: 20 cm, Shade Ø: 8 cm, Base: Ø 9 cm
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** GU10 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
- Industrial style
- Tilting and turning shade
- Same color inside as outside
- Can be used on both wall and ceiling



White 45740101
Metal




Black 45740103
Metal

ASLAK 3-Spot Spot light

- Masterbox** Qty. 3
- Size** L: 56,5 cm, D: 20 cm, Shade Ø: 8 cm, Base: Ø 9 cm
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** GU10 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
- Industrial style
- Tilting and turning shade
- Same color inside as outside
- Can be used on both wall and ceiling





White 2112213001
Metal




Black 2112213003
Metal

Moodmaker™ Step Dimming



OMARI Pendant

- Masterbox** Qty. 3
- Size** H: 20 cm, W: 12 cm, L: 12 cm, Shade Ø: 3 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 200 cm, non replaceable
- Canopy** Color: White/Black, Material: Plastic. Dimension: 12,2 cm
- Lightsource** LED Module - 3,2W
LED, 60W, 320 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 41°
Has built-in dimmable light source with Moodmaker™ functionality



- Features**
- Minimalist and streamlined design
- Moodmaker™ 3-step dimmable on wall switch
- 5 year LED guarantee



White 2112245001
Metal




Black 2112245003
Metal

Moodmaker™ Step Dimming



OMARI Table lamp

- Masterbox** Qty. 3
- Size** H: 40 cm, W: 10 cm, L: 15,5 cm, Shade Ø: 3 cm, Tube Ø: 1,15 cm, Base Ø: 10 cm, Tilt angle: 90°
- IP Class** IP20, Class 3 (12V)
- Cable** White/Black 150 cm, non replaceable. Switch on the fixture
- Lightsource** LED Module - 3,2W LED, 320 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 41°
Has built-in dimmable light source with Moodmaker™ functionality



- Features**
- Minimalist and streamlined design
- Adjustable lamp head for a directional light
- Moodmaker™ Touch dimmable on base
- 5 year LED guarantee




White 2112254001
Metal



Black 2112254003
Metal

Moodmaker™ Step Dimming




OMARI Floor lamp



- Masterbox** Qty. 2
- Size** H: 141 cm, W: 20 cm, L: 20,6 cm, Shade Ø: 3 cm, Tube Ø: 1,55 cm, Base Ø: 20 cm, Tilt angle: 90°
- IP Class** IP20, Class 3 (12V)
- Cable** Black/White 150 cm, non replaceable. Switch on the fixture
- Lightsource** LED Module - 2x3,2W LED, 320 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 41°
Has built-in dimmable light source with Moodmaker™ functionality

Features

- Minimalist and streamlined design
- Adjustable lamp head for a directional light
- Moodmaker™ Touch dimmable on fixture
- 5 year LED guarantee



White 2112231001
Metal



Black 2112231003
Metal

Moodmaker™ Step Dimming




OMARI Wall light



- Masterbox** Qty. 4
- Size** H: 12 cm, W: 7 cm, L: 12 cm, D: 12 cm, Shade Ø: 3 cm, Base Ø: 12 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black/White 150 cm, replaceable. Switch on the fixture
- Lightsource** LED Module - 3,2W LED, 320 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 41°
Has built-in dimmable light source with Moodmaker™ functionality

Features

- Minimalist and streamlined design
- Adjustable lamp head for a directional light
- Moodmaker™ ouch dimmable on base
- 5 year LED guarantee





White 2112193001
Metal

Black 2112193003
Metal


Moodmaker™ Step Dimming



OMARI 3-Spot Spot light

- Masterbox** Qty. 3
- Size** H: 12 cm, W: 78 cm, L: 78 cm, Shade Ø: 37,5 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Canopy** Color: Black/White, Material: Metal. Dimension: 78 x 2,6 cm
- Lightsource** LED Module - 3x3,2W
LED, 360W, 320 Lumen, 2700 Kelvin, 25000 Hours, RA 80,
Beamangle 41°
Has built-in dimmable light source with Moodmaker™ functionality

- Features**
- Minimalist and streamlined design
- Adjustable lamp head for a directional light
- Moodmaker™ 3-step dimmable on wall switch
- 5 year LED guarantee



White 2112203001
Metal

Black 2112203003
Metal


Moodmaker™ Step Dimming



OMARI 5-Spot Spot light

- Masterbox** Qty. 2
- Size** H: 12 cm, W: 118 cm, L: 118 cm, Shade Ø: 37,5 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Canopy** Color: White/Black, Material: Metal. Dimension: 118 x 2,6 cm
- Lightsource** LED Module - 5X3,2W
LED, 560W, 320 Lumen, 2700 Kelvin, 25000 Hours, RA 80,
Beamangle 41°
Has built-in dimmable light source with Moodmaker™ functionality

- Features**
- Minimalist and streamlined design
- Adjustable lamp head for a directional light
- Moodmaker™ 3-step dimmable on wall switch
- 5 year LED guarantee



Pendants







White 2010013001
Porcelain



Grey 2010013010
Porcelain




Terracotta 2010013059
Porcelain

HANG Pendant

- Masterbox** Qty. 6
- Size** Shade Ø: 5,2 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 200 cm, non replaceable
- Canopy** Color: White/Black, Material: Plastic. Dimension: 12,2 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

Features

- Natural design
- Porcelain with nice graphic pattern
- Natural earthy colors
- Design your own lamp with a decorative bulb




Black 2010453003
Metal/Wood

TILO Pendant

- Masterbox** Qty. 6
- Size** Shade Ø: 6 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 12,2 cm
- Lightsource** GU10 - not included
Can be dimmed by choosing a dimmable bulb

Features

- Natural Scandinavian simplicity
- Natural mix of ash wood and matte metal
- Emits a precise downward light
- Removeable wood top






Black 2010473003
Metal/Wood

TILO 3-Spot Pendant

Masterbox	Qty. 3
Size	W: 22 cm, L: 6 cm, Shade Ø: 6 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black 200 cm, non replaceable
Canopy	Color: Black, Material: Metal. Dimension: 22,6 cm
Lightsource	GU10 - not included Can be dimmed by choosing a dimmable bulb

Features

Natural Scandinavian simplicity
Natural mix of ash wood and matte metal
Emits a precise downward light




Black 2010483003
Metal/Wood

TILO 5-Spot Pendant

Masterbox	Qty. 2
Size	W: 6 cm, L: 80,6 cm, Shade Ø: 6 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black 200 cm, non replaceable
Canopy	Color: Black, Material: Metal. Dimension: 80,6 cm
Lightsource	GU10 - not included Can be dimmed by choosing a dimmable bulb

Features

Natural Scandinavian simplicity
Natural mix of ash wood and matte metal
Emits a precise downward light






Clear 2010783001
Metal/Glass

JELLY Pendant

Masterbox	Qty. 2
Size	H: 22,8 cm, W: 39 cm, L: 39 cm, Shade Ø: 39 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: White 200 cm, non replaceable
Canopy	Color: Brass, Material: Metal. Dimension: 12,5 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Art deco and classic style
Easy adjustment of the wire in canopy
Opal inner shade, that creates a nice soft light
Brass decoration top and canopy



Black 2112153003
Metal/Glass




Brass 2112153035
Metal/Opal glass

IVONA 4-Spot Pendant by Says Who

Masterbox	Qty. 2
Size	H: 41,5 cm, W: 54,2 cm, L: 54,2 cm, Shade Ø: 20 cm, Base Ø: 12 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black/White 200 cm, non replaceable
Canopy	Color: Black/Brass, Material: Metal. Dimension: 12 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Modern interpretation of the classic chandelier
Mouth blown glass
Emits a beautiful light from the glass balls for a modern and extravagant style





Black 2112163003
Metal/Glass




Brass 2112163035
Metal/Opal glass

IVONA 6-Spot Pendant by Says Who

Masterbox	Qty. 2
Size	H: 44,5 cm, W: 62 cm, L: 62 cm, Shade Ø: 20 cm, Base Ø: 12 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: White/Black 200 cm, non replaceable
Canopy	Color: Brass/Black, Material: Metal. Dimension: 12 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Modern interpretation of the classic chandelier
Mouth blown glass
Emits a beautiful light from the glass balls for a modern and extravagant style



Opal white 2112703001
Metal/Opal glass



Amber 2112703027
Metal/Glass




Grey 2112703047
Metal/Glass

UMA 18 Pendant

Masterbox	Qty. 3
Size	H: 30,5 cm, W: 18 cm, L: 18 cm, Shade Ø: 18 cm
IP Class	IP20, Class 1 (Earth contact)
Cable	Textile cable: Black/Gold 200 cm, non replaceable
Canopy	Color: Black/Gold, Material: Metal. Dimension: 12 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Modern and decorative design
Mouth blown glass shade
Characteristic twisted fabric cable





Opal white 2112723001
Metal/Opal Glass



Amber 2112723027
Metal/Glass




Grey 2112723047
Metal/Glass

UMA 23 Pendant

- Masterbox** Qty. 3
- Size** H: 39,5 cm, W: 23 cm, L: 23 cm, Shade Ø: 23 cm
- IP Class** IP20, Class 1 (Earth contact)
- Cable** Textile cable: Black/Gold 200 cm, non replaceable
- Canopy** Color: Black/Gold, Material: Metal. Dimension: 12 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
- Modern and decorative design
- Mouth blown glass shade
- Characteristic twisted fabric cable



Opal white 2112733001
Metal/Opal glass



Amber 2112733027
Metal/Glass




Grey 2112733047
Metal/Glass

UMA 30 Pendant

- Masterbox** Qty. 3
- Size** H: 46,5 cm, W: 29 cm, L: 29 cm, Shade Ø: 29 cm
- IP Class** IP20, Class 1 (Earth contact)
- Cable** Textile cable: Gold/Black 200 cm, non replaceable
- Canopy** Color: Gold/Black, Material: Metal. Dimension: 12 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
- Modern and decorative design
- Mouth blown glass shade
- Characteristic twisted fabric cable





Black 2113003003
Plastic



Aluminium 2113003029
Plastic

Moodmaker™ Step Dimming



Step 1
20%/100%

Step 2
10%/50%

Step 3
100%/off

SKYLAR Pendant

Masterbox	Qty. 2
Size	H: 4,2 cm, W: 115 cm, L: 3,8 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Black 205 cm, non replaceable
Canopy	Color: Grey/Black, Material: Metal. Dimension: 48 x 9 x 2,8 cm
Lightsource	LED Module - 25W LED, 2600 Lumen, 3000 Kelvin, 25000 Hours, RA 90, Beamangle 120° Has built-in dimmable light source with Moodmaker™ functionality

Features

- Minimalist and industrial design
- Very high light output -2600 lumen
- Moodmaker™ 3-step dimmable on wall switch
- Memory function remembers your last dimmer setting
- 5 year LED guarantee




Opal white 39553001
Opal glass/Metal

CAFE 15 Pendant

Masterbox	Qty. 3
Size	H: 29 cm, Shade Ø: 15 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Clear 180 cm, non replaceable
Canopy	Color: White, Material: Plastic. Dimension: 12,5 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

- Glamorous modern style
- Provides a soft, diffused light
- Brushed steel top and tube
- Matt white opal mouth blown glass






Opal white 39563001
Opal glass/Metal

CAFE 20 Pendant

Masterbox	Qty. 3
Size	H: 33 cm, Shade Ø: 20 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Clear 180 cm, non replaceable
Canopy	Color: White, Material: Plastic. Dimension: 7,9 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Glamorous modern style
Provides a soft, diffused light
Brushed steel top and tube
Matt white opal mouth blown glass




Opal white 39573001
Opal glass/Metal

CAFE 25 Pendant

Masterbox	Qty. 3
Size	H: 38 cm, Shade Ø: 25 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Clear 180 cm, non replaceable
Canopy	Color: White, Material: Plastic. Dimension: 7,9 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Glamorous modern style
Provides a soft, diffused light
Brushed steel top and tube
Matt white opal mouth blown glass






Opal white 39583001
Opal glass/Metal

CAFE 30 Pendant

Masterbox	Qty. 3
Size	H: 44 cm, Shade Ø: 30 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Clear 180 cm, non replaceable
Canopy	Color: White, Material: Plastic. Dimension: 7,9 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Glamorous modern style
Provides a soft, diffused light
Brushed steel top and tube
Matt white opal mouth blown glass




Black 45643003
Metal

AUD Pendant

Masterbox	Qty. 3
Size	H: 11,9 cm, Ø: 6.5 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black 300 cm, non replaceable
Canopy	Color: Black, Material: Plastic. Dimension: 10,6 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Contemporary and simple style
Design your own lamp with a decorative bulb





Opal white 45703001
Glass




Grey 45703047
Glass

EMBLA Pendant

- Masterbox** Qty. 3
- Size** H: 30,5 cm, Shade Ø: 10 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: White/Black 300 cm, non replaceable
- Canopy** Color: White/Black, Material: Plastic. Dimension: 11,8 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
- Soft contemporary style
- Mouth blown glass shade




Black 45713003
Metal

TRUDE Pendant

- Masterbox** Qty. 3
- Size** H: 22,5 cm, Shade Ø: 21,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 300 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 11,8 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
- Industrial style





Clear 45823000
Glass




Amber 45823027
Glass

DIAS Pendant

Masterbox	Qty. 3
Size	H: 21,5 cm, Shade Ø: 18,5 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black 300 cm, non replaceable
Canopy	Color: Black, Material: Plastic. Dimension: 11,8 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Industrial style
Mouth blown glass
Design your own luminaire with a decorative bulb




Black 46423003
Wood

TRIBECA 24 Pendant by Bønnelycke MDD

Masterbox	Qty. 3
Size	Shade Ø: 24 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Black 300 cm, non replaceable
Canopy	Color: Black, Material: Plastic. Dimension: 11,7 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Nature style
Wooden structure creates beautiful shadow play
Create your own design expression with a decorative bulb





Black 46433003
Wood

TRIBECA 38 Pendant by Bønnelycke MDD

Masterbox	Qty. 3
Size	Shade Ø: 38 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Black 300 cm, non replaceable
Canopy	Color: Black, Material: Plastic. Dimension: 11,7 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb


Features

Nature style

Wooden structure creates beautiful shadow play

Create your own design expression with a decorative bulb

Experience the wooden structure of the beautiful poplar veneer



Opal white 73153010
Metal/Opal glass


READ 14 Pendant by Kaare Bækgaard

Masterbox	Qty. 3
Size	H: 18 cm, Shade Ø: 14 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	White 180 cm, non replaceable
Canopy	Color: Chrome, Material: Metal. Dimension: 9 cm
Lightsource	E14 - not included Can be dimmed by choosing a dimmable bulb

Features

Soft classic design

Glossy white glass shade






Opal white 73163010
Metal/Opal glass

READ 20 Pendant by Kaare Bækgaard

Masterbox	Qty. 3
Size	Shade Ø: 20 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	White 180 cm, non replaceable
Canopy	Color: Chrome, Material: Metal. Dimension: 9 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Soft classic design
Glossy white glass shade




White 76633001
Metal

ANNIVERSARY Pendant by Bønnelycke MDD

Masterbox	Qty. 3
Size	H: 16 cm, Shade Ø: 35 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	White 210 cm, non replaceable
Canopy	Color: White, Material: Plastic. Dimension: 11,7 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Contemporary and industrial style





Black 84800003
Metal



Brass 84800025
Metal




Copper 84800030
Metal

AVRA Pendant

- Masterbox** Qty. 3
- Size** H: 10,2 cm, Ø: 5.1 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 200 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 9,2 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
- Industrial style
- Design your own luminaire with a decorative bulb




Black 84813003
Metal

LYNE Pendant

- Masterbox** Qty. 3
- Size** H: 20 cm, Shade Ø: 29 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Textile cable: Black 250 cm, non replaceable
- Canopy** Color: Black, Material: Plastic. Dimension: 11,8 cm
- Lightsource** E27 - not included
Can be dimmed by choosing a dimmable bulb

- Features**
- Industrial style
- Adjustable lamp head for a directional light
- Black silk matt finish and polished brass details






Nature 84823014
Wood

CHINO 25 Pendant

Masterbox	Qty. 3
Size	H: 23 cm, Shade Ø: 25 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Black 250 cm, non replaceable
Canopy	Color: Black, Material: Plastic. Dimension: 11,8 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Nature style
 Wooden structure creates beautiful shadow play
 Create your own design expression with a decorative bulb
 Experience the wooden structure of the beautiful poplar veneer
 Knock-down packing for easy self-assembly




Nature 84833014
Wood

CHINO 30 Pendant

Masterbox	Qty. 3
Size	H: 26 cm, Shade Ø: 30 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Black 250 cm, non replaceable
Canopy	Color: Black, Material: Plastic. Dimension: 11,8 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Nature style
 Wooden structure creates beautiful shadow play
 Create your own design expression with a decorative bulb
 Experience the wooden structure of the beautiful poplar veneer
 Knock-down packing for easy self-assembly






Nature 84843014
Wood

CHINO 40 Pendant

Masterbox	Qty. 3
Size	H: 34 cm, Shade Ø: 40 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Black 250 cm, non replaceable
Canopy	Color: Black, Material: Plastic. Dimension: 11,8 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Nature style
Wooden structure creates beautiful shadow play
Create your own design expression with a decorative bulb
Experience the wooden structure of the beautiful poplar veneer
Knock-down packing for easy self-assembly




Black 84863003
Metal

TEES Pendant

Masterbox	Qty. 3
Size	H: 34 cm, Shade Ø: 29 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: Black 250 cm, non replaceable
Canopy	Color: Black, Material: Plastic. Dimension: 11,8 cm
Lightsource	E27 - not included Can be dimmed by choosing a dimmable bulb

Features

Industrial style
Metal grid creating beautiful shadow play
Create your own design expression with a decorative bulb





White 14094801
Paper



White 14094001
Paper



White 14093501
Paper

RISO Pendant

Masterbox Qty. 12
Size Shade Ø: 35/40/48 cm

Features
Nature style
Provides a soft, diffused light
Excluding suspension bracket, cable and canopy




Table lamps







Black 2010925003
Metal/Opal glass




Grey 2010925010
Metal/Opal glass

TIME Table lamp by Says Who

- Masterbox** Qty. 3
Size H: 34 cm, W: 26,7 cm, L: 26,7 cm, Shade Ø: 26,7 cm, Base Ø: 12,5 cm
IP Class IP20, Class 2 (Double isolated)
Cable Textile cable: Black 150 cm, non replaceable. Switch on the fixture
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Scandinavian contemporary style
 Upward and downward light
 Mix of matte metal and opal glass
 On/off touch function on the base



Black 46605003
Metal




Brass 46605025
Metal

DEAN Table lamp by Bønnelycke MDD

- Masterbox** Qty. 3
Size H: 15 cm, Base Ø: 13 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 180 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Contemporary and simple style
 Design your own luminaire with a decorative bulb






Black 84593103
Metal

DOVER Table lamp

- Masterbox** Qty. 3
- Size** H: 36,5 cm, Shade Ø: 10,5 cm, Base Ø: 14,3 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black 160 cm, non replaceable. Switch on the fixture
- Lightsource** LED Module - 5.4W
LED, 340 Lumen, 3000 Kelvin, 20000 Hours, RA 80,
Beamangle 100°
Can not be dimmed

- Features**
- Contemporary functional style
- Flexible arms for a directional light
- Turnable lamp head
- 5 year LED guarantee



White 2112001001
Metal



Black 2112001003
Metal




Green 2112001023
Metal

CODY Wall light by Says Who

- Masterbox** Qty. 3
- Size** H: 42,9 cm, W: 20 cm, L: 20 cm, D: 20 cm, Shade Ø: 6 cm,
Tube Ø: 1,13 cm, Base Ø: 20 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 150 cm, non replaceable. Switch on the fixture
- Lightsource** GU10 - not included
Can not be dimmed

- Features**
- Compact and minimalist design
- Multifunctional bedside lamp
- USB port for charging your phone or other device
- Small shelf for storage
- Adjustable lamp head for a directional light



Wall lamps







White 2112551001
Metal




Black 2112551003
Metal

ROOMI Wall light by Says Who

- Masterbox** Qty. 2
Size H: 28,2 cm, W: 24,8 cm, L: 16,5 cm, D: 16,5 cm, Shade Ø: 5,5 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black/White 150 cm, non replaceable. Switch on the fixture
Lightsource GU10 - not included
 Can not be dimmed

Features

- Minimalist functional design
- Multifunctional bedside lamp
- Small shelf for storage
- Adjustable lamp head for a directional light
- USB port for charging your phone or other device



Black 320130
Aluminium



White 320131
Aluminium

DROP Wall light

- Masterbox** Qty. 3
Size D: 51,7 cm, Shade Ø: 3,5 cm, Base: Ø 5,5 cm
IP Class IP20, Class 2 (Double isolated)
Cable White 180 cm, non replaceable. Switch on the fixture
Lightsource LED Module - 3W LED, 130 Lumen, 3000 Kelvin, 20000 Hours, RA 80, Beamangle 120°
 Can not be dimmed

Features

- Contemporary functional style
- Flexible arms for a directional light
- 5 year LED guarantee




White 47051001
Metal

Black 47051003
Metal

LARGO Wall light

- Masterbox** Qty. 3
- Size** H: 18 cm, D: 26 cm, Shade Ø: 12 cm, Base: Ø 10 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** White/Black 180 cm, replaceable. Switch on the fixture
- Lightsource** E27 - not included
Can not be dimmed

- Features**
- Industrial style
- Tilting and turning shade



White 47131001
Plastic


Black 47131003
Plastic

MASON Wall light



- Masterbox** Qty. 3
- Size** H: 56 cm, D: 35 cm, Shade Ø: 10 cm, Base: 7 x 14,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Cable** Black/White 180 cm, non replaceable. Switch on the fixture
- Lightsource** LED Module - 5W LED, 1600 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°
Has built-in dimmable light source for wall dimmer

- Features**
- Minimalistic functional style
- Moodmaker™ 3-step dimmable on base
- USB port for charging your phone or other device
- 5 year LED guarantee





White 47141001
Metal




Black 47141003
Metal

TEXAS Wall light

- Masterbox** Qty. 3
Size H: 18 cm, W: 13 cm, D: 20 cm, Shade Ø: 12,5 cm, Base: Ø 12,5 cm
IP Class IP20, Class 2 (Double isolated)
Cable White/Black 180 cm, replaceable. Switch on the fixture
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Contemporary and simple style
 Adjustable lamp head for a directional light




Silver 59372029
Metal

PHOTO Clamp lamp

- Masterbox** Qty. 6
Size H: 16 cm, D: 29 cm, Shade Ø: 9,5 cm
IP Class IP20, Class 2 (Double isolated)
Cable Black 200 cm, non replaceable. Switch on the cable
Lightsource E27 - not included
 Can not be dimmed

- Features**
 Industrial style
 Clamp for fasten on shelf or other edge
 Adjustable lamp head for a directional light





White 3001601
Plastic

TRIO Ceiling light

Masterbox Qty. 6
Size Shade Ø: 45 cm
IP Class IP20, Class 2 (Double isolated)
Cable White 200 cm. Switch on the cable
Lightsource E27 - not included
Can be dimmed by choosing a dimmable bulb

Features

Classic style
Can be used on both wall and ceiling

Link System








White 79029901
Plastic/Metal

Black 79029903
Plastic/Metal

Link Connector turnable Track Light

Masterbox Qty. 6
Size W: 3,5 cm, L: 12 cm, D: 1,8 cm,
IP Class IP20, Class 1 (Earth contact)

Features
 Connector for rails, without power supply
 Adjustable 0-100 degrees both right and left




White 79039901
Plastic/Metal

Black 79039903
Plastic/Metal

Link Adapter side Track Light

Masterbox Qty. 3
Size W: 3,5 cm, L: 11,4 cm, D: 1,8 cm,
IP Class IP20, Class 1 (Earth contact)

Features
 Opposite adaptor for rails, with power supply






White 79049901
Plastic/Metal

Black 79049903
Plastic/Metal

Link Adapter center Track Light

Masterbox Qty. 3
Size W: 3,5 cm, L: 9,5 cm, D: 1,8 cm,
IP Class IP20, Class 1 (Earth contact)
Canopy

Features
 Central adaptor for rails, with power supply




White 79059901
Plastic/Metal

Black 79059903
Plastic/Metal

Link Connector Track Light

Masterbox Qty. 6
Size W: 3,5 cm, L: 6,5 cm, D: 1,8 cm,
IP Class IP20, Class 1 (Earth contact)
Lightsource Max. 690W

Features
 Discrete connector between 2 rails






White 79069901
Plastic/Metal

Black 79069903
Plastic/Metal

Link Pendant Adapter Track Light

- Masterbox** Qty. 6
- Size** W: 3,5 cm, L: 8 cm, D: 5,5 cm,
- IP Class** IP20, Class 1 (Earth contact)
- Lightsource** Max. 115W

- Features**
- Adaptor for any pendant, to be connected in the rail
- Removable hook




White 79079901
Metal/Plastic

Black 79079903
Metal/Plastic

Link 1M Track Light

- Masterbox** Qty. 3
- Size** W: 3,5 cm, L: 107 cm, D: 1,8 cm,
- IP Class** IP20, Class 1 (Earth contact)
- Lightsource** Max. 690W

- Features**
- Adaptor included





Matt white 2110589901
Metal/Plastic

Matt black 2110589903
Metal/Plastic

Link 1,8M Track Light

Masterbox Qty. 3
Size H: 1,8 cm, W: 3,5 cm, L: 180 cm,

Features
Adaptor included




White 79089901
Metal/Plastic

Black 79089903
Metal/Plastic

Link 2m Track Light

Masterbox Qty. 3
Size W: 3,5 cm, L: 207 cm, D: 2 cm,
IP Class IP20, Class 1 (Earth contact)
Lightsource Max. 690W

Features
Adaptor included






White 86069901
Plastic/Metal

Black 86069903
Plastic/Metal

Link T-Connector left Track Light

Masterbox Qty. 6
Size H: 1,8 cm, W: 10,3 cm, L: 17,2 cm,
IP Class IP20, Class 1 (Earth contact)
Lightsource Max. 660W

Features
 Connector for rails, without power supply




White 86079901
Plastic/Metal

Black 86079903
Plastic/Metal

Link X-Connector Track Light

Masterbox Qty. 6
Size H: 1,8 cm, W: 17,2 cm, L: 17,2 cm,
IP Class IP20, Class 1 (Earth contact)
Lightsource Max. 660W

Features
 Connector for rails, without power supply






White 86059901
Plastic/Metal

Black 86059903
Plastic/Metal

Link T-Connector right Track Light

Masterbox Qty. 6
Size H: 1,8 cm, W: 10,3 cm, L: 17,2 cm,
IP Class IP20, Class 1 (Earth contact)
Lightsource Max. 660W

Features
Connector for rails, without power supply



Black 2210309003
Plastic

White 2210309001
Plastic

Link Cover Track Light

Masterbox Qty. 12
Size H: 0,7 cm, W: 100 cm, L: 100 cm,

Features
Cover to hide Link rail
Plastic that can be cut to adapt to needed lengths



Matt white 2213550101
Metal/Plastic



Black 2213550103
Metal/Plastic


Moodmaker™ Step Dimming



Clyde Link Track Light 

- Masterbox** Qty. 6
- Size** H: 10,5 cm, W: 8,5 cm, L: 8,5 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** LED Module - 2700K Kelvin, 25000 Hours,
Has built-in dimmable light source with Moodmaker™ functionality

- Features**
- Fits the Nordlux Link system
- 3-step Moodmaker™ dimming on your regular wall switch




White 2112859901
Metal/Glass

Cole Link Track Light

- Masterbox** Qty. 3
- Size** H: 19,5 cm, L: 17,6 cm, Shade Ø: 8 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** E14 - not included, Max. 40W,
Can be dimmed by choosing a dimmable bulb

- Features**
- Ideally suited for combination with Nordlux Smart





Matt white 2110609901
Metal/Plastic




Matt black 2110609903
Metal/Plastic

Diskie Link Track Light

- Masterbox** Qty. 3
- Size** H: 14 cm, Shade Ø: 20 cm, Tilt angle: 90°
- IP Class** IP20, Class 1 (Earth contact)
- Lightsource** LED Module - 8W LED, 750 Lumen, 3000 Kelvin, 20000 Hours, RA 90, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

- Features**
- LED integrated AC SMD 7W
- Dimmable
- RA90 natural light
- 5 year LED guarantee



White 86189901
Metal/Plastic




Black 86189903
Metal/Plastic

Explor Link Track Light

- Masterbox** Qty. 6
- Size** D: 28,5 cm, Shade Ø: 5,5 cm, Tilt angle: 180°
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** GU10 - not included, Max. 7W
- Yes, can be dimmed by choosing a dimmable bulb

- Features**
- Ideally suited for combination with Nordlux Smart





Matt white 2112229901
Metal/Plastic



Black 2112229903
Metal/Plastic


Moodmaker™ Step Dimming



Omari Link Track Light

- Masterbox** Qty. 4
- Size** H: 17 cm, W: 3,4 cm, L: 3,4 cm, Shade Ø: 3,20 cm, Tilt angle: 90°
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** LED Module - 3,2W
LED, 320 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 41°, Cannot be dimmed

- Features**
- Fits the Nordlux Link system
- Minimalist and streamlined design
- 3-step Moodmaker™ dimming on your regular wall switch
- Adjustable lamp head for a directional light



Matt white 2110619901
Metal/Plastic



Matt black 2110619903
Metal/Plastic

Open Link Track Light

- Masterbox** Qty. 3
- Size** H: 13,4 cm, L: 8,1 cm, Ø: 4,2 cm, Tilt angle: 90°
- IP Class** IP20, Class 1 (Earth contact)
- Lightsource** E27 - not included, Max. 60W
Can be dimmed by choosing a dimmable bulb

- Features**
- Spot head can be positioned straight down
- Especially designed for LED decorative bulbs




White 2110639901
Metal/Plastic

Black 2110639903
Metal/Plastic

Rondie Link Spot Track Light

- Masterbox** Qty. 3
Size H: 15,2 cm, W: 6 cm, L: 9,3 cm, Shade Ø: 6 cm, Tilt angle: 90°
IP Class IP20, Class 1 (Earth contact)
Lightsource GU10 - not included, Max. 35W,
 Can be dimmed by choosing a dimmable bulb

- Features**
 Inside frosted glass for special effect
 Choose your bulb for colour, beam angle and lumen




White 2110649901
Metal/Plastic

Black 2110649903
Metal/Plastic

Rondie Link Pendant Track Light

- Masterbox** Qty. 3
Size H: 215,2 cm, W: 6 cm, L: 9,3 cm, Shade Ø: 6 cm,
IP Class IP20, Class 1 (Earth contact)
Cable White/Black 200 cm, non replaceable
Lightsource GU10 - not included, Max. 35W,
 Can be dimmed by choosing a dimmable bulb

- Features**
 Inside frosted glass for special effect
 Choose your bulb for colour, beam angle and lumen
 Fabric wire (two metres)
 Wire can be shortened to any desired length





White 86109901
Metal/Plastic



Black 86109903
Metal/Plastic

Single Link Track Light

- Masterbox** Qty. 6
Size L: 8 cm, D: 14,5 cm, Shade Ø: 8,5 cm, Tilt angle: 180°
IP Class IP20, Class 1 (Earth contact)
Lightsources GU10 - not included, Max. 35W,
Can be dimmed by choosing a dimmable bulb

Features

Ideally suited for combination with Nordlux Smart




White 86119901
Metal/Plastic

Frøya Link Track Light

- Masterbox** Qty. 3
Size L: 10,9 cm, D: 8,8 cm, Shade Ø: 3,6 cm, Tilt angle: 180°
IP Class IP20, Class 2 (Double isolated)
Lightsources GU10 - not included, Max. 50W,
Can be dimmed by choosing a dimmable bulb

Features

Ideally suited for combination with Nordlux Smart





Matt white 2110629901
Metal/Plastic




Matt black 2110629903
Metal/Plastic

Koniekel Link Track Light

- Masterbox** Qty. 3
Size H: 17,13 cm, W: 10,37 cm, L: 8 cm, Shade Ø: 6 cm, Tilt angle: 90°
IP Class IP20, Class 1 (Earth contact)
Lightsource GU10 - not included, Max. 50W, Can be dimmed by choosing a dimmable bulb

- Features**
 Including two reflectors, metal and glass
 Choose your bulb for colour, beam angle and lumen
 Including smoked transparent glass



White 71669901
Metal/Plastic



Black 71669903
Metal/Plastic

MIB 6 Link Track Light by Bønnelycke MDD

- Masterbox** Qty. 3
Size H: 32 cm, Shade Ø: 6 cm, Tube Ø: 1 cm, Tilt angle: 180°
IP Class IP20, Class 2 (Double isolated)
Lightsource GU10 - not included, Max. 8W, Can be dimmed by choosing a dimmable bulb

- Features**
 Ideally suited for combination with Nordlux Smart



White 86129901
Metal/Plastic




Black 86129903
Metal/Plastic

Munin Link Track Light

- Masterbox** Qty. 3
Size H: 11,6 cm, L: 8 cm, D: 13,6 cm, Shade Ø: 6,1 cm, 180°
IP Class IP20, Class 2 (Double isolated)
Lightsource GU10 - not included, Max. 35W,
Can be dimmed by choosing a dimmable bulb

Features
Ideally suited for combination with Nordlux Smart



Ceiling light








White 47206001
Plastic/Metal

Grey 47206010
Plastic/Metal

ALTUS Ceiling light

- Masterbox** Qty. 3
- Size** H: 9 cm, Ø: 29,8 cm,
- IP Class** IP20, Class 1 (Earth contact)
- Lightsource** LED Module - 13W LED,
Max. 4W, 850 Lumen, 2700 Kelvin, 20000 Hours, RA 80,
Beamangle 120°, Cannot be dimmed

- Features**
5 year LED guarantee




White 25316101
Metal/Glass

Brushed steel 25316132
Metal/Glass

ANCONA Maxi Ceiling light

- Masterbox** Qty. 3
- Size** H: 8 cm, Shade Ø: 31,5 cm,
- IP Class** IP44-43, Class 1 (Earth contact)
- Lightsource** E27 - not included, Max. 2X40W,
Can be dimmed by choosing a dimmable bulb

- Features**
Ideally suited for combination with Nordlux Smart






White 45356001
Metal/Plastic

ASK 28 Ceiling light

Masterbox Qty. 3
Size H: 9,5 cm, Shade Ø: 28 cm,
IP Class IP44, Class 1 (Earth contact)
Lightsource LED Module - 12W LED, 1050 Lumen, 3000 Kelvin,
30000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features
Suitable for humid areas (IP44)
Matt diffusor
5 year LED guarantee




White 45376001
Metal/Plastic

ASK 36 Ceiling light

Masterbox Qty. 3
Size H: 10,5 cm, Shade Ø: 36 cm,
IP Class IP44, Class 1 (Earth contact)
Lightsource LED Module - 18W LED, 1450 Lumen, 3000 Kelvin,
30000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features
Suitable for humid areas (IP44)
Matt diffusor
5 year LED guarantee






White 45386501
Metal/Plastic

ASK 36 Sensor Ceiling light

Masterbox Qty. 3
Size D: 10,5 cm, Shade Ø: 36 cm,
IP Class IP44, Class 1 (Earth contact)
Lightsources LED Module - 18W LED, 1450 Lumen, 3000 Kelvin,
30000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features

Motion sensor (lux, time and radius)
Suitable for humid areas (IP44)
Matt diffusor
5 year LED guarantee




White 45396001
Metal/Plastic


ASK 41 Ceiling light

Masterbox Qty. 3
Size H: 11,5 cm, Shade Ø: 41 cm,
IP Class IP44, Class 1 (Earth contact)
Lightsources LED Module - 32W LED, 3000 Lumen, 3000 Kelvin,
30000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features


Suitable for humid areas (IP44)
Matt diffusor
5 year LED guarantee





White 2110496101
Plastic

Moodmaker™ Step Dimming



Step 1
100%

Step 2
50%


Step 3
20%

Harlow Step Ceiling light

Masterbox Qty. 3
Size H: 2,3 cm, W: 30 cm, L: 59,5 cm,
IP Class IP54, Class 2 (Double isolated)
Lightsource LED Module - 22W, 2400 Lumen, 2700K Kelvin, 25000 Hours,
RA 80, Has built-in dimmable light source with
Moodmaker™ functionality

Features

3-step Moodmaker™ dimming by your regular wall switch
Suitable for humid areas (IP54)
Ultra-thin design with backlight effect
Parallel, easy push-in connection
5 year LED guarantee




White 47560101
Plastic

LEROY 2700K Ceiling light

Masterbox Qty. 3
Size H: 3,7 cm, Ø: 22 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 15W LED, 1260 Lumen, 2700 Kelvin,
30000 Hours, RA 80, Beamangle 110°, Cannot be dimmed

Features

Matt diffusor
5 year LED guarantee






White 47680101
Plastic

LEROY 4000K Ceiling light

Masterbox Qty. 3
Size D: 3,7 cm, Ø: 22 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsources LED Module - 15W LED, 1400 Lumen, 4000 Kelvin,
30000 Hours, RA 80, Beamangle 110°, Cannot be dimmed

Features
Matt diffusor
5 year LED guarantee




White 2015156101
Metal/Plastic

MONTONE 18 Ceiling light

Masterbox Qty. 3
Size H: 7,5 cm, Ø: 18 cm
IP Class IP44, Class 1 (Earth contact)
Lightsources LED Module - 5W LED, 500 Lumen, 2700 Kelvin,
20000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features
DOB: Driver-on-Board LED technology
Suitable for humid areas (IP44)
5 year LED guarantee






White 2015176101
Metal/Plastic

MONTONE 25 Ceiling light

Masterbox Qty. 3
Size H: 8 cm, Ø: 25 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource LED Module - 8W LED, 800 Lumen, 2700 Kelvin,
20000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features

DOB: Driver-on-Board LED technology
Suitable for humid areas (IP44)
5 year LED guarantee




White 2015196101
Metal/Plastic

MONTONE 30 Ceiling light

Masterbox Qty. 3
Size H: 9,5 cm, Ø: 30 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource LED Module - 10W LED, 1000 Lumen, 2700 Kelvin,
20000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features

DOB: Driver-on-Board LED technology
Suitable for humid areas (IP44)
5 year LED guarantee






White 45606001
Metal/Plastic

MÁNI 25 Ceiling light

Masterbox Qty. 6
Size H: 9,5 cm, Shade Ø: 25,5 cm
IP Class IP20, Class 1 (Earth contact)
Lightsource LED Module - 12W LED, 700 Lumen, 3000 Kelvin,
30000 Hours, RA 80, Beamangle 118°, Cannot be dimmed

Features
Matt diffusor
5 year LED guarantee




White 45616001
Metal/Plastic

MÁNI 32 Ceiling light

Masterbox Qty. 6
Size H: 10,5 cm, Ø: 32,5 cm
IP Class IP20, Class 1 (Earth contact)
Lightsource LED Module - 18W LED, 1000 Lumen, 3000 Kelvin,
30000 Hours, RA 80, Beamangle 118°, Cannot be dimmed

Features
Matt diffusor
5 year LED guarantee





White 2015356101
Plastic/Aluminium


Black 2015356103
Plastic/Aluminium

NOXY Ceiling light


Masterbox Qty. 3
Size H: 5 cm, Ø: 35 cm
IP Class IP44, Class 2 (Double isolated)
Lightsources LED Module - 17W LED, 1650 Lumen, 3000-4000 Kelvin, 25000 Hours, RA 90, Has built-in dimmable light source with Moodmaker™ functionality

Features
3-step Moodmaker™ dimming (3000/4000 kelvin) by your regular wall switch
Night light (100 lumen)
Two detachable rings included
Easy installation
5 year LED guarantee

Moodmaker™ Step Dimming




Step 1
4000K



Step 2
3000K



Step 3
20% 3000K



White 47276001
Plastic


Black 47276003
Plastic

OJA 29 IP20 2700K Step-Dim Ceiling light


Masterbox Qty. 3
Size H: 2,3 cm, Ø: 29,4 cm
IP Class IP20, Class 2 (Double isolated)
Lightsources LED Module - 2700K Kelvin, 25000 Hours, Has built-in dimmable light source with Moodmaker™ functionality

Features
3-step Moodmaker™ dimming by your regular wall switch
Night light with backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee

Moodmaker™ Step Dimming




Step 1
100%



Step 2
50%



Step 3
20%





White 47156001
Plastic

Black 47156003
Plastic

OJA 29 IP20 4000K Step-Dim Ceiling light




Masterbox Qty. 3
Size H: 2,3 cm, Ø: 29,4 cm
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 14W, 1700 Lumen, 4000K Kelvin,
25000 Hours, Has built-in dimmable light source with
Moodmaker™ functionality

Features

3-step Moodmaker™ dimming by your regular wall switch
Ultra-thin design
Backlight effect
5 year LED guarantee


Moodmaker™ Step Dimming



Step 1
100%

Step 2
50%

Step 3
20%



White 47286001
Plastic

Black 47286003
Plastic

OJA 42 IP20 2700K Step-Dim Ceiling light




Masterbox Qty. 3
Size H: 2,3 cm, Ø: 42,4 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 22W LED, 2100 Lumen, 2700K Kelvin,
25000 Hours, RA 80, Beamangle 120°,
Has built-in dimmable light source with
Moodmaker™ functionality

Features

3-step Moodmaker™ dimming by your regular wall switch
Night light with backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee


Moodmaker™ Step Dimming



Step 1
100%

Step 2
50%

Step 3
20%






White 47166001
Plastic

Black 2210016103
Plastic

Moodmaker™ Step Dimming



Step 1
100%

Step 2
50%


Step 3
20%

OJA 42 IP20 4000K Step-Dim Ceiling light



Masterbox Qty. 3
Size H: 2,3 cm, Ø: 42,4 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 19W LED, 2200 Lumen, 4000K Kelvin,
25000 Hours, RA 80, Beamangle 120°,
Has built-in dimmable light source with
Moodmaker™ functionality

Features
3-step Moodmaker™ dimming on your regular wall switch
Ultra-thin design
Backlight effect
5 year LED guarantee




White 47246001
Plastic

OJA 24 IP20 2700K Ceiling light



Masterbox Qty. 3
Size H: 2,3 cm, Ø: 24,4 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 15W LED, 1250 Lumen, 2700 Kelvin,
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features
Ultra-thin design
Backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee






White 47946001
Plastic

OJA 24 IP20 4000K Ceiling light

Masterbox Qty. 3
Size H: 2,3 cm, Ø: 24,4 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsources LED Module - 15W LED, 1250 Lumen, 2700 Kelvin,
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features

3-step Moodmaker™ dimming by your regular wall switch
Ultra-thin design
Backlight effect
5 year LED guarantee




White 47256001
Plastic

OJA 29 IP20 2700K Ceiling light

Masterbox Qty. 3
Size H: 2,3 cm, Ø: 29,4 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsources LED Module - 18W LED, 1600 Lumen, 2700 Kelvin,
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features

Ultra-thin design
Backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee






White 47956001
Plastic

OJA 29 IP20 4000K Ceiling light

Masterbox Qty. 3
Size H: 2,3 cm, Ø: 29,4 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 14,5W LED, 1700 Lumen, 4000 Kelvin,
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features
3-step Moodmaker™ dimming by your regular wall switch
Ultra-thin design
Backlight effect
5 year LED guarantee




White 50036101
Plastic

OJA 29 IP54 2700K Ceiling light

Masterbox Qty. 3
Size H: 2,3 cm, Ø: 29,4 cm,
IP Class IP54, Class 2 (Double isolated)
Lightsource LED Module - 18W LED, 1600 Lumen, 2700 Kelvin,
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features
Ultra-thin design
Backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee






White 47266001
Plastic

OJA 42 IP20 2700K Ceiling light

Masterbox Qty. 3
Size H: 2,3 cm, Ø: 42,4 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsources LED Module - 22W LED, 2100 Lumen, 2700 Kelvin,
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features

Ultra-thin design
Backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee




White 47966001
Plastic

OJA 42 IP20 4000K Ceiling light

Masterbox Qty. 3
Size H: 2,3 cm, Ø: 42,4 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsources LED Module - 19W LED, 2200 Lumen, 2700 Kelvin,
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features

3-step Moodmaker™ dimming on your regular wall switch
Ultra-thin design
Backlight effect
5 year LED guarantee






White 50046101
Plastic

OJA 29 IP54 2700K Dim Ceiling light

Masterbox Qty. 3
Size H: 2,3 cm, Ø: 29.4 cm,
IP Class IP54, Class 2 (Double isolated)
Lightsource LED Module - 17W LED, 1600 Lumen, 2700 Kelvin,
30000 Hours, RA 80, Beamangle 120°,
Has built-in dimmable light source for wall dimmer

Features

Stepless dimmable by wall dimmer
Backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee




White 50216101
Plastic/Metal

OJA 29 IP54 4000K Dim Ceiling light

Masterbox Qty. 3
Size H: 2,3 cm, Ø: 29.4 cm,
IP Class IP54, Class 2 (Double isolated)
Lightsource LED Module - 17W LED, 1700 Lumen, 4000 Kelvin,
30000 Hours, RA 80, Beamangle 120°,
Has built-in dimmable light source for wall dimmer

Features

Stepless dimmable by wall dimmer
Backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee





White 50056101
Plastic


OJA 42 IP54 2700K Dim Ceiling light



Masterbox Qty. 3
Size H: 2,3 cm, Ø: 42,4 cm,
IP Class IP54, Class 2 (Double isolated)
Lightsource LED Module - 24W LED, 2150 Lumen, 2700 Kelvin,
30000 Hours, RA 80, Beamangle 120°,
Has built-in dimmable light source for wall dimmer

Features

Stepless dimmable by wall dimmer
Backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee



White 50226101
Plastic/Metal


OJA 42 IP54 4000K Dim Ceiling light



Masterbox Qty. 3
Size H: 2,3 cm, Ø: 42,4 cm,
IP Class IP54, Class 2 (Double isolated)
Lightsource LED Module - 24W LED, 2400 Lumen, 4000 Kelvin,
30000 Hours, RA 80, Beamangle 120°,
Has built-in dimmable light source for wall dimmer

Features

Stepless dimmable by wall dimmer
Backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee






White 50066101
Plastic/Metal



Black 50066103
Plastic/Metal

Moodmaker™ Step Dimming



Step 1
100%

Step 2
50%

Step 3
20%


OJA 60 IP20 2700K Step-Dim Ceiling light



Masterbox Qty. 3
Size H: 3,2 cm, Ø: 60 cm
IP Class IP20, Class 1 (Earth contact)
Lightsource LED Module - 38W LED, 3200 Lumen, 2700 Kelvin,
25000 Hours, RA 80, Beamangle 120°,
Has built-in dimmable light source with
Moodmaker™ functionality

Features

3-step Moodmaker™ dimming by your regular wall switch
Night light with backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee



White 50236101
Plastic/Metal

Moodmaker™ Step Dimming



Step 1
100%

Step 2
50%

Step 3
20%


OJA 60 IP20 4000K Step-Dim Ceiling light



Masterbox Qty. 3
Size H: 3,2 cm, Ø: 60 cm
IP Class IP20, Class 1 (Earth contact)
Lightsource LED Module - 38W LED, 3400 Lumen, 2700K Kelvin,
25000 Hours, RA 80, Beamangle 120°,
Has built-in dimmable light source with
Moodmaker™ functionality

Features

3-step Moodmaker™ dimming by your regular wall switch
Ultra-thin design
Backlight effect
5 year LED guarantee





White 2015016101
Plastic

Brushed Nickel 2015016155
Plastic

OJA 29 IP20 3000/4000K Ceiling light




Masterbox Qty. 3
Size H: 2,3 cm, Ø: 29,4 cm
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 14,5W
LED, 1600 Lumen, 3000-4000 Kelvin, 30000 Hours, RA 80,
Beamangle 120°,
Has built-in dimmable light source with
Moodmaker™ functionality


Features

3-step Moodmaker™ dimming (3000/4000 kelvin) by your regular wall switch
Night light with backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee

Moodmaker™ Step Dimming




Step 1
4000K



Step 2
3000K



Step 3
20% 3000K



Black 2015026103
Plastic

Chrome 2015026133
Plastic

OJA 29 IP54 3000/4000K Ceiling light




Masterbox Qty. 3
Size H: 2,3 cm, Ø: 29,4 cm
IP Class IP54, Class 2 (Double isolated)
Lightsource LED Module - 14,5W
LED, 1600 Lumen, 3000/4000 Kelvin, 30000 Hours, RA 80,
Beamangle 120°,
Has built-in dimmable light source with
Moodmaker™ functionality


Features

3-step Moodmaker™ (3000K/4000 kelvin) by your regular wall switch
Night light with backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee

Moodmaker™ Step Dimming




Step 1
4000K



Step 2
3000K



Step 3
20% 3000K





White 2015106101
Plastic

Brushed Nickel 2015106155
Plastic


OJA 42 IP20 3000/4000K Ceiling light




Masterbox Qty. 3
Size H: 2,3 cm, Ø: 42,4 cm
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 19W LED, 2100 Lumen, 3000/4000 Kelvin, 30000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

Features
3-step Moodmaker™ dimming (3000/4000 kelvin) by your regular wall switch
Night light with backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee

Moodmaker™ Step Dimming




Step 1
4000K



Step 2
3000K



Step 3
20% 3000K



Black 2015116103
Plastic

Chrome 2015116133
Plastic

OJA 42 IP54 3000/4000K Ceiling light




Masterbox Qty. 3
Size H: 2,5 cm, Ø: 43 cm
IP Class IP54, Class 2 (Double isolated)
Lightsource LED Module - 19W LED, 2100 Lumen, 3000/4000 Kelvin, 30000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

Features
3-step Moodmaker™ (3000/4000 kelvin) by your regular wall switch
Night light with backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee

Moodmaker™ Step Dimming




Step 1
4000K




Step 2
3000K



Step 3
20% 3000K





White 2015056101
Plastic

Brushed Nickel 2015056155
Plastic


OJA 29 Square IP20 3000/4000K Ceiling light

Masterbox Qty. 3
Size H: 2,3 cm, Ø: 29,4 cm
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 14,5W
LED, 1600 Lumen, 3000/4000 Kelvin, 30000 Hours, RA 80,
Beamangle 120°,
Has built-in dimmable light source
with Moodmaker™ functionality

Features

3-step Moodmaker™ (3000/4000 kelvin) by your regular wall switch
Night light with backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee


Moodmaker™ Step Dimming



Step 1
4000K

Step 2
3000K

Step 3
20% 3000K



Black 2015066103
Plastic

Chrome 2015066133
Plastic

OJA 29 Square IP54 3000/4000K Ceiling light

Masterbox Qty. 3
Size H: 2,5 cm, Ø: 30 cm
IP Class IP54, Class 2 (Double isolated)
Lightsource LED Module - 14,5W LED, 1600 Lumen, 3000/4000 Kelvin, 30000 Hours,
RA 80, Beamangle 120°,
Has built-in dimmable light source with
Moodmaker™ functionality

Features

3-step Moodmaker™ (3000/4000 kelvin) by your regular wall switch
Night light with backlight effect
Easy twist lock connection and easy installation
5 year LED guarantee


Moodmaker™ Step Dimming



Step 1
4000K

Step 2
3000K

Step 3
20% 3000K






White 2110456101
Plastic

OJA 29 IP54 2700K Sensor Ceiling light

Masterbox Qty. 3
Size H: 3,8 cm, Ø: 29,4 cm
IP Class IP54, Class 2 (Double isolated)
Lightsource LED Module 1600 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features

Microwave sensor with on/off pre-programmed LUX
Suitable for humid areas (IP54)
Ultra-thin design with backlight effect
Adjustable time and range radius
Parallel, easy push-in connection
5 year LED guarantee




White 2110476101
Plastic

OJA 42 IP54 2700K Sensor Ceiling light

Masterbox Qty. 3
Size H: 3,8 cm, W: 42,4 cm, L: 42,4 cm, Ø: 42,4 cm,
IP Class IP54, Class 2 (Double isolated)
Canopy
Lightsource LED Module 2100 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°, No, cannot be dimmed

Features

Microwave sensor with on/off pre-programmed LUX
Suitable for humid areas (IP54)
Ultra-thin design with backlight effect
Adjustable time and range radius
Parallel, easy push-in connection
5 year LED guarantee





White 25416001
Metal/Glass




Brushed steel 25416032
Metal/Glass

Spinner Ceiling light

- Masterbox** Qty. 3
Size H: 7 cm, Ø: 28 cm,
IP Class IP20, Class 1 (Earth contact)
Lightsource E27 - not included, Max. 60W
Can be dimmed by choosing a dimmable bulb

Features
Ideally suited for combination with Nordlux Smart




White 25326001
Glass/Metal

STANDARD Ceiling light

- Masterbox** Qty. 3
Size H: 7,5 cm, Ø: 25 cm,
IP Class IP20, Class 1 (Earth contact)
Lightsource E27 - not included, Max. 60W,
Can be dimmed by choosing a dimmable bulb

Features
Ideally suited for combination with Nordlux Smart







Chrome 2015376101
Plastic/Aluminium

THEROS Ceiling light 

Masterbox Qty. 3
Size H: 5 cm, Ø: 35 cm
IP Class IP44, Class 2 (Double isolated)
Lightsource LED Module - 17W LED, 1650 Lumen, 3000/4000 Kelvin, 25000 Hours, RA 90, Has built-in dimmable light source with Moodmaker™ functionality

Features
 3-Step Moodmaker™ 3000K/4000K+night light by switch
 Back Night Light Function 100lm memory
 Easy Twist installation
 5 year LED guarantee

Moodmaker™ Step Dimming




White 25576000
Glass/Metal

UFO Ceiling light

Masterbox Qty. 3
Size D: 10,5 cm, Ø: 22,5 cm
IP Class IP44-43, Class 1 (Earth contact)
Lightsource E27 - not included, Max. 40W, Can be dimmed by choosing a dimmable bulb

Features
 Ideally suited for combination with Nordlux Smart
 Ideally suited for bathroom zone 2 IP44






White 25626001
Glass/Metal

UFO Maxi Ceiling light

Masterbox Qty. 3
Size H: 11 cm, Ø: 29,5 cm,
IP Class IP44-43, Class 1 (Earth contact)
Lightsource E27 - not included, Max. 2X40W,
Can be dimmed by choosing a dimmable bulb

Features

Ideally suited for combination with Nordlux Smart
Ideally suited for bathroom zone 2 IP44




White 2210216001
Plastic

VIC 22 3000K Ceiling light

Masterbox Qty. 3
Size H: 4 cm, Ø: 22 cm
IP Class IP40, Class 2 (Double isolated)
Cable Plastic white 15 cm, non replaceable
Lightsource LED Module - 18W, 1600 Lumen, 3000K Kelvin,
Cannot be dimmed

Features

Integrated LED with high lumen output
Easy installation






White 2210246001
Plastic

VIC 22 4000K Ceiling light

Masterbox Qty. 3
Size H: 4 cm, Ø: 22 cm
IP Class IP40, Class 2 (Double isolated)
Cable Plastic white 15 cm, non replaceable
Lightsource LED Module - 18W, 1800 Lumen, 4000K Kelvin,
Cannot be dimmed

Features

Integrated LED with high lumen output
Easy installation




White 2210226001
Plastic

VIC 29 3000K Ceiling light

Masterbox Qty. 3
Size H: 4 cm, Ø: 29 cm
IP Class IP40, Class 2 (Double isolated)
Cable Plastic white 15 cm, non replaceable
Lightsource LED Module - 24W, 2100 Lumen, 3000K Kelvin,
Cannot be dimmed

Features

Integrated LED with high lumen output
Easy installation






White 2210256001
Plastic

VIC 29 4000K Ceiling light

Masterbox Qty. 3
Size H: 4 cm, Shade Ø: 29 cm
IP Class IP40, Class 2 (Double isolated)
Cable Plastic white 15 cm, non replaceable
Lightsource LED Module - 24W, 2400 Lumen, 4000K Kelvin,
Cannot be dimmed

Features

Integrated LED with high lumen output
Easy installation




White 2210236001
Plastic

VIC 35 3000K Ceiling light

Masterbox Qty. 3
Size H: 4,3 cm, Ø: 35 cm,
IP Class IP40, Class 2 (Double isolated)
Cable Plastic white 15 cm, non replaceable
Lightsource LED Module - 36W, 3200 Lumen, 3000K Kelvin,
Cannot be dimmed

Features

Integrated LED with high lumen output
Easy installation






White 2210266001
Plastic

VIC 35 4000K Ceiling light

Masterbox Qty. 3
Size H: 4,3 cm, Ø: 35 cm
IP Class IP40, Class 2 (Double isolated)
Cable Plastic white 15 cm, non replaceable
Lightsources LED Module - 36W, 4000K Kelvin,
Cannot be dimmed

Features

Integrated LED with high lumen output
Easy installation
Slim design (4,5 cm)






Matt white 2110400101
Aluminium/Metal

Matt black 2110400103
Aluminium/Metal

ETHAN 1-Spot Surface downlight

- Masterbox** Qty. 3
Size H: 11,99 cm, W: 10,5 cm, L: 10,5 cm
IP Class IP20, Class 2 (Double isolated)
Lightsource GU10 - not included, Max. 50W,
 Can be dimmed by choosing a dimmable bulb

- Features**
 Interconnectable on two sides
 Two reflector colours included




Matt white 2110410101
Aluminium/Metal

Matt black 2110410103
Aluminium/Metal

ETHAN 2-Spot Surface downlight

- Masterbox** Qty. 3
Size H: 11,99 cm, W: 10,5 cm, L: 21,6 cm
IP Class IP20, Class 2 (Double isolated)
Lightsource GU10 - not included, Max. 50W,
 Can be dimmed by choosing a dimmable bulb

- Features**
 Interconnectable on two sides
 Fits the Scandinavian electro boxes
 Two reflector colours included





Matt white 2110430101
Aluminium/Metal


Matt black 2110430103
Aluminium/Metal

ETHAN 4-Spot Surface downlight

- Masterbox** Qty. 3
- Size** H: 11,99 cm, W: 21,6 cm, L: 21,6 cm
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** GU10 - not included, Max. 50W,
Can be dimmed by choosing a dimmable bulb

Features

- Interconnectable on two sides
- Two reflector colours included



White/White 47540101
Metal/Plastic

White/Steel 47540132
Metal/Plastic

Black/Steel 47540103
Metal/Plastic

Moodmaker™ Step Dimming



Step 1
All on

Step 2
Center 50%


Step 3
Ring on

FALLON Surface downlight

- Masterbox** Qty. 3
- Size** H: 6 cm, Ø: 10 cm
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** LED Module - 8,5W LED, 500 Lumen, 2700 Kelvin,
20000 Hours, RA 80, Beamangle 110°
Has built-in dimmable light source with
Moodmaker™ functionality

Features

- 3-step Moodmaker™ dimming by your regular wall switch
- Parallel connection possible
- External connector block included
- 5 year LED guarantee





White/White 47550101
Metal/Plastic



White/Steel 47550132
Metal/Plastic




Black/Steel 47550103
Metal/Plastic

Moodmaker™ Step Dimming



Step 1
All on



Step 2
Center 50%




Step 3
Ring on

FALLON Long Surface downlight

Masterbox Qty. 3
Size D: 12 cm, Ø: 10 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 8.5W LED, 500 Lumen, 2700 Kelvin,
20000 Hours, RA 80, Beamangle 110°, Has built-in
dimmable light source with Moodmaker™ functionality

Features
3-step Moodmaker™ dimming by your regular wall switch
Parallel connection possible
External connector block included
5 year LED guarantee



White 2015450101
Plastic



Black 2015450103
Plastic




Brushed Nickel 2015450155
Plastic

Moodmaker™ Step Dimming



Step 1
4000K



Step 2
3000K




Step 3
20% 3000K

KITCHENIO 1-Kit Surface downlight

Masterbox Qty. 3
Size H: 2,1 cm, Ø: 6,4 cm
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 2W LED, 170 Lumen, 3000/4000 Kelvin,
25000 Hours, RA 80, Beamangle 110°, Has built-in
dimmable light source with Moodmaker™ functionality

Features
2-step Moodmaker™ (3000/4000 kelvin) by your regular wall switch
Parallel connection possible
Recessed and surface mounting possible
Cable included (60 cm)
5 year LED guarantee






White 2015460101
Plastic

Black 2015460103
Plastic


Brushed Nickel 2015460155
Plastic



KITCHENIO 3-Kit Surface downlight

Masterbox Qty. 3
Size H: 2,1 cm, W: 6,4 cm, L: 6,4 cm, D: 2,1 cm, Ø: 6.4 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 2W
 LED, 170 Lumen, 3000-4000 Kelvin, 25000 Hours, RA 80,
 Beamangle 110°, Yes, has built-in dimmable light source with
 Moodmaker™ functionality

Features
 2-step Moodmaker™ (3000/4000 kelvin) by your regular wall switch
 Parallel connection possible
 Recessed and surface mounting possible
 Cable included (60 cm)
 5 year LED guarantee




Chrome 76730001
Plastic

LISMORE 4-Kit Surface downlight

Masterbox Qty. 3
Size H: 0,86 cm, Ø: 6 cm
IP Class IP20, Class 3 (12V)
Cable White 150 cm, On the cable
Lightsource LED Module - 4X0.7W LED, 75 Lumen, 3000 Kelvin,
 30000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features
 Ideally suited for under cabinet lighting
 Cable 1,5m included
 Inline on/off switch
 5 year LED guarantee





Mounted directly into insulation



Build in height 1,1 cm



Cutout Ø 6,2 cm



Aluminium 79440029
Plastic/Metal

CAMBIO 3-Kit Surface downlight

Masterbox	Qty. 3
Size	H: 1,1 cm, Ø: 6.5 cm
IP Class	IP20-23, Class 3 (12V)
Cable	White 200 cm, Switch: On the cable
Lightsource	LED Module - 3X2W LED, 150 Lumen, 3000 Kelvin, 30000 Hours, RA 80, Beamangle 90°, Cannot be dimmed

Features

- Ideally suited for under cabinet lighting
- Can be mounted directly into insulation
- Connector block included
- Recessed and surface mounting
- 5 year LED guarantee



Battens







White 47826101
Plastic

ARLINGTON 60 Batten Light Fitting

Masterbox Qty. 6
Size W: 3,2 cm, L: 61 cm, D: 4,5 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 12W LED, 1000 Lumen, 4000 Kelvin,
25000 Hours, RA 80, Beamangle 150°, Cannot be dimmed

Features

Ideally suited for under cabinet lighting
5 year LED guarantee



White 47836101
Plastic

ARLINGTON 120 Batten Light Fitting

Masterbox Qty. 6
Size W: 3,2 cm, L: 121 cm, D: 4,5 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 21W LED, 1900 Lumen, 4000 Kelvin,
25000 Hours, RA 80, Beamangle 150°, Cannot be dimmed

Features

Ideally suited for under cabinet lighting
5 year LED guarantee



White 47846101
Plastic

ARLINGTON 150 Batten Light Fitting

Masterbox Qty. 6
Size W: 3,2 cm, L: 151 cm, D: 4,5 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 25W LED, 2200 Lumen, 4000 Kelvin,
25000 Hours, RA 80, Beamangle 150°, Cannot be dimmed

Features

Ideally suited for under cabinet lighting
5 year LED guarantee



White 2110016101
Plastic

BITY 40 3000K Batten Light Fitting

Masterbox Qty. 6
Size H: 2,3 cm, L: 40 cm, D: 5,8 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 6W LED, 530 Lumen, 3000 Kelvin, 25000 Hours,
RA 80, Beamangle 110°, Cannot be dimmed

Features

On/off by hand movement (motion sensor)
Installation brackets included
Rear cable entry
5 year LED guarantee



White 2110026101
Plastic

BITY 55 4000K Batten Light Fitting

Masterbox Qty. 4
Size H: 2,3 cm, L: 55 cm, D: 5,8 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 8,2W LED, 780 Lumen, 3000 Kelvin,
25000 Hours, RA 80, Beamangle 110°, Cannot be dimmed

Features

On/off by hand movement (motion sensor)
Installation brackets included
Rear cable entry
5 year LED guarantee




White 47416101
Plastic

LATONA 5W Batten Light Fitting

Masterbox Qty. 6
Size W: 2,4 cm, L: 31,2 cm, D: 3,4 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 5W LED, 420 Lumen, 3000/4000 Kelvin,
25000 Hours, RA 80, Beamangle 130°, Has built-in
dimmable light source with Moodmaker™ functionality

Features

2-step Moodmaker™ 3000K/4000K by switch on body
Ideally suited for under cabinet lighting
Parallel connection possible
Connection cable included
Extendable by connecting multiple rails
5 year LED guarantee






White 47426101
Plastic

LATONA 9W Batten Light Fitting

Masterbox Qty. 6
Size W: 2,4 cm, L: 56,2 cm, D: 3,4 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 9W LED, 730 Lumen, 3000/4000 Kelvin,
25000 Hours, RA 80, Beamangle 130°, Has built-in
dimmable light source with Moodmaker™ functionality

Features

2-step Moodmaker™ 3000K/4000K by switch on body
Ideally suited for under cabinet lighting
Parallel connection possible
Connection cable included
Extendable by connecting multiple rails
5 year LED guarantee




White 47436101
Plastic

LATONA 12W Batten Light Fitting

Masterbox Qty. 6
Size W: 2,4 cm, L: 91,2 cm, D: 3,4 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 12W LED, 1050 Lumen, 3000/4000 Kelvin,
25000 Hours, RA 80, Beamangle 130°, Has built-in
dimmable light source with Moodmaker™ functionality

Features

2-step Moodmaker™ 3000K/4000K by switch on body
Ideally suited for under cabinet lighting
Parallel connection possible
Connection cable included
Extendable by connecting multiple rails
5 year LED guarantee





White 47716101
Plastic


OAKLAND 60 Single Batten Light Fitting



Masterbox Qty. 6
Size H: 6,3 cm, W: 6,3 cm, L: 63,2 cm
IP Class IP65, Class 2 (Double isolated)
Lightsource LED Module - 12W LED, 1250 Lumen, 4000 Kelvin,
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

Features

Upgraded generation - lumen uplift
Parallel connection possible
Twist lock - Easy connect
Centred wiring - new higher brackets cable lead
IP65 - In and outdoor use
5 year LED guarantee



White 47726101
Plastic


OAKLAND 60 Double Batten Light Fitting



Masterbox Qty. 6
Size H: 6,5 cm, W: 8,3 cm, L: 63,2 cm
IP Class IP65, Class 2 (Double isolated)
Lightsource LED Module - 23W LED, 2400 Lumen, 4000 Kelvin,
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

Features

Upgraded generation - lumen uplift
Parallel connection possible
Twist lock - Easy connect
Centred wiring - new higher brackets cable lead
IP65 - In and outdoor use
5 year LED guarantee





White 47736101
Plastic


OAKLAND 120 Single Batten Light Fitting



Masterbox Qty. 6
Size H: 6,3 cm, W: 6,3 cm, L: 123,2 cm
IP Class IP65, Class 2 (Double isolated)
Lightsource LED Module - 23W LED, 2400 Lumen, 4000 Kelvin,
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

Features

Upgraded generation - lumen uplift
Parallel connection possible
Twist lock - Easy connect
Centred wiring - new higher brackets cable lead
IP65 - In and outdoor use
5 year LED guarantee



White 47746101
Plastic


OAKLAND 120 Double Batten Light Fitting



Masterbox Qty. 6
Size H: 6,5 cm, W: 8,3 cm, L: 123,2 cm
IP Class IP65, Class 2 (Double isolated)
Lightsource LED Module - 43W LED, 4400 Lumen, 4000 Kelvin,
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

Features

Upgraded generation - lumen uplift
Parallel connection possible
Twist lock - Easy connect
Centred wiring - new higher brackets cable lead
IP65 - In and outdoor use
5 year LED guarantee





White 47756101
Plastic

OAKLAND 150 Single Batten Light Fitting

Masterbox Qty. 6
Size H: 6,3 cm, W: 6,3 cm, L: 153,2 cm
IP Class IP65, Class 2 (Double isolated)
Lightsource LED Module - 29W LED, 3150 Lumen, 4000 Kelvin,
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

Features

Upgraded generation - lumen uplift
Parallel connection possible
Twist lock - Easy connect
Centred wiring - new higher brackets cable lead
IP65 - In and outdoor use
5 year LED guarantee



White 47766101
Plastic

OAKLAND 150 Double Batten Light Fitting

Masterbox Qty. 6
Size H: 6,5 cm, W: 8,3 cm, L: 153,2 cm
IP Class IP65, Class 2 (Double isolated)
Lightsource LED Module - 61W LED, 6300 Lumen, 4000 Kelvin,
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

Features

Upgraded generation - lumen uplift
Parallel connection possible
Twist lock - Easy connect
Centred wiring - new higher brackets cable lead
IP65 - In and outdoor use
5 year LED guarantee





White 47776101
Plastic

RENTON 30 2700K Batten Light Fitting

Masterbox Qty. 6
Size W: 2,4 cm, L: 31,2 cm, D: 3,4 cm,
IP Class IP20, Class 2 (Double isolated)
Switch On the fixture
Lightsource LED Module - 5W LED, 420 Lumen, 2700 Kelvin, 35000 Hours,
RA 80, Beamangle 130°, Cannot be dimmed

Features

Parallel connection possible
Ideally suited for under cabinet lighting
Connection cable included
Switch on body
5 year LED guarantee




White 47786101
Plastic

RENTON 55 2700K Batten Light Fitting

Masterbox Qty. 6
Size W: 2,4 cm, L: 56,2 cm, D: 3,4 cm,
IP Class IP20, Class 2 (Double isolated)
Switch On the fixture
Lightsource LED Module - 9W LED, 840 Lumen, 2700 Kelvin,
35000 Hours, RA 80, Beamangle 130°, Cannot be dimmed

Features

Parallel connection possible
Ideally suited for under cabinet lighting
Connection cable included
Switch on body
Extendable by connecting multiple rails
5 year LED guarantee






White 47796101
Plastic

RENTON 90 2700K Batten Light Fitting

Masterbox Qty. 6
Size W: 2,4 cm, L: 91,2 cm, D: 3,4 cm,
IP Class IP20, Class 2 (Double isolated)
Cable On the fixture
Lightsource LED Module - 12W LED, 1200 Lumen, 2700 Kelvin,
35000 Hours, RA 80, Beamangle 130°, Cannot be dimmed

Features

Parallel connection possible
Ideally suited for under cabinet lighting
Connection cable included
Switch on body
Extendable by connecting multiple rails
5 year LED guarantee




White 47806101
Plastic

RENTON 110 2700K Batten Light Fitting

Masterbox Qty. 6
Size W: 2,4 cm, L: 111,2 cm, D: 3,4 cm,
IP Class IP20, Class 2 (Double isolated)
Cable On the fixture
Lightsource LED Module - 15W LED, 1450 Lumen, 2700 Kelvin,
35000 Hours, RA 80, Beamangle 130°, Cannot be dimmed

Features

Parallel connection possible
Ideally suited for under cabinet lighting
Connection cable included
Switch on body
Extendable by connecting multiple rails
5 year LED guarantee






White 47816101
Plastic

RENTON 150 2700K Batten Light Fitting

Masterbox Qty. 6
Size W: 2,4 cm, L: 151,2 cm, D: 3,4 cm,
IP Class IP20, Class 2 (Double isolated)
Cable On the fixture
Lightsource LED Module - 20W LED, 1500 Lumen, 2700 Kelvin,
25000 Hours, RA 80, Beamangle 130°, Cannot be dimmed

Features

Parallel connection possible
Ideally suited for under cabinet lighting
Connection cable included
Switch on body
Extendable by connecting multiple rails
5 year LED guarantee




White 2111016101
Plastic

RENTON 30 4000K Batten Light Fitting

Masterbox Qty. 6
Size W: 2,4 cm, L: 31,2 cm, D: 3,4 cm,
IP Class IP20, Class 2 (Double isolated)
Switch On the fixture
Lightsource LED Module, 4000 Kelvin, 35000 Hours, RA 80,
Beamangle 130°, Cannot be dimmed

Features

Parallel connection possible
Ideally suited for under cabinet lighting
Connection cable included
Switch on body
5 year LED guarantee





White 2111026101
Plastic


RENTON 55 4000K Batten Light Fitting



Masterbox Qty. 6
Size W: 2,4 cm, L: 56,2 cm, D: 3,4 cm,
IP Class IP20, Class 2 (Double isolated)
Switch On the fixture
Lightsources LED Module, 4000 Kelvin,
35000 Hours, RA 80, Beamangle 130°, Cannot be dimmed

Features

Parallel connection possible
Ideally suited for under cabinet lighting
Connection cable included
Switch on body
Extendable by connecting multiple rails
5 year LED guarantee



White 2111036101
Plastic


RENTON 90 4000K Batten Light Fitting




Masterbox Qty. 6
Size W: 2,4 cm, L: 91,2 cm, D: 3,4 cm,
IP Class IP20, Class 2 (Double isolated)
Cable On the fixture
Lightsources LED Module, 4000 Kelvin, 35000 Hours, RA 80,
Beamangle 130°, Cannot be dimmed

Features

Parallel connection possible
Ideally suited for under cabinet lighting
Connection cable included
Switch on body
Extendable by connecting multiple rails
5 year LED guarantee






White 2111046101
Plastic

RENTON 110 4000K Batten Light Fitting

Masterbox Qty. 6
Size W: 2,4 cm, L: 111,2 cm, D: 3,4 cm,
IP Class IP20, Class 2 (Double isolated)
Cable On the fixture
Lightsource LED Module, 4000 Kelvin, 35000 Hours, RA 80,
Beamangle 130°, Cannot be dimmed

Features

Parallel connection possible
Ideally suited for under cabinet lighting
Connection cable included
Switch on body
Extendable by connecting multiple rails
5 year LED guarantee




White 2111056101
Plastic

RENTON 150 4000K Batten Light Fitting

Masterbox Qty. 6
Size W: 2,4 cm, L: 151,2 cm, D: 3,4 cm,
IP Class IP20, Class 2 (Double isolated)
Cable On the fixture
Lightsource LED Module, 4000 Kelvin, 25000 Hours, RA 80,
Beamangle 130°, Cannot be dimmed

Features

Parallel connection possible
Ideally suited for under cabinet lighting
Connection cable included
Switch on body
Extendable by connecting multiple rails
5 year LED guarantee






White 47856101
Plastic/Metal

TRENTON Batten Light Fitting

Masterbox Qty. 3
Size H: 5 cm, W: 16 cm, L: 60 cm
IP Class IP20, Class 1 (Earth contact)
Lightsource LED Module - 23W LED, 1900 Lumen, 4000 Kelvin,
25000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features
Ultra-flat design
5 year LED guarantee




Grey 49646110
Plastic

WESTPORT 60 Single Batten Light Fitting

Masterbox Qty. 6
Size W: 5,4 cm, L: 55,8 cm, D: 5,4 cm,
IP Class IP65, Class 2 (Double isolated)
Lightsource LED Module - 11W LED, 1050 Lumen, 4000 Kelvin,
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

Features
IP65 - In and outdoor use
5 year LED guarantee





Grey 49656110
Plastic


WESTPORT 60 Double Batten Light Fitting



Masterbox Qty. 6
Size W: 5,4 cm, L: 55,8 cm, D: 5,4 cm,
IP Class IP65, Class 2 (Double isolated)
Lightsource LED Module - 23W LED, 2100 Lumen, 4000 Kelvin,
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

Features

IP65 - In and outdoor use
5 year LED guarantee



Grey 49666110
Plastic


WESTPORT 120 Single Batten Light Fitting



Masterbox Qty. 6
Size W: 5,4 cm, L: 115,8 cm, D: 5,4 cm,
IP Class IP65, Class 2 (Double isolated)
Lightsource LED Module - 23W LED, 2160 Lumen, 4000 Kelvin,
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

Features

IP65 - In and outdoor use
5 year LED guarantee





Grey 49676110
Plastic

WESTPORT 120 Double Batten Light Fitting



Masterbox Qty. 6
Size W: 5,4 cm, L: 115,8 cm, D: 5,4 cm,
IP Class IP65, Class 2 (Double isolated)
Lightsources LED Module - 43W LED, 4400 Lumen, 4000 Kelvin,
25000 Hours, RA 80, Beamangle 125°, Cannot be dimmed

Features

IP65 - In and outdoor use
5 year LED guarantee



Grey 27386101
Plastic


WORKS IP65 1x9W LED Batten Light Fitting



Masterbox Qty. 6
Size H: 9 cm, W: 8,5 cm, L: 66 cm,
IP Class IP65, Class 1 (Earth contact)
Lightsources G13, Max. 10W, Incl. 9W T8 LED, 850 Lumen, 4000 Kelvin,
15000 Hours, RA 80, Beamangle 110°, Cannot be dimmed

Features

Parallel connection possible
IP65 - In and outdoor use
Easy Connect





Grey 27396101
Plastic


WORKS IP65 1x18W LED Batten Light Fitting



Masterbox Qty. 6
Size H: 9 cm, W: 8,5 cm, L: 126,6 cm,
IP Class IP65, Class 1 (Earth contact)
Lightsources G13, Max 20W, Incl. 18W
T8 LED, 1620 Lumen, 4000 Kelvin, 15000 Hours, RA 80,
Beamangle 120°, Cannot be dimmed

Features

Parallel connection possible
IP65 - In and outdoor use
Easy Connect



Grey 27586101
Plastic


WORKS IP65 2x9W LED Batten Light Fitting



Masterbox Qty. 6
Size H: 9 cm, W: 11,8 cm, L: 66 cm,
IP Class IP65, Class 1 (Earth contact)
Lightsources G13, Max. 2x10W, incl. 2x9W
T8 LED, 850 Lumen, 4000 Kelvin, 25000 Hours, RA 80,
Beamangle 120°, Cannot be dimmed

Features

Parallel connection possible
In- and outdoor use (IP65)
Easy Connect





Grey 27596101
Plastic


WORKS IP65 2x18W LED Batten Light Fitting



Masterbox Qty. 6
Size H: 9 cm, W: 11,8 cm, L: 127 cm,
IP Class IP65, Class 1 (Earth contact)
Lightsource G13, Max. 2x18W, Incl. 2x18W T8 LED,
3300 Lumen, 4000 Kelvin, 25000 Hours, RA 80,
Beamangle 120°, Cannot be dimmed

Features

Parallel connection possible
IP65 - In and outdoor use
Easy Connect



Grey 2111076101
Plastic

WORKS IP65 1x24 Batten Light Fitting



Masterbox Qty. 6
Size H: 7,3 cm, L: 155,3 cm,
IP Class IP65, Class 1 (Earth contact)
Lightsource G13, Max. 24W, Incl. 24W T8 LED,
2112 Lumen, 4000 Kelvin, 25000 Hours, RA 80,
Beamangle 120°, Cannot be dimmed

Features

Parallel connection possible
IP65 - In and outdoor use
Easy Connect



Grey 2111086101
Plastic

WORKS IP65 2x24 Batten Light Fitting



Masterbox Qty. 6
Size H: 7,3 cm, L: 155,3 cm,
IP Class IP65, Class 1 (Earth contact)
Lightsources G13, Max. 2x24W, Incl. 2x24W T8 LED,
4220 Lumen, 4000 Kelvin, 25000 Hours, RA 80,
Beamangle 120°, Cannot be dimmed

Features

Parallel connection possible
IP65 - In and outdoor use
Easy Connect

Downlight







White 2110350101
Plastic

Black 2110350103
Plastic



Build in height
7,8 cm



Cutout Ø
7,3-8,3 cm

Moodmaker™ Step Dimming



Step 1
All on



Step 2
Center 50%





Step 3
Ring on

ALEC Downlight

- Masterbox** Qty. 3
- Size** H: 5,8 cm, Ø: 9,5 cm
- IP Class** IP20-44, Class 2 (Double isolated)
- Lightsource** LED Module - 6,1W LED, 480 Lumen, 3000 Kelvin, 20000 Hours, RA 80, Beamangle 36°, Has built-in dimmable light source with Moodmaker™ functionality

Features

- 3-Step Moodmaker™ dimmer 100%-50% + outer ring
- IP44 protected for water splashing in all directions
- Flexible cut-out size from 73 mm to 83 mm (adaptor)
- Built-in connector block, memory and reset function
- Easy screwless push-in connections (no tooling)
- Parallel connection up to 15 pcs.



White 84950001
Plastic



Parallel connection



Build in height
6 cm



Mounted directly into insulation





Cutout Ø
7 cm

BIRLA Downlight

- Masterbox** Qty. 6
- Size** H: 5,75 cm, Ø: 9,5 cm
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** LED Module - 6W LED, 600 Lumen, 3000 Kelvin, 30000 Hours, RA 80, Beamangle 90°, Has built-in dimmable light source for wall dimmer


Features

- Can be mounted directly into insulation
- Parallel connection possible
- 5 year LED guarantee





White 47500101
Plastic



Moodmaker™ Step Dimming



Step 1
All on



Step 2
Center on




Step 3
Ring on

CLYDE 8 2700K Downlight 


- Masterbox** Qty. 3
- Size** H: 3,5, Ø: 8,2 cm
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** LED Module - 5W LED, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

Features

- 3-Step Moodmaker™ dimmer both/inner/outer rings
- Parallel connection possible
- Connector block included
- Memory & reset function
- 5 year LED guarantee



White 47650101
Plastic



Moodmaker™ Step Dimming



Step 1
All on



Step 2
Center on




Step 3
Ring on

CLYDE 8 4000K Downlight 

- Masterbox** Qty. 3
- IP Class** IP20, Class 2 (Double isolated)
- Lightsource** LED Module - 5W LED, 400 Lumen, 4000 Kelvin, 25000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

Features

- 3-Step Moodmaker™ dimmer both/inner/outer rings
- Parallel connection possible
- Connector block included
- Memory & reset function
- 5 year LED guarantee






White 47510101
Plastic

CLYDE 15 2700K Downlight

Masterbox Qty. 3
Size H: 3,3 cm, Ø: 14,5 cm
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 12W LED, 800 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

Features
 3-Step Moodmaker™ dimmer both/inner/outer rings
 Parallel connection possible
 Connector block included
 Memory & reset function
 5 year LED guarantee



Moodmaker™ Step Dimming




Step 1
All on



Step 2
Center on



Step 3
Ring on




White 47660101
Plastic

CLYDE 15 4000K Downlight

Masterbox Qty. 3
Size 3.314.5513
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 12W LED, 900 Lumen, 4000 Kelvin, 25000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

Features
 3-Step Moodmaker™ dimmer both/inner/outer rings
 Parallel connection possible
 Connector block included
 Memory & reset function
 5 year LED guarantee



Moodmaker™ Step Dimming




Step 1
All on



Step 2
Center on



Step 3
Ring on





White 49400101
Plastic/Metal



Nickel 49400155
Plastic/Metal



Parallel connection



Build in height
6,8 cm




Cutout Ø
7,2 cm

DORADO 3-Kit IP20 2700K Downlight

Masterbox Qty. 3
Size H: 5,4 cm, Ø: 8,5 cm
IP Class IP20, Class 2 (Double isolated)
Lightsources LED Module - 3X5,5W LED, 345 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 36°, Has built-in dimmable light source for wall dimmer

Features

Stepless dimmable 0-100% by wall dimmer excl.
 Parallel connection possible
 Connector block included
 5 year LED guarantee



White 49430101
Plastic/Metal



Nickel 49430155
Plastic/Metal



Parallel connection



Build in height
4,6 cm




Cutout Ø
7,2 cm

DORADO 1-Kit IP65 2700K Downlight

Masterbox Qty. 3
Size H: 3,6 cm, Ø: 8,5 cm
IP Class IP65, Class 2 (Double isolated)
Lightsources LED Module - 5,5W LED, 345 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 100°, Has built-in dimmable light source for wall dimmer

Features

Stepless dimmable 0-100% by wall dimmer excl.
 Ideally suited for bathroom zone 1-2 (IP65)
 Parallel connection possible
 Connector block included
 5 year LED guarantee





White 49410101
Plastic/Metal



Nickel 49410155
Plastic/Metal



Parallel connection



Build in height
4,6 cm




Cutout Ø
7,2 cm

DORADO 3-Kit IP65 2700K Downlight

Masterbox Qty. 3
Size H: 3,6 cm, Ø: 8,5 cm
IP Class IP65, Class 2 (Double isolated)
Lightsource LED Module - 3X5,5W LED, 345 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 100°, Has built-in dimmable light source for wall dimmer

Features

Ideally suited for bathroom zone 1-2 (IP65)
Stepless dimmable 0-100% by wall dimmer excl.
Parallel connection possible
Connector block included
5 year LED guarantee



White 47520101
Plastic



Parallel connection



Build in height
5 cm



Cutout Ø
6,5 cm

Moodmaker™ Step Dimming



Step 1
All on



Step 2
Center on




Step 3
Ring on

ELKTON 8 Downlight

Masterbox Qty. 3
Size H: 4,2 cm, Ø: 8,2 cm
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 5,5W LED, 350 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

Features

3-Step Moodmaker™ dimmer both/inner/outer rings
Parallel connection possible
Connector block included
Memory & reset function
5 year LED guarantee





White 47530101
Plastic



Parallel connection



Build in height 5 cm



Cutout Ø 13 cm

Moodmaker™ Step Dimming



Step 1
All on



Step 2
Center on




Step 3
Ring on

ELKTON 14 Downlight 

Masterbox Qty. 3
Size H: 3,8 cm, Ø: 14,5 cm
IP Class IP20, Class 2 (Double isolated)
Lightsources LED Module - 12W LED, 800 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

Features

- 3-Step Moodmaker™ dimmer both/inner/outer rings
- Parallel connection possible
- Connector block included
- Memory & reset function
- 5 year LED guarantee



White 47580101
Plastic/Metal



Black 47580103
Plastic/Metal



Brushed steel 47580132
Plastic/Metal



Parallel connection



Build in height 6,8 cm




Cutout Ø 7,2 cm

FREMONT 3-Kit Downlight 

Masterbox Qty. 3
Size H: 5,4 cm, Ø: 8,5 cm
IP Class IP23, Class 2 (Double isolated)
Lightsources LED Module - 3X5,5W LED, 345 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 36°, Has built-in dimmable light source for wall dimmer

Features


- Stepless dimmable 0-100% by wall dimmer excl.
- Parallel connection possible
- 5 year LED guarantee





White 71810101
Plastic/Metal

Brushed steel 71810132
Plastic/Metal



Parallel connection



Build in height 6,5 cm



Mounted directly into insulation




Cutout Ø 7,6 cm

MIXIT Pro Downlight


- Masterbox** Qty. 3
- Size** H: 7,2 cm, Ø: 8,5 cm
- IP Class** IP23, Class 2 (Double isolated)
- Lightsource** GU10 - not included, Max. 8W LED,
Can be dimmed by choosing a dimmable bulb

Features

- Ideally suited for combination with Nordlux Smart
- Can be mounted directly into insulation
- Parallel connection possible
- Connector block included



Brushed steel 71820132
Plastic/Metal



Parallel connection



Build in height 14 cm



Mounted directly into insulation




Cutout Ø 7,6 cm

MIXIT PRO Downlight

- Masterbox** Qty. 3
- Size** H: 13,5 Ø: 8,5 cm
- IP Class** IP23, Class 2 (Double isolated)
- Lightsource** GU10 - not included, Max. 8W LED,
Can be dimmed by choosing a dimmable bulb

Features

- Ideally suited for combination with Nordlux Smart
- Can be mounted directly into insulation
- Parallel connection possible
- Connector block included





Build in height
10,5 cm





Cutout Ø
6,8 cm

White 49270101
Plastic

Nickel 49270155
Plastic

OCTANS 3-Kit 4000K Downlight

Masterbox Qty. 3
Size H: 9 cm, Ø: 8,5 cm
IP Class IP20, Class 2 (Double isolated)
Lightsource GU10 - 3X4,8W LED,
 Max. 7,5W LED, 380 Lumen, 4000 Kelvin, 15000 Hours, RA 80,
 Beamangle 36°, Cannot be dimmed





White 84650001
Metal

Brushed steel 84650032
Metal

RECESS 3-Kit Downlight

Masterbox Qty. 3
Size 7.958.15157.525
IP Class IP23, Class 2 (Double isolated)
Cable Black 200 cm, replaceable
Lightsource GU10 - 3X3WCOB,
 Max. 3X35W175 Lumen, 3000 Kelvin, 25000 Hours, RA 80,
 Beamangle 38°, No, cannot be dimmed

Features
 Parallel connection possible
 Cable 2,0m included





White 84960001
Plastic



Black 84960003
Plastic



Parallel connection



Build in height
7 cm



Mounted directly
into insulation





Cutout
6,8 cm

ROAR Downlight

- Masterbox** Qty. 6
- Size** 4.48.576.830
- IP Class** IP23, Class 2 (Double isolated)
- Cable** White 20 cm, replaceable
- Lightsource** LED Module - 6,5W LED, 550 Lumen, 3000 Kelvin,
30000 Hours, RA 80, Beamangle 40°,
Has built-in dimmable light source for wall dimmer

Features

- Parallel connection possible
- Can be mounted directly into insulation
- 5 year LED guarantee



White 2110370101
Plastic/Metal



Nickel 2110370155
Plastic/Metal



Parallel connection



Build in height
4 cm





Cutout Ø
7,2 cm

SIEGE Downlight

- Masterbox** Qty. 3
- Size** H: 4,5 cm, Ø: 8,5 cm
- IP Class** IP65, Class 2 (Double isolated)
- Lightsource** LED Module - 4,7W LED, 345 Lumen, 3000 Kelvin,
20000 Hours, RA 80, Beamangle 100°, Cannot be dimmed

Features

- Downlighter for mounting directly into insulation
- Water resistant (IP65) (water jets from any angle)
- Parallel connection possible (up to 15 downlighters)
- External connector block/driver included
- Easy screwless push-in connections (no tooling)
- 5 year LED guarantee





Parallel connection



Build in height 5,2 cm



Cutout Ø 7,2 cm

White 2110360101
Plastic/Metal



Black 2110360103
Plastic/Metal

STAKE Downlight

- Masterbox** Qty. 3
- Size** H: 5,3 cm, Ø: 8,8 cm
- IP Class** IP20, Class 2 (Double isolated)
- Lightsources** LED Module - 6,1W LED, 450 Lumen, 2700 Kelvin, 20000 Hours, RA 80, Beamangle 36°, Has built-in dimmable light source for wall dimmer

Features

- Anti-glare, eye friendly design
- Parallel connection possible (up to 15 downlighters)
- External connector block/driver included
- Stepless dimmable (external dimmer)
- Easy screwless push-in connections (no tooling)
- 5 year LED guarantee



Parallel connection



Cutout Ø 5,5 cm


White 49570101
Plastic/Metal

Nickel 49570155
Plastic/Metal

Moodmaker™ Step Dimming



Step 1
2700K




Step 2
4000K

TIAKI Downlight

- Masterbox** Qty. 3
- Size** H: 4,5 cm, Ø: 8,5 cm
- IP Class** IP65, Class 2 (Double isolated)
- Lightsources** LED Module - 8,6W, 345 Lumen, 2700/4000 Kelvin, 20000 Hours, RA 80, Beamangle 100°, Has built-in dimmable light source with Moodmaker™ functionality

Features

- 2-step Moodmaker™ 2700K345lm/4000K600lm-switch
- Ideally suited for bathroom zone 1-2 (IP65)
- Parallel connection possible
- Memory & reset function
- Connector block included
- 5 year LED guarantee





Parallel connection



Build in height 15 cm



*15 year guarantee on corrosion




Cutout Ø 7,2 cm

Galvanized 20299931*
Metal

TIP Downlight

Masterbox Qty. 3
Size H: 15 cm, Ø: 8 cm
IP Class IP23, Class 2 (Double isolated)
Lightsources GU10 - not included, Max. 35W,
 Can be dimmed by choosing a dimmable bulb

Features
 Parallel connection possible
 15 year anti corrosion guarantee



White 54540101
Metal



Brushed steel 54540132
Metal



Parallel connection



Build in height 15 cm




Cutout Ø 7,5 cm

TRITON 3-Kit Downlight

Masterbox Qty. 6
Size H: 15 cm, Ø: 9 cm
IP Class IP23, Class 2 (Double isolated)
Lightsources GU10 - not included, Max. 3x35W,
 Can be dimmed by choosing a dimmable bulb

Features
 Parallel connection possible



Bathroom







White 2015301001
Plastic



Chrome 2015301033
Plastic

Moodmaker™ Step Dimming




Step 1
All on

Step 2
Night light

HELVA Night Wall light

- Masterbox** Qty. 3
- Size** H: 26,9 cm, W: 5,7 cm, D: 10,5 cm
- IP Class** IP44, Class 2 (Double isolated)
- Lightsource** LED Module - 6.8W LED, 600 Lumen, 3000 Kelvin, 25000 Hours, RA 90, Has built-in dimmable light source with Moodmaker™ functionality

- Features**
- 2-step Moodmaker™ function
- Night light (60 lumen)
- 5 year LED guarantee



White 2015311001
Plastic





Black 2015311003
Plastic

HELVA Double Basic Wall light

- Masterbox** Qty. 3
- Size** H: 10,6 cm, W: 5,7 cm, L: 42,5 cm, D: 10,5 cm,
- IP Class** IP44, Class 2 (Double isolated)
- Lightsource** LED Module - 9W LED, 900 Lumen, 3000 Kelvin, 25000 Hours, RA 90, Cannot be dimmed

- Features**
- Cabinet bracket included
- Vertical/horizontal installation possible
- 5 year LED guarantee





Chrome 2015321033 Plastic
Brushed Nickel 2015321055 Plastic

Moodmaker™ Step Dimming




Step 1
4000K

Step 2
3000K

HELVA Double Wall light

Masterbox Qty. 3
Size L: 42,5 cm, W: 5,7 cm, D: 10,5 cm
IP Class IP44, Class 2 (Double isolated)
Lightsource LED Module - 9,5W LED, 900 Lumen, 3000/4000 Kelvin, 25000 Hours, RA 90, Has built-in dimmable light source with Moodmaker™ functionality

Features
 2-step Moodmaker™ function
 Stepless touch dimmer
 Cabinet bracket included
 Vertical/horizontal installation possible
 5 year LED guarantee




White 2015391001
Plastic/Glass

Black 2015391003
Plastic/Glass

Chrome 2015391033
Plastic/Glass

Moodmaker™ Step Dimming



Step 1
100%


Step 2
50%


Step 3
20%

HESTER Wall light


Masterbox Qty. 3
Size H: 25,5 cm, W: 9,25 cm, L: 20 cm,
IP Class IP44, Class 2 (Double isolated)
Lightsource LED Module - 9,5W LED, 900 Lumen, 3000 Kelvin, 25000 Hours, RA 90, Has built-in dimmable light source with Moodmaker™ functionality

Features
 3-Step Moodmaker™ by wall switch: 100%-50%-20%
 Night Light 60lm memory
 Tempered frosted cut glass
 Memory + reset option
 5 year LED guarantee





White c
Aluminium/Plastic



Chrome 2015401033
Aluminium/Plastic




Brushed Nickel 2015401055
Aluminium/Plastic

OTIS 40 Wall light

Masterbox Qty. 3
Size H: 7,5 cm, W: 14,6 cm, L: 40 cm, D: 7,5 cm,
IP Class IP44, Class 2 (Double isolated)
Lightsource LED Module - 14W LED, 1300 Lumen, 3000 Kelvin,
 25000 Hours, RA 90, Has built-in dimmable light source with
 Moodmaker™ functionality

Features


2-step Moodmaker™ by wall switch: 100%-night light
 Night Light Function 20lm memory
 Cabinet bracket included
 Adjustable - rotating reflector/telescopic depth
 Vertical/horizontal installation possible
 5 year LED guarantee



White 2015411001
Aluminium/Plastic



Chrome 2015411033
Aluminium/Plastic




Brushed Nickel 2015411055
Aluminium/Plastic

OTIS 60 Wall light

Masterbox Qty. 3
Size H: 7,5 cm, W: 14,6 cm, L: 60 cm, D: 7,5 cm,
IP Class IP44, Class 2 (Double isolated)
Lightsource LED Module - 17W
 LED, 1650 Lumen, 3000 Kelvin, 25000 Hours, RA 90, Yes,
 has built-in dimmable light source with Moodmaker™
 functionality

Features

2-step Moodmaker™ by wall switch: 100%-night light
 Night Light Function 35lm memory
 Cabinet bracket included
 Adjustable - rotating reflector/telescopic depth
 Vertical/horizontal installation possible
 5 year LED guarantee





White 78511001
Metal/Plastic




Brushed steel 78511032
Metal/Plastic

IP S4 Bathroom lighting by Bønnelycke MDD

- Masterbox** Qty. 3
- Size** D: 11 cm, Ø: 10 cm, Ø 9,820
- IP Class** IP44, Class 2 (Double isolated)
- Lightsource** GU10 - not included, Max. 8W LED,
Can be dimmed by choosing a dimmable bulb

Features
Ideally suited for combination with Nordlux Smart
Also ideal to install in other indoor rooms




White 78521001
Metal/Plastic

IP S5 Bathroom lighting by Bønnelycke MDD

- Masterbox** Qty. 3
- Size** H: 11 cm, D: 15 cm, Ø: 10 cm
- IP Class** IP44, Class 2 (Double isolated)
- Lightsource** GU10 - not included, Max. 8W LED
Can be dimmed by choosing a dimmable bulb

Features
Ideally suited for combination with Nordlux Smart
Also ideal to install in other indoor rooms





White 78531001
Metal/Plastic




Brushed steel 78531032
Metal/Plastic

IP S6 Bathroom lighting by Bønnelycke MDD

- Masterbox** Qty. 3
Size H: 18 cm, D: 19 cm, Shade Ø: 12,1 cm
IP Class IP44, Class 2 (Double isolated)
Lightsource GU10 - not included, Max. 8W SMD LED,
 Can be dimmed by choosing a dimmable bulb

Features

- Ideally suited for combination with Nordlux Smart
- Adjustable reflector
- Also ideal to install in other indoor rooms
- Ideally suited as bed lamp



White 83051001
Metal/Plastic




Chrome 83051033
Metal/Plastic

IP S12 Bathroom lighting by Bønnelycke MDD

- Masterbox** Qty. 3
Size H: 9 cm, W: 8,5 cm, D: 10,5 cm
IP Class IP44, Class 2 (Double isolated)
Lightsource LED Module - 5W LED, 400 Lumen, 3000 Kelvin,
 20000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features

- Adjustable reflector
- Also ideal to install in other indoor rooms
- 5 year LED guarantee







White 83061001
Metal/Plastic

Brushed steel 83061032
Metal/Plastic

IP S13 40 Bathroom lighting by Bønnelycke MDD

Masterbox Qty. 3
Size L: 40,3 cm, D: 11,8 cm, Ø9
IP Class IP44, Class 2 (Double isolated)
Lightsource LED Module - 5.6W LED, 406 Lumen, 3000 Kelvin,
 30000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features
 Adjustable reflector
 Also ideal to install as picture light
 5 year LED guarantee




White 83071001
Metal/Plastic

Brushed steel 83071032
Metal/Plastic

IP S13 60 Bathroom lighting by Bønnelycke MDD

Masterbox Qty. 3
Size L: 60,3 cm, D: 11,8 cm, Ø9
IP Class IP44, Class 2 (Double isolated)
Lightsource LED Module - 6.3W LED, 443 Lumen, 3000 Kelvin,
 30000 Hours, RA 80, Beamangle 120°, Cannot be dimmed

Features
 Adjustable reflector
 Also ideal to install as picture light
 5 year LED guarantee





White 2110660101
Metal/Plastic



Black 2110660103
Metal/Plastic

LANDON 8 Bathroom lighting



Masterbox Qty. 3
Size H: 8,2 cm, W: 12,5 cm, L: 12,5 cm,
IP Class IP44, Class 2 (Double isolated)
Lightsource LED Module - 6,5W
LED, 600 Lumen, 2700 Kelvin, 20000 Hours, RA 80,
Beamangle 110°, Has built-in dimmable light source with
Moodmaker™ functionality

Features
3-step Moodmaker™ dimming on inner and outer light ring (incl. night light)
IP44-lid protected water splashing all directions
Extra lid for mounting on hook included (IP20)
Easy screwless push-in connection that requires no tooling
5 year LED guarantee


Moodmaker™ Step Dimming



Step 1
All on

Step 2
Center 50%

Step 3
Ring on



White 2110670101
Metal/Plastic



Black 2110670103
Metal/Plastic

LANDON 14 Bathroom lighting



Masterbox Qty. 3
Size H: 14 cm, W: 12,5 cm, L: 12,5 cm,
IP Class IP44, Class 2 (Double isolated)
Lightsource LED Module - 6,5W
LED, 600 Lumen, 2700 Kelvin, 20000 Hours, RA 80,
Beamangle 110°, Has built-in dimmable light source with
Moodmaker™ functionality

Features
3-step Moodmaker™ dimming on inner and outer light ring (incl. night light)
IP44-lid protected water splashing all directions
Extra lid for mounting on hook included (IP20)
Built-in connector block, memory and reset function
Easy screwless push-in connection that requires no tooling
5 year LED guarantee


Moodmaker™ Step Dimming



Step 1
All on

Step 2
Center 50%

Step 3
Ring on





Chrome 62329933
Metal/Glass



Black 62329903
Metal/Glass

MARINA Bathroom lighting by KB

Masterbox Qty. 3
Size H: 15 cm, W: 8,6 cm, D: 14 cm, Shade Ø: 5,5 cm
IP Class IP44, Class 2 (Double isolated)
Lightsource G9 - not included, Max. 40W,
 Can be dimmed by choosing a dimmable bulb

Features
 Manually blown sandblasted glass



White 2110701001
Metal/Plastic




Black 2110701003
Metal/Plastic

MARLEE Bathroom lighting



Masterbox Qty. 3
Size H: 3,8 cm, W: 13,6 cm, L: 50 cm,
IP Class IP44, Class 2 (Double isolated)
Lightsource LED Module, 800 Lumen, 3000 Kelvin, 25000 Hours,
 RA 90, Beamangle 120°, No, cannot be dimmed

Features
 Incl. three different installation possibilities
 Can be mounted on a wall, on a mirror or on a cabinet
 IP44 protected for water splashing in all directions
 RA90 natural light and 800 lumen
 5 year LED guarantee






White 2110711001
Plastic/Aluminium

SJAVER Bathroom lighting

- Masterbox** Qty. 3
- Size** H: 7 cm, W: 5,6 cm, L: 60 cm,
- IP Class** IP44, Class 1 (Earth contact)
- Cable** White 35 cm, non replaceable On the fixture
- Lightsource** LED Module - 15W LED, 1200 Lumen, 3000/4000 Kelvin, 30000 Hours, RA 90, Beamangle 120°, Has built-in dimmable light source with Moodmaker™ functionality

Features

- Moodmaker™ Scene Select 3000K/4000K body switch
- IP44 protected for water splashing in all directions
- Lifetime 30.000 hours
- Including EU plug and on/off switch
- 5 year LED guarantee



Build in height
4,5 cm



Cutout Ø
10 cm

White 2110726101
Plastic

SÖLLER 12 Bathroom lighting

- Masterbox** Qty. 3
- Size** H: 2,5 cm, D: 2,5 cm, Ø: 12.9 cm, 4.510
- IP Class** IP20-44, Class 2 (Double isolated)
- Lightsource** LED Module - 7,5W LED, 600 Lumen, 4000/3000 Kelvin, 20000 Hours, RA 80, Beamangle 110°, Yes, has built-in dimmable light source with Moodmaker™ functionality

Features

- Moodmaker™ Scene Select 3000K/4000K and night light
- IP44 protected for water splashing in all directions
- Can be recessed as well as surface mounted
- Can be recessed mounted from Ø95-115 mm
- With memory and reset function
- 5 year LED guarantee

Moodmaker™ Step Dimming




Step 1
4000K



Step 2
3000K



Step 3
20% 3000K





Build in height
4,5 cm



Cutout Ø
15 cm

White 2110736101
Plastic

Moodmaker™ Step Dimming




SOLLER 17 Bathroom lighting



Masterbox Qty. 3
Size H: 2,5 cm, D: 2,5 cm, Ø: 17.9 cm, 4.515
IP Class IP20-44, Class 2 (Double isolated)
Lightsource LED Module - 9,5W
LED, 1000 Lumen, 4000/3000 Kelvin, 20000 Hours, RA 80,
Beamangle 110°, Has built-in dimmable light source with
Moodmaker™ functionality

Features

Moodmaker™ Scene Select 3000K/4000K and night light
IP44 protected for water splashing in all directions
Can be recessed as well as surface mounted
Can be recessed mounted from Ø95-155 mm
With memory and reset function
5 year LED guarantee



Build in height
4,5 cm



Cutout Ø
20 cm

White 2110746101
Plastic

Moodmaker™ Step Dimming




SOLLER 22 Bathroom lighting



Masterbox Qty. 3
Size H: 2,5 cm, D: 2,5 cm, Ø: 23,4 cm
IP Class IP20-44, Class 2 (Double isolated)
Lightsource LED Module - 14W LED, 1600 Lumen, 4000/3000 Kelvin,
20000 Hours, RA 80, Beamangle 110°,
Has built-in dimmable light source with
Moodmaker™ functionality

Features

Moodmaker™ Scene Select 3000K/4000K and night light
IP44 protected for water splashing in all directions
Can be recessed as well as surface mounted
Can be recessed mounted from Ø95-200 mm
With memory and reset function
5 year LED guarantee






Brushed steel 17131032
Glass/Metal

TANG Single Bathroom lighting

- Masterbox** Qty. 3
Size H: 18,5 cm, W: 6 cm, D: 9,5 cm, Shade Ø: 6 cm
IP Class IP44, Class 2 (Double isolated)
Lightsource E14 - not included, Max. 40W,
 Can be dimmed by choosing a dimmable bulb

Features

Ideally suited for combination with Nordlux Smart
 Manually blown frosted glass
 5 year LED guarantee



Chrome 17141029
Glass/Metal




Brushed steel 17141032
Glass/Metal

TANG Double Bathroom lighting

- Masterbox** Qty. 3
Size H: 6 cm, W: 31 cm, D: 9,5 cm, Shade Ø: 6 cm
IP Class IP44, Class 2 (Double isolated)
Lightsource E14 - not included, Max. 2X25W
 Can be dimmed by choosing a dimmable bulb

Features

Ideally suited for combination with Nordlux Smart
 Manually blown frosted glass
 Vertical/horizontal installation possible
 5 year LED guarantee



LED strip








White 47970000
Silicone/Plastic

LED STRIP 3M LED strip

Masterbox Qty. 6
Size H: 0,7 cm, W: 1 cm, L: 300 cm,
IP Class IP23, Class 3 (12V)
Cable White 120 cm,
Lightsource LED Module RGB, 30000 Hours, Beamangle 120°,
 Has built-in dimmable light source with button or touch

Features

Stepless dimmable 0-100% by remote control (incl.)
 RGB by remote control (incl.)
 Cable 1,2m included
 5 year LED guarantee




White 47980000
Silicone/Plastic

LED STRIP 5M LED strip

Masterbox Qty. 6
Size H: 0,2 cm, W: 0,8 cm, L: 500 cm,
IP Class IP23, Class 3 (12V)
Cable White 120 cm,
Lightsource LED Module, 900 Lumen, 2700 Kelvin, 30000 Hours,
 Beamangle 120°, Cannot be dimmed

Features

Cable 1,2m included
 5 year LED guarantee





White 2210329901
Silicone/Plastic

LED STRIP 3M Basic LED strip

Masterbox Qty. 6
Size H: 0,15 cm, W: 300 cm, L: 300 cm,
IP Class IP20, Class 3 (12V)
Cable Plastic, White 120 cm, non replaceable
Lightsource LED Module, 2700 Kelvin, 35000 Hours,
Cannot be dimmed

Features

Easy to install - adhesive tape on strip
Multi-purpose use



White 2210319901
Silicone/Plastic

LED STRIP 5M Basic LED strip

Masterbox Qty. 6
Size H: 0,15 cm, W: 500 cm, L: 500 cm,
IP Class IP20, Class 3 (12V)
Cable Plastic, White 120 cm, non replaceable
Lightsource LED Module, 2700 Kelvin, 35000 Hours,
Cannot be dimmed

Features

Easy to install - adhesive tape on strip
Multi-purpose use



White 2210339901
Silicone/Plastic

LED STRIP 10M Basic LED strip

Masterbox	Qty. 6
Size	H: 0,15 cm, W: 1000 cm, L: 1000 cm,
IP Class	IP20, Class 3 (12V)
Cable	Plastic, White 120 cm, non replaceable
Lightsource	LED Module 2700 Kelvin, 35000 Hours, Cannot be dimmed

Features

Easy to install - adhesive tape on strip
Multi-purpose use



White 2210359901
Silicone/Plastic

LED STRIP 3M 2700-6000K LED strip

Masterbox	Qty. 6
Size	H: 0,15 cm, W: 300 cm, L: 300 cm,
IP Class	IP44, Class 3 (12V)
Cable	Plastic, White 120 cm, non replaceable
Lightsource	LED Module, 2700-6000K Kelvin, 35000 Hours, Has built-in dimmable light source with button or touch

Features

Adjustable and dimmable white light (2700K-6000K)
Remote control included
Suitable for humid areas (IP44)
Easy to install - adhesive tape on strip



White 2210369901
Silicone/Plastic

LED STRIP 5M 2700-6000K LED strip

Masterbox Qty. 6
Size H: 0,15 cm, W: 500 cm, L: 500 cm,
IP Class IP44, Class 3 (12V)
Cable Plastic, White 120 cm, non replaceable
Lightsource LED Module, 2700-6000K Kelvin, 35000 Hours,
 Has built-in dimmable light source with button or touch

Features

Adjustable and dimmable white light (2700K-6000K)
 Remote control included
 Suitable for humid areas (IP44)
 Easy to install - adhesive tape on strip



White 2210379901
Silicone/Plastic

LED STRIP 10M 2700-6000K LED strip

Masterbox Qty. 6
Size H: 0,15 cm, W: 1000 cm, L: 1000 cm,
IP Class IP44, Class 3 (12V)
Cable Plastic, White 120 cm, non replaceable
Lightsource LED Module, 2700-6000K Kelvin, 35000 Hours,
 Has built-in dimmable light source with button or touch

Features

Adjustable and dimmable white light (2700K-6000K)
 Remote control included
 Suitable for humid areas (IP44)
 Easy to install - adhesive tape on strip



White 2210399901
Silicone/Plastic

LED STRIP 3M RGB Music LED strip

Masterbox Qty. 6
Size H: 0,15 cm, W: 300 cm, L: 300 cm,
IP Class IP44, Class 3 (12V)
Cable Plastic, White 120 cm, non replaceable
Lightsource LED Module, 35000 Hours, Has built-in dimmable light source with button or touch

Features

Adjustable light in white and colour
 Disco mode makes the light flash to the beat of the music
 Remote control included
 Easy to install - adhesive tape on strip



White 2210409901
Silicone/Plastic

LED STRIP 5M RGB Music LED strip

Masterbox Qty. 6
Size H: 0,15 cm, W: 500 cm, L: 500 cm,
IP Class IP44, Class 3 (12V)
Cable Plastic, White 120 cm, non replaceable
Lightsource LED Module, 35000 Hours, Has built-in dimmable light source with button or touch

Features

Adjustable light in white and colour
 Disco mode makes the light flash to the beat of the music
 Remote control included
 Easy to install - adhesive tape on strip



White 12351101
Plastic

TRAFO Accessories

Masterbox Qty. 3
Size H: 2,8 cm, W: 3,8 cm, L: 11,2 cm,
IP Class IP20, Class 2 (Double isolated)
Lightsource Max. 20-105W



Grey 76859999
Plastic

SPOTBOX Miscellaneous

Masterbox Qty. 12
Size H: 15 cm, W: 19 cm, L: 19 cm,



White 531556
Plastic

DIMMER 35-500W Accessories

Masterbox Qty. 12
Size H: 8,5 cm, W: 8,5 cm,

Smart light







NEW White 2210439901
Copper

LED STRIP 3M Smart Color Track Light

Masterbox Qty. 6
Size H: 0,3 cm, W: 1 cm, L: 300 cm
IP Class IP65, Class 3 (12V)
Cable White 120 cm, non replaceable
Lightsources LED Module, 2200-6500 Kelvin, 35000 Hours
Built-in dimmable light source with Nordlux Smart functionality

Features

Control light through Nordlux Smart app
Adjustable light in white and colour
Suitable for humid areas (IP65)



NEW White 2210449901
Copper

Smart Color Track Light

Masterbox Qty. 6
Size H: 0,3 cm, W: 1 cm, L: 1000 cm
IP Class IP65, Class 3 (12V)
Cable White 120 cm, non replaceable
Lightsources LED Module, 2200-6500 Kelvin, 35000 Hours
Built-in dimmable light source with Nordlux Smart functionality

Features

More than 16 million colours
IP65 water resistant (water jets from any angle)



NEW White 2110840101
Plastic




NEW Black 2110840103
Plastic

LandonSmar Ceiling light

Masterbox Qty. 3
Size H: 8,2 cm, Ø: 12.5 cm
IP Class IP44, Class 2 (Double isolated)
Lightsource LED Module - 8W LED, 700 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80, Beamangle 110°
Built-in dimmable light source with Nordlux Smart functionality

Features

Smart use for dim and for inner and outside ring
Smart use of CCT 2700-6500K
IP44-lid protected water splashing all directions
Incl. extra lid for mounting on NO/SW hook (IP20)
Built-in connector block, memory and reset function
Easy screwless connection



NEW White 2110850101
Plastic




NEW Black 2110850103
Plastic

LandonSmar Long Ceiling light

Masterbox Qty. 3
Size H: 14 cm, Ø: 12.5 cm
IP Class IP44, Class 2 (Double isolated)
Lightsource LED Module - 8W LED, 700 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80, Beamangle 110°
Built-in dimmable light source with Nordlux Smart functionality

Features

Smart use for dim and for inner and outside ring
Smart use of CCT 2700-6500K
IP44-lid protected water splashing all directions
Incl. extra lid for mounting on NO/SW hook (IP20)
Built-in connector block, memory and reset function
Easy screwless connection





White 2015036101
Metal


NEW Black 2015036103
Metal

Oja Smart 29 Ceiling light

Masterbox Qty. 3
Size H: 2,3 cm, Ø: 29.4 cm
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 15W
LED, 1600 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80,
Beamangle 120°
Built-in dimmable light source with Nordlux Smart
functionality

Features

Ultra-slim ceiling panel light
Bluetooth connection to Nordlux Smart Light
Adjustable kelvin and lumen output



White 2015136101
Metal


NEW Black 2015136103
Metal

Oja Smart 42 Ceiling light

Masterbox Qty. 3
Size H: 2,3 cm, Ø: 42.4 cm
IP Class IP20, Class 2 (Double isolated)
Lightsource LED Module - 20W
LED, 2300 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80,
Beamangle 120°
Built-in dimmable light source with Nordlux Smart
functionality

Features

Ultra-slim ceiling panel light
Bluetooth connection to Nordlux Smart Light
Adjustable kelvin and lumen output





White 2015146101
Metal



NEW Black 2015146103
Metal

Oja Smart 60 Ceiling light

Masterbox Qty. 3
Size H: 3,2 cm, Ø: 60 cm, D: 60 cm
IP Class IP20, Class 1 (Earth contact)
Lightsource LED Module - 30W
LED, 3500 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80,
Beamangle 120°
Built-in dimmable light source with Nordlux Smart
functionality

Features

Ultra-slim ceiling panel light
Bluetooth connection to Nordlux Smart Light
Adjustable kelvin and lumen output




NEW White 2110806101
Plastic

Harlow Smart RGB Ceiling light

Masterbox Qty. 3
Size H: 2,3 cm
IP Class IP54, Class 2 (Double isolated)
Lightsource LED Module - 21W LED, 2200 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80,
Beamangle 120°
Built-in dimmable light source with Nordlux Smart functionality

Features

Smart use for dim, white or colour
IP54 protected against dust and water splashing
Ultra-thin design with back light effect
Parallel, easy push-in connection and side entry
5 year LED guarantee





NEW White 2110826101
Plastic

NEW Black 2110826103
Plastic

Liva Smart Color Ceiling light

Masterbox Qty. 3
Size H: 3,2 cm, Ø: 36 cm
IP Class IP54, Class 2 (Double isolated)
Lightsource LED Module - 21W LED, 2100 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80, Beamangle 120°
Built-in dimmable light source with Nordlux Smart functionality

Features

Smart use for dim, white or colour
Smart use for direct light and outer ring
IP44 protected for water splashing all directions
Create ambiance by only lighting side light in colour
5 year LED guarantee



NEW White 2110886101
Metal

Djay Smart Color Ceiling light

Masterbox Qty. 3
Size H: 9 cm, D: 40 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource LED Module - 21W LED, 2200 Lumen, 2700-6500 Kelvin, 25000 Hours, Beamangle 120°
Built-in dimmable light source with Nordlux Smart functionality

Features

Smart use for light and music (also Bluetooth)
Smart use of CCT 2700-6500K
IP44 protected for water splashing all directions
Built-in connector block, memory and reset function
Easy screwless connection
5 year LED guarantee



Built-in height 8,8 cm



Cutout Ø 7,2 cm

White 2110900101
Metal

Black 2110900103
Metal



Brushed Nickel 2110900155
Metal

Don Smart Color Downlight

Masterbox Qty. 3
Size H: 5,4 cm, Ø: 8.5 cm
IP Class IP65, Class 2 (Double isolated)
Lightsource LED Module - 4,7W LED, 320 Lumen, 2200-6500 Kelvin, 20000 Hours, RA 80, Beamangle 60°
Built-in dimmable light source with Nordlux Smart functionality

Features

Smart use for dim, white or colour
Water resistant (IP65) (water jets from any angle)
Parallel connection up to 15 pcs.
Memory and reset function
Easy screwless push-in connections (no tooling)
5 year LED guarantee



Built-in height 8,8 cm



Cutout Ø 7,2 cm

NEW **White 2210500001**
Metal


NEW **Black 2210500003**
Metal

Don Smart Color Downlight

Masterbox Qty. 3
Size H: 5,4 cm, Ø: 8.5 cm
IP Class IP65, Class 2 (Double isolated)
Lightsource LED Module - 4,7W LED, 320 Lumen, 2200-6500 Kelvin, 20000 Hours, Beamangle 60°
Built-in dimmable light source with Nordlux Smart functionality

Features

Adjust brightness, warmth and colour of the light
IP65 water resistant (water jets from any angle)
Parallel connection up to 15 pcs.
External driver connector, memory and reset function
Easy screwless push-in connection that requires no tooling
5 year LED guarantee



Built-in height 8,8 cm



Cutout Ø 7,2 cm

White 2015650101
Metal

Black 2015650103
Metal



Brushed Nickel 2015650155
Metal

Dorado Smart Downlight

Masterbox Qty. 6
Size H: 7 cm, Ø: 8.5 cm
IP Class IP65, Class 2 (Double isolated)
Lightsource LED Module - 4,7W
 LED, 360 Lumen, 2200-6500 Kelvin, 20000 Hours, RA 80,
 Beamangle 36°
 Built-in dimmable light source with Nordlux Smart
 functionality

Features

IP 65 protection for both outdoor and bathroom use
 Bluetooth connection to Nordlux Smart Light
 Adjustable kelvin and lumen output





NEW Frosted 2270042201
Plastic

Smart B22 Color Light Bulb

Masterbox Qty. 6
Size H: 10,8 cm, Ø: 6 cm
Lightsource B22, 806 Lumen, 2200-6500 Kelvin, 15000 Hours, Beamangle 240°
Built-in dimmable light source with Nordlux Smart functionality

Features
More than 16 million colours
Cool to warm white light
Dimmable
Personalised and pre-set moods



NEW Frosted 2270052701
Plastic

Smart E27 Color Light Bulb

Masterbox Qty. 5
Size H: 10,9 cm, Ø: 6 cm
Lightsource E27, 806 Lumen, 2200-6500 Kelvin, 15000 Hours, Beamangle 240°
Built-in dimmable light source with Nordlux Smart functionality

Features
More than 16 million colours
Cool to warm white light
Dimmable
Personalised and pre-set moods



NEW Frosted 2270002700
Plastic

Smart E27 Light Bulb

Masterbox Qty. 6
Size H: 10,9 cm, Ø: 6 cm
Lightsource E27, 806 Lumen, 2200-6500 Kelvin, 25000 Hours, Beamangle 240°
Built-in dimmable light source with Nordlux Smart functionality

Features
Cool to warm white light
Dimmable
Access to full Smart options
Longer lifetime
Higher heat resistance



NEW Clear 2270012700
Glass

Smart E27 Light Bulb

Masterbox Qty. 5
Size H: 10,4 cm, Ø: 6 cm
Lightsource E27, 600 Lumen, 2200-6500 Kelvin, 15000 Hours, Beamangle 360°
Built-in dimmable light source with Nordlux Smart functionality

Features
Cool to warm white light
Dimmable
Access to full Smart options



Clear 2070082700



Opal white 2070092701

Smart E27 A60 Light Bulb

Masterbox Qty. 6
Size H: 10,4 cm, Ø: 6 cm
Lightsource E27, 600 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beamangle 360°
 Built-in dimmable light source with Nordlux Smart functionality

Features
 Full 360° beam angle

Smart E27 A60 Light Bulb

Masterbox Qty. 6
Size H: 10,4 cm, Ø: 6 cm
Lightsource E27, 560 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beamangle 360°
 Built-in dimmable light source with Nordlux Smart functionality

Features
 Milky surface that covers electronics
 Full 360° beam angle



NEW White 2170142701
Plastic



NEW Frosted 2270022701
Plastic

Smart E27 Light Bulb

Masterbox Qty. 6
Size H: 10,9 cm, Ø: 6 cm
Lightsource E27, 60W, 806 Lumen

Features
 Dimmable, warm white light (2700 kelvin)
 Access to full Smart options

Smart E27 Light Bulb

Masterbox Qty. 5
Size H: 10,9 cm, Ø: 6 cm
Lightsource E27, 900 Lumen, 2200-6500 Kelvin, 15000 Hours, Beamangle 240°
 Built-in dimmable light source with Nordlux Smart functionality

Features
 Cool to warm white light
 Dimmable
 Access to full Smart options



Clear 2170031000



Clear 2070031000

Smart GU10 Outdoor Light Bulb



Smart GU10 Light Bulb



Masterbox Qty. 6
Size H: 5,5 cm, Ø: 5 cm
Lightsource GU10 - 4,2W LED, 345 Lumen, 2200-6500 Kelvin, 20000 Hours, RA 80, Beamangle 36°
 Built-in dimmable light source with Nordlux Smart functionality

Features
 Extra-long lifetime
 Higher heat resistance
 Well suited for outdoor use

Masterbox Qty. 6
Size H: 5,5 cm, Ø: 5 cm
Lightsource GU10, 380 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beamangle 36°
 Built-in dimmable light source with Nordlux Smart functionality

Features
 55 mm compact height
 Exclusive glass finish
 Adjustable kelvin and lumen output



NEW White 2170151001
Plastic



NEW Clear 2270031000
Plastic

Smart GU10 Light Bulb



SmartGU10 Light Bulb

Masterbox Qty. 6
Size H: 5,5 cm, Ø: 5 cm
Lightsource GU10, 55W, 380 Lumen

Features
 Dimmable, warm white light (2700 kelvin)
 Access to full Smart options

Masterbox Qty. 5
Size H: 5,5 cm, Ø: 5 cm
Lightsource GU10, 420 Lumen, 2200-6500K Kelvin, 15000 Hours, Beamangle 36°
 Built-in dimmable light source with Nordlux Smart functionality

Features
 Cool to warm white light
 Dimmable
 Access to full Smart options



NEW White 2270061000
Plastic



Opal white 2070041000

Smart GU10 Color Light Bulb

Masterbox Qty. 5
Size H: 5,5 cm, Ø: 5 cm
Lightsource GU10, 380 Lumen, 2200-6500 Kelvin, 15000 Hours, Beamangle 100°
Built-in dimmable light source with Nordlux Smart functionality

Features
More than 16 million colours
Cool to warm white light
Dimmable
Personalised and pre-set moods

Smart GU10 2-kit Light Bulb

Masterbox Qty. 6
Size H: 5,5 cm, Ø: 5 cm
Lightsource GU10, 4.8W, 420 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beamangle 36°
Built-in dimmable light source with Nordlux Smart functionality

Features
55 mm compact height
Dual pack
Adjustable kelvin and lumen output



Opal white 2170062701



NEW White 2170171401
Plastic

Smart E27 G45 Light Bulb

Masterbox Qty. 6
Size H: 8 cm, Ø: 4,5 cm
Lightsource E27, 560 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Built-in dimmable light source with Nordlux Smart functionality

Features
Compact size - 45 mm globe
Cool to warm white light

Smart E14 Light Bulb

Masterbox Qty. 6
Size H: 10,7 cm, Ø: 3.5 cm
Lightsource E14, 34W, 380 Lumen

Features
Dimmable, warm white light (2700 kelvin)
Access to full Smart options



White 1507070
Plastic

Smart Wifi Bridge

Masterbox Qty. 6
Size H: 1,8 cm, W: 6,6 cm, L: 6,6 cm
IP Class IP20, Class 1 (Earth contact)
Cable White 120 cm. Switch on the base
Lightsource NA Kelvin
Can not be dimmed

Features

Connects Bluetooth Mesh to Wi-Fi
Opens up for advanced functionalities
Compact size



NEW **White 2170220001**
Plastic

Smart Dual-Wifi Bridge

Masterbox Qty. 6
Size H: 1,8 cm, W: 6,6 cm, L: 6,6 cm
IP Class IP20, Class 1 (Earth contact)
Cable White 120 cm,
Lightsource LED Module
Can not be dimmed

Features

Works with both 2.4 and 5.0GHz Wi-Fi
Creates more options for your Smart lighting at home



White 2015700001
Plastic

Smart Remote control

Masterbox Qty. 6
Size H: 6,7 cm, W: 1,46 cm, L: 12 cm
IP Class IP20, Class 3 (12V)
Lightsource Can not be dimmed

Features

Twist-lock for easy mounting of smart bulbs
Bluetooth connection to Nordlux Smart Light



NEW **White 2170010001**
Plastic

Smart EU Plug

Masterbox Qty. 3
Size H: 7,2 cm, W: 5,2 cm, L: 10 cm, D: 8,2 cm
IP Class IP20, Class 2 (Double isolated)
Lightsource 25000 Hours
Can not be dimmed

Features

Connects electronics to Nordlux Smart set-up
Remote on/off
Tracking of power consumption

Accessories







White 0140001
Plastic

SPIR Accessories

Masterbox	Qty. 1
Size	L: 137 cm, Ø: 9 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	White 120 cm,
Canopy	Color: White, Material: Plastic
Lightsource	E27 - not included

Features

Accessory for pendant
Includes socket, spiral cable and canopy



White 73059901
Textile



Black 73059903
Textile

STOF Accessories

Masterbox	Qty. 6
Size	L: 400 cm
IP Class	IP20, Class 2 (Double isolated)
Cable	Textile cable: White/Black 400 cm,

Features

0,75 mm².
Max. weight: 2,25 kg



Brushed steel 0130032
Plastic

FIXIT Accessories

Masterbox Qty. 12
Size H: 4,9 cm, Ø: 1.8 cm


*Outdoor
families*







NEW White 2218171001
Aluminium



NEW Black 2218171003
Aluminium



NEW Sanded 2218171008
Aluminium




Parallel connection


PONTIO 15 Wall light by Says Who

Masterbox Qty. 3
Size H: 19 cm, W: 15 cm, L: 15 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Architectural design
Parallel connection possible
Elegant compact size




NEW White 2218191001
Aluminium



NEW Black 2218191003
Aluminium



NEW Sanded 2218191008
Aluminium




Parallel connection

PONTIO 27 Wall light by Says Who

Masterbox Qty. 3
Size H: 19 cm, W: 27 cm, L: 27 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Architectural design
Parallel connection possible
Double sockets for extra light output
Space for house number or resident text





NEW White 2218208001
Aluminium


NEW Black 2218208003
Aluminium

NEW Sanded 2218208008
Aluminium

PONTIO Garden light by Says Who

Masterbox Qty. 3
Size H: 85 cm, W: 15 cm, L: 15 cm, Tube Ø: 103 cm, Base Ø: 14,5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Architectural design
Parallel connection possible
Fits our base unit for easy installation in ground



*15 year guarantee
on corrosion

Galvanized 21769931*
Metal

SCORPIUS Maxi Garden light

Masterbox Qty. 3
Size H: 100 cm, W: 26 cm, Tube Ø: 3,2 cm
IP Class IP33, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Pole for mounting Scorpius luminaire
1 meter high



*15 year guarantee on corrosion



White 21651001
Metal

Black 21651003
Metal

Copper 21651030*
Copper

Galvanized 21651031*
Galvanized steel

NEW **Sanded 21651008**
Plastic

SCORPIUS Wall light

Masterbox Qty. 6
Size H: 10 cm, W: 20 cm, L: 20 cm, D: 10 cm
IP Class IP33, Class 1 (Earth contact)
Lightsource E14 - Not included

Features
Timeless design
Build-in parallel connection



*15 year guarantee on corrosion



White 21751001
Metal

Black 21751003
Metal

Copper 21751030*
Copper

Galvanized 21751031*
Galvanized steel

NEW **Sanded 21751008**
Metal

SCORPIUS Maxi Wall light

Masterbox Qty. 3
Size H: 14 cm, W: 27 cm, L: 27 cm, D: 14,5 cm
IP Class IP33, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Timeless design
Build-in parallel connection



NEW Black 2118011003
Aluminium



NEW Aluminium 2118011010
Aluminium




NEW Brown Metallic 2118011061
Aluminium

ALUDRA Wall light by Jacob Jensen Design

Masterbox Qty. 3
Size H: 16,8 cm, D: 17,4 cm, Shade Ø: 12,4 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Small, compact design
Beautiful light and shadow effect
Parallel connection possible



NEW Black 2118006003
Aluminium



NEW Aluminium 2118006010
Aluminium




NEW Brown Metallic 2118006061
Aluminium

ALUDRA Ceiling light by Jacob Jensen Design

Masterbox Qty. 3
Size H: 18,8 cm, Shade Ø: 12,4 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Small, compact design
Beautiful light and shadow effect





NEW Black 2118028003
Aluminium



NEW Aluminium 2118028010
Aluminium



NEW Brown Metallic 2118028061
Aluminium




Parallel connection

ALUDRA 45 Garden light by Jacob Jensen Design

Masterbox Qty. 3
Size H: 45 cm, Shade Ø: 12,4 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Beautiful light and shadow effect
Parallel connection possible
Easy to install with the included base
Small, compact design




NEW Black 2118038003
Aluminium



NEW Aluminium 2118038010
Aluminium



NEW Brown Metallic 2118038061
Aluminium





Parallel connection

ALUDRA 95 Garden light by Jacob Jensen Design

Masterbox Qty. 3
Size H: 95 cm, Shade Ø: 12,4 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Beautiful light and shadow effect
Parallel connection possible
Easy to install with the included base





NEW White 2218053001
Aluminium

NEW Black 2218053003
Aluminium


NEW Sanded 2218053008
Aluminium

COUPAR Pendant by Says Who

- Masterbox** Qty. 3
- Size** H: 25 cm, W: 13 cm, L: 13 cm, Shade Ø: 13 cm
- IP Class** IP54, Class 2 (Double isolated)
- Cable** Black 300 cm, non replaceable
- Canopy** Color: White/Sanded/Black, Material: Metal.
Dimension: 2,7 cm
- Lightsource** E27 - Not included

Features

- Durable, powder coated metal
- Ripped diffuser creates a pleasant light
- Parallel connection possible



NEW White 2218075001
Aluminium

NEW Black 2218075003
Aluminium


NEW Sanded 2218075008
Aluminium

COUPAR Table lamp by Says Who

- Masterbox** Qty. 3
- Size** H: 25 cm, W: 13 cm, L: 13 cm, Shade Ø: 13 cm
- IP Class** IP54, Class 2 (Double isolated)
- Cable** Black 150 cm, non replaceable. Switch on the cable
- Lightsource** E27 - Not included

Features

- Durable, powder coated metal
- Ripped diffuser creates a pleasant light





NEW White 2218061001
Aluminium



NEW Black 2218061003
Aluminium




NEW Sanded 2218061008
Aluminium



COUPAR Wall light by Says Who

Masterbox Qty. 3
Size H: 25 cm, W: 13 cm, L: 13 cm, Shade Ø: 13 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
 Durable, powder coated metal
 Ripped diffuser creates a pleasant light
 Parallel connection possible



NEW White 2218088001
Aluminium



NEW Black 2218088003
Aluminium




NEW Sanded 2218088008
Aluminium



COUPAR Garden light by Says Who

Masterbox Qty. 3
Size H: 80 cm, W: 14,5 cm, L: 14,5 cm, Shade Ø: 13 cm,
 Tube Ø: 5 cm, Base Ø: 14,5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
 Durable, powder coated metal
 Ripped diffuser creates a pleasant light
 Parallel connection possible





*15 year guarantee on corrosion


NEW Galvanized 2218273031*
Galvanized steel

NEW Brass 2218273035*
Brass

LINTON Pendant by Says Who

Masterbox Qty. 3
Size H: 25,4 cm, W: 13 cm, L: 13 cm, Shade Ø: 9,9 cm
IP Class IP54, Class 2 (Double isolated)
Cable Black 250 cm, non replaceable
Canopy Color: Galvanized/Brass, Material: Galvanized steel.
 Dimension: 2,6 cm
Lightsource E27 - Not included

Features
 Durable materials well-suited for harsh weather
 Ripped diffuser creates a pleasant light



*15 year guarantee on corrosion


NEW Galvanized 2218295031*
Galvanized steel

NEW Brass 2218295035*
Brass

LINTON Table lamp by Says Who

Masterbox Qty. 3
Size H: 32,5 cm, W: 13 cm, L: 13 cm, Shade Ø: 9,9 cm, Tube Ø: 6 cm,
 Base Ø: 9,9 cm
IP Class IP54, Class 1 (Earth contact)
Cable Black 250 cm, non replaceable. Switch on the cable
Lightsource E27 - Not included

Features
 Durable materials well-suited for harsh weather
 Ripped diffuser creates a pleasant light





NEW Galvanized 2218281031*
Galvanized steel



NEW Brass 2218281035*
Brass




*15 year guarantee on corrosion

LINTON Wall light by Says Who

- Masterbox** Qty. 3
Size H: 29,8 cm, W: 13 cm, L: 13 cm, Shade Ø: 9,9 cm, Tube Ø: 6 cm, Base Ø: 9,8 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features

Durable materials well-suited for harsh weather
 Ripped diffuser creates a pleasant light



NEW Galvanized 2218308031*
Galvanized steel



NEW Brass 2218308035*
Brass




*15 year guarantee on corrosion

LINTON Garden light by Says Who

- Masterbox** Qty. 3
Size H: 79,9 cm, W: 14,5 cm, L: 14,5 cm, Shade Ø: 9,9 cm, Tube Ø: 8,9 cm, Base Ø: 14,5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features

Durable materials well-suited for harsh weather
 Ripped diffuser creates a pleasant light





Black 2118061003
Metal



NEW Sanded 2118061008
Metal



Galvanized 2118061031*
Galvanized steel



Parallel connection




*15 year guarantee on corrosion

KURNOS 20 Wall light

Masterbox Qty. 3
Size H: 18,2 cm, D: 25,6 cm, Shade Ø: 20 cm, Base: 9.8 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E14 - Not included

Features
Parallel connection possible
Only one visible screw



Black 2118071003
Metal



NEW Sanded 2118071008
Metal



Galvanized 2118071031*
Galvanized steel



Parallel connection




*15 year guarantee on corrosion

KURNOS 35 Wall light

Masterbox Qty. 2
Size H: 23,7 cm, D: 38,6 cm, Shade Ø: 35 cm, Base: 9.8 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Parallel connection possible
Only one visible screw





Black 2118121003
Metal/Plastic



NEW Galvanized 2118121031
Galvanized steel/Plastic



Brass 2118121035*
Brass/Plastic



Parallel connection



*15 year guarantee on corrosion


CROSS 20 Wall light by MB

Masterbox Qty. 3
Size D: 10,4 cm, Ø: 20.5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E14 - Not included

Features

Classic and modern design
Like a piece of jewellery for your house

Parallel connection possible



Black 2118131003
Metal/Plastic



NEW Galvanized 2118131031
Galvanized steel/Plastic



Brass 2118131035*
Brass/Plastic



Parallel connection



*15 year guarantee on corrosion


CROSS 25 Wall light by MB

Masterbox Qty. 3
Size D: 13 cm, Ø: 26 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features

Classic and modern design
Like a piece of jewellery for your house

Parallel connection possible





Black 2118211003
Metal/Glass



NEW Sanded 2118211008
Metal/Glass



Grey 2118211050
Metal/Glass




Parallel connection

HEKA Wall light

Masterbox Qty. 3
Size H: 21,6 cm, D: 13,8 cm, Shade Ø: 10,6 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Compact and modern design
Parallel connection possible



NEW Black 2218221003
Metal



NEW Rusty 2218221009
Metal



NEW Anthracite 2218221050
Metal




Parallel connection

NICO Square 22 Wall light

Masterbox Qty. 3
Size H: 23,5 cm, W: 8 cm, L: 8 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Lights both up and down
Easy installation
Parallel connection possible





NEW Black 2218231003
Metal



NEW Rusty 2218231009
Metal



NEW Anthracite 2218231050
Metal




Parallel connection

NICO Round 22 Wall light

Masterbox Qty. 3
Size H: 23,5 cm, W: 7,7 cm, L: 7,7 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features

Lights both up and down
Easy installation
Parallel connection possible




NEW Black 2218251003
Plastic

OLIVER Square Wall light

Masterbox Qty. 3
Size H: 17,5 cm, W: 17,5 cm, L: 17,5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource LED Module, 600 Lumen, 2700 Kelvin, 30000 Hours, RA 80

Features

Versatile wall light
Replaceable covers change the look (two included)
Backlight effect
High lumen output
Entry for cables outside on wall
5 year LED guarantee






NEW Black 2218261003
Plastic

OLIVER Round Wall light

Masterbox Qty. 3
Size W: 19,5 cm, L: 19,5 cm, Ø: 19,5 cm, Shade Ø: 19,5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsources LED Module, 600 Lumen, 2700 Kelvin, 30000 Hours, RA 80

Features

Versatile wall light
 Replaceable covers change the look (two included)
 Backlight effect
 High lumen output
 Entry for cables outside on wall
 5 year LED guarantee



White 46801001
Metal/Glass



Black 46801003
Metal/Glass




NEW Sanded 46801008
Metal/Glass

FRONT Single Wall light by Sebastian Holmbäck

Masterbox Qty. 3
Size H: 15,6 cm, W: 11,8 cm, D: 17 cm, Shade Ø: 11,8 cm,
 Base: 9.1 cm
IP Class IP44, Class 1 (Earth contact)
Lightsources GU10 - Not included

Features

Designed for both outdoor and bathroom use
 Build-in parallel connection





White 84081001
Metal/Plastic


Black 84081003
Metal/Plastic

FRONT 26 Wall light by Hombäck Nordentoft

Masterbox Qty. 3
Size H: 6,8 cm, W: 26 cm, D: 6,8 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource LED Module - 8W LED, 650 Lumen, 3000 Kelvin, 25000 Hours, RA 80

Features

5 year LED guarantee
Designed for both outdoor and bathroom use
Build-in parallel connection



White 84091001
Metal/Plastic


Black 84091003
Metal/Plastic

FRONT 36 Wall light by Hombäck Nordentoft

Masterbox Qty. 3
Size H: 6,8 cm, W: 36 cm, D: 6,8 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource LED Module - 12W LED, 850 Lumen, 3000 Kelvin, 25000 Hours, RA 80

Features

5 year LED guarantee
Designed for both outdoor and bathroom use
Build-in parallel connection





Black 84141003
Metal/Glass




NEW **Sanded 84141008**
Metal/Glass

ROLD Round Wall light

- Masterbox** Qty. 3
- Size** H: 16 cm, W: 9 cm, D: 5,5 cm, Base: 8 x 14,3 cm
- IP Class** IP44, Class 1 (Earth contact)
- Lightsource** LED Module - 2X5W
LED, 375 Lumen, 3000 Kelvin, 25000 Hours, RA 80, Beamangle 125°

- Features**
- 5 year LED guarantee
- Build-in parallel connection
- Both up- and down-light



Black 84151003
Metal/Glass




NEW **Sanded 84151008**
Metal/Glass

ROLD Flat Wall light

- Masterbox** Qty. 3
- Size** H: 16 cm, W: 9 cm, D: 5,5 cm, Base: 8 x 14,3 cm
- IP Class** IP44, Class 1 (Earth contact)
- Lightsource** LED Module - 2X5W
LED, 375 Lumen, 3000 Kelvin, 25000 Hours, RA 80, Beamangle 125°

- Features**
- 5 year LED guarantee
- Build-in parallel connection
- Both up- and down-light





*15 year guarantee
on corrosion



Galvanized 10600619*
Galvanized steel/Plastic



Copper 10600625*
Copper/Plastic

VENØ Wall light

Masterbox Qty. 3
Size H: 26 cm, D: 40 cm, Shade Ø: 35 cm, Base: 11.7 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Build-in parallel connection



Galvanized 10600719*
Galvanized steel/Plastic



Copper 10600725*
Copper/Plastic



*15 year guarantee
on corrosion


VENØ Garden light

Masterbox Qty. 3
Size H: 93 cm, Shade Ø: 35 cm, Tube Ø: 5 cm, Base Ø: 14,5 cm
IP Class IP54, Class 2 (Double isolated)
Lightsource E27 - Not included

Features
Build-in parallel connection
Can be mounted on Nordlux base unit



*15 year guarantee
on corrosion




Galvanized 74481031*
Galvanized steel

AGGER Wall light

Masterbox Qty. 3
Size H: 20 cm, D: 29,5 cm, Shade Ø: 25,5 cm, Base: 11 cm
IP Class IP54, Class 2 (Double isolated)
Lightsource E27 - Not included

Features
Build-in parallel connection



*15 year guarantee
on corrosion




Galvanized 74501031*
Galvanized steel/Glass

AGGER Sensor Wall light

Masterbox Qty. 3
Size H: 20 cm, D: 29,5 cm, Shade Ø: 25,5 cm, Base: 11 cm
IP Class IP54, Class 2 (Double isolated)
Lightsource E27 - Not included

Features
Build-in parallel connection
Build-in daylight and motion sensor





*15 year guarantee on corrosion


Galvanized 74528031*
Galvanized steel/Glass

AGGER Garden light

Masterbox Qty. 3
Size H: 83 cm, Shade Ø: 26 cm, Tube Ø: 3,8 cm, Base Ø: 15 cm
IP Class IP54, Class 2 (Double isolated)
Lightsource E27 - Not included

Features

Build-in parallel connection
 Can be mounted on Nordlux base unit



*15 year guarantee on corrosion




Galvanized 10600219*
Galvanized steel/Glass

AMALIENBORG Wall light

Masterbox Qty. 3
Size H: 26 cm, D: 37,5 cm, Shade Ø: 32,5 cm, Base: 11.5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features

Build-in parallel connection






*15 year guarantee
on corrosion


Galvanized 10600319*
Galvanized steel/Glass

AMALIENBORG Garden light

Masterbox Qty. 3
Size H: 92 cm, Shade Ø: 32,5 cm, Tube Ø: 5 cm, Base Ø: 15 cm
IP Class IP54, Class 2 (Double isolated)
Lightsource E27 - Not included

Features

Build-in parallel connection
Can be mounted on Nordlux base unit




*15 year guarantee
on corrosion

Black 211811003
Metal/Plastic

Galvanized 211811031
Galvanized steel/Plastic

ARKI 35 Wall light by Bønnelycke MDD

Masterbox Qty. 2
Size H: 27,6 cm, D: 40,7 cm, Shade Ø: 35 cm, Base Ø: 11,6 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features

Oversize architectural luminaire



Black 75181003*
Metal/Plastic



Galvanized 75181031*
Galvanized steel/Plastic



Parallel connection



*15 year guarantee on corrosion

ARKI 20 Wall light by Bønnelycke MDD

Masterbox Qty. 3
Size H: 20 cm, D: 26 cm, Shade Ø: 20 cm, Base: 11.6 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Parallel connection possible



Black 2118108003
Metal/Plastic



Galvanized 2118108031
Galvanized steel/Plastic



*15 year guarantee on corrosion

ARKI 100 Garden light by Bønnelycke MDD

Masterbox Qty. 2
Size H: 100 cm, D: 32,5 cm, Shade Ø: 20 cm, Base Ø: 14,6 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Classic, architectural design




Black 45501003
Plastic

BIRK Double Wall light

Masterbox Qty. 3
Size H: 23,5 cm, D: 15,5 cm, Ø: 9 cm, Tube Ø: 3 cm, Base: 11 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Build-in parallel connection




Black 45521003
Plastic

BIRK Single Wall light

Masterbox Qty. 3
Size H: 17,2 cm, D: 15,5 cm, Ø: 9 cm, Tube Ø: 3 cm, Base: 11 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Build-in parallel connection






Black 45518003
Plastic

BIRK Garden light

Masterbox Qty. 3
Size H: 80 cm, Ø: 9 cm, Base Ø: 13,2 cm
IP Class IP44, Class 2 (Double isolated)
Lightsource E27 - Not included

Features
 Build-in parallel connection
 Can be mounted on Nordlux base unit



Black 25011003*
Metal/Glass



Copper 25011030*
Copper/Glass



Galvanized 25011031*
Galvanized steel/Glass




Stainless steel 25011034
Stainless steel/Glass



BLOKHUS Wall light

Masterbox Qty. 3
Size H: 23 cm, D: 25 cm, Shade Ø: 22 cm, Base: 9.7 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
 Build-in parallel connection





Black 25031003*
Metal/glass



Copper 25031030*
Copper/Glass



Galvanized 25031031*
Galvanized/Glass



Stainless steel 25031034
Stainless steel/Glass




*15 year guarantee
on corrosion

BLOKHUS Sensor Wall light

Masterbox Qty. 3
Size H: 23 cm, D: 25 cm, Shade Ø: 22 cm, Base: 9.7 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Build-in parallel connection
Build-in daylight and motion sensor



Galvanized 25051031*
Galvanized steel/Glass





*15 year guarantee
on corrosion

BLOKHUS Wall light

Masterbox Qty. 3
Size H: 23 cm, D: 25 cm, Shade Ø: 22 cm, Base: 9.7 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Build-in parallel connection





*15 year guarantee on corrosion

Copper 25078030*
Copper/Glass


Galvanized 25078031*
Galvanized/Glass

Stainless steel 25078034
Stainless steel/Glass

BLOKHUS Garden light

Masterbox Qty. 3
Size H: 92 cm, Shade Ø: 22 cm, Tube Ø: 3,5 cm, Base Ø: 15 cm
IP Class IP54, Class 2 (Double isolated)
Lightsource E27 - Not included

Features
Build-in parallel connection
Can be mounted on Nordlux base unit




Black 74371003
Aluminium/Glass

CARDIFF Up Wall light

Masterbox Qty. 3
Size H: 40 cm, W: 22,5 cm, D: 27 cm, Base: 12,5 x 20 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Romantic design






Black 74381003
Aluminium/Glass

CARDIFF Down Wall light

Masterbox Qty. 3
Size H: 40 cm, W: 21 cm, D: 27 cm, Base: 12,5 x 20 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
 Romantic design




Black 74398003
Aluminium/Glass

CARDIFF Garden light

Masterbox Qty. 3
Size H: 100 cm, W: 21 cm, Shade Ø: 22 cm, Tube Ø: 4 cm, Base Ø: 15 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
 Romantic design
 Build-in parallel connection






Black 45321003
Aluminium/Plastic

ELM Single Wall light

Masterbox Qty. 3
Size H: 18 cm, W: 11 cm, D: 15,5 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
 Build-in parallel connection




Black 45331003
Aluminium/Plastic

ELM Double Wall light

Masterbox Qty. 3
Size H: 23,4 cm, W: 9 cm, D: 13 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
 Build-in parallel connection






Black 45348003
Aluminium/Plastic

ELM Garden light

Masterbox Qty. 3
Size H: 80 cm, W: 13 cm
IP Class IP44, Class 2 (Double isolated)
Lightsource E27 - Not included

Features
Build-in parallel connection



Black 874023
Metal/Plastic



White 874031
Metal/Plastic



Anthracite 874063
Metal/Plastic



Aluminium 874093
Metal/Plastic

FOCUS Double Wall light

Masterbox Qty. 3
Size H: 23,5 cm, W: 11 cm, D: 11 cm, Base: 15 x 11 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Build-in parallel connection

***Only for sale in Scandinavia, Estonia, Letvia & Lithuania**



Black 874123
Metal/Plastic



White 874131
Metal/Plastic



Anthracite 874163
Metal/Plastic



Aluminium 874193
Metal/Plastic

FOCUS Single Wall light

Masterbox Qty. 3
Size H: 15 cm, W: 11 cm, D: 11 cm, Base: 15 x 11 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Build-in parallel connection

***Only for sale in Scandinavia, Estonia, Letvia & Lithuania**



Black 874523
Metal/Plastic



Anthracite 874563
Metal/***Only for sale in Scandinavia,**

FOCUS Mini Garden light

Masterbox Qty. 2
Size H: 40 cm, Ø: 10 cm, Base Ø: 16 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource E27 - Not included

***Only for sale in Scandinavia, Estonia, Letvia & Lithuania**



Black 874823
Metal/Plastic



Anthracite 874863
Metal/Plastic

FOCUS Garden light

Masterbox	Qty. 2
Size	H: 65 cm, Ø: 10 cm, Base Ø: 16 cm
IP Class	IP44, Class 1 (Earth contact)
Lightsource	E27 - Not included

*Only for sale in Scandinavia, Estonia, Letvia & Lithuania



Galvanized 77509931*
Galvanized steel



*15 year guarantee
on corrosion

FUSE Accessories by Bønnelycke MDD

Masterbox	Qty. 3
Size	H: 35 cm, Tube Ø: 2 cm, Base Ø: 35 cm
Lightsource	

Features

Transforms Fuse into an outdoor floor lamp

Designed by Bønnelycke MDD

Made for Fuse garden light 77518031



*15 year guarantee on corrosion


Galvanized 77518031*
Galvanized steel

FUSE Garden light by Bønnelycke MDD

Masterbox Qty. 1
Size H: 165 cm, Shade Ø: 35 cm, Tube Ø: 2,5 cm
IP Class IP44, Class 2 (Double isolated)
Cable Black 500 cm,
Lightsource E27 - Not included

Features

Spear for effortless placement
 Mesh light and shadow effect
 Designed by Bønnelycke MDD



Galvanized 77479931*
Galvanized steel/Plastic



Corten 77479938*
Corten/Plastic



Parallel connection




*15 year guarantee on corrosion

HELIX Wall light by Bønnelycke MDD

Masterbox Qty. 3
Size H: 32,5 cm, D: 14 cm, Shade Ø: 8 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features

Parallel connection possible





Galvanized 77499931*
Galvanized steel/Plastic



Corten 77499938*
Corten/Plastic



Parallel
connection



*15 year guarantee
on corrosion

HELIX Garden light by Bønnelycke MDD

Masterbox	Qty. 2
Size	H: 80 cm, Ø: 15 cm, Tube Ø: 8 cm
IP Class	IP44, Class 2 (Double isolated)
Lightsource	GU10 - Not included

Features

Parallel connection possible
Can be mounted on Nordlux base unit




Rusty 72805009
Metal/Glass

LUXEMBOURG Pendant

Masterbox	Qty. 3
Size	H: 24 cm, Shade Ø: 27,5 cm, Base: 11 cm
IP Class	IP33, Class 2 (Double isolated)
Cable	Black 110 cm, non replaceable
Canopy	Color: Rusty, Material: Metal. Dimension: 10,9 cm
Lightsource	E27 - Not included

Features

Natural rusty brown surface
Including canopy in same material
Build-in parallel connection




Galvanized 22661031*
Galvanized steel/Glass

LUXEMBOURG Sensor Wall light

Masterbox	Qty. 3
Size	H: 27 cm, D: 47 cm, Shade Ø: 27 cm, Base: 11.5 cm
IP Class	IP54, Class 1 (Earth contact)
Lightsource	E27 - Not included

Features

Build-in daylight and motion sensor
Build-in parallel connection



*15 year guarantee
on corrosion



Black 22671003
Metal/Glass



Rusty 22671009
Metal/Glass



Copper 22671030*
Copper/Glass




Galvanized 22671031*
Galvanized steel/Glass


*15 year guarantee
on corrosion

LUXEMBOURG Wall light

Masterbox Qty. 3
Size H: 27 cm, D: 39 cm, Shade Ø: 26 cm, Base: 11.5 cm
IP Class IP54, Class 2 (Double isolated)
Lightsource E27 - Not included

Features
Build-in parallel connection



Black 71411003
Metal/Glass




Galvanized 71411031*
Galvanized steel/Glass


*15 year guarantee
on corrosion

LØNSTRUP 32 Wall light

Masterbox Qty. 3
Size H: 28,5 cm, D: 36 cm, Shade Ø: 32 cm, Tube Ø: 1,9 cm, Base: 10.8 cm
IP Class IP44, Class 2 (Double isolated)
Lightsource E27 - Not included

Features
Build-in parallel connection






*15 year guarantee on corrosion

Galvanized 71412031*
Galvanized steel/Glass

LØNSTRUP 32 Sensor Wall light

Masterbox Qty. 3
Size H: 28,5 cm, D: 36 cm, Shade Ø: 32 cm, Tube Ø: 1,9 cm, Base: 10.8 cm
IP Class IP44, Class 2 (Double isolated)
Lightsources E27 - Not included

Features
 Build-in parallel connection
 Build-in daylight and motion sensor



Black 71431003
Metal/Glass



Galvanized 71431031*
Galvanized steel/Glass




*15 year guarantee on corrosion

LØNSTRUP 22 Wall light

Masterbox Qty. 3
Size H: 26,5 cm, D: 26,5 cm, Shade Ø: 22 cm, Tube Ø: 1,9 cm, Base: 9.4 cm
IP Class IP44, Class 1 (Earth contact)
Lightsources E27 - Not included

Features
 Build-in parallel connection






*15 year guarantee on corrosion

Galvanized 71432031*
Galvanized steel/Glass

LØNSTRUP 22 Sensor Wall light

Masterbox Qty. 3
Size H: 26,5 cm, D: 26,5 cm, Shade Ø: 22 cm, Tube Ø: 1,9 cm, Base: 9.4 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Build-in parallel connection



Black 71428003
Metal/Glass

Galvanized 71428031*
Galvanized steel/Glass




*15 year guarantee on corrosion

LØNSTRUP 32 Garden light

Masterbox Qty. 3
Size H: 116 cm, Shade Ø: 32 cm, Tube Ø: 5 cm, Base Ø: 15 cm
IP Class IP44, Class 2 (Double isolated)
Lightsource E27 - Not included

Features
Build-in parallel connection
Can be mounted on Nordlux base unit





Black 2118141003
Plastic

RICA Round Wall light EXEMPT

Masterbox Qty. 3
Size H: 12 cm, D: 18,2 cm, Shade Ø: 15 cm
IP Class IP44, Class 3 (12V)
Lightsource SolarLed - 5W LED, 480 Lumen, 3000 Kelvin, 30000 Hours, RA 80

Features

Solar charged
Motion sensor turns light on
5 year LED guarantee




Black 2118161003
Plastic

RICA Square Wall light EXEMPT

Masterbox Qty. 3
Size H: 12 cm, W: 18 cm, D: 12,8 cm
IP Class IP44, Class 3 (12V)
Lightsource SolarLed - 5W LED, 450 Lumen, 3000 Kelvin, 30000 Hours, RA 80

Features

Solar charged
Motion sensor turns light on
5 year LED guarantee





Black 2118158003
Plastic


RICA Round Garden light

EXEMPT

Masterbox Qty. 3
Size H: 60 cm, D: 19,5 cm, Shade Ø: 15 cm
IP Class IP44, Class 3 (12V)
Lightsource SolarLed - 5W LED, 480 Lumen, 3000 Kelvin, 30000 Hours, RA 80

Features

Solar charged
Motion sensor turns light on
Easy to install with the included spike
5 year LED guarantee



Black 2118178003
Plastic


RICA Square Garden light

EXEMPT

Masterbox Qty. 3
Size H: 60 cm, W: 15 cm, D: 14 cm
IP Class IP44, Class 3 (12V)
Lightsource SolarLed - 5W LED, 450 Lumen, 3000 Kelvin, 30000 Hours, RA 80

Features

Solar charged
Motion sensor turns light on
Easy to install with the included spike
5 year LED guarantee





White 25091001
Metal/Glass



Black 25091003
Metal/Glass



Galvanized 25091031*
Galvanized steel/Glass



Stainless steel 25091034
Stainless steel/Glass




*15 year guarantee on corrosion

VEJERS Up Wall light

Masterbox Qty. 3
Size H: 23 cm, D: 26 cm, Shade Ø: 22 cm, Base: 9.5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Build-in parallel connection



Black 25101003
Metal/Glass



Galvanized 25101031*
Galvanized steel/Glass




*15 year guarantee on corrosion

VEJERS Up Sensor Wall light

Masterbox Qty. 3
Size H: 23 cm, D: 26 cm, Shade Ø: 22 cm, Base: 9.5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Build-in parallel connection
Build-in daylight and motion sensor





*15 year guarantee
on corrosion




Galvanized 74461031*
Galvanized steel/Glass

VEJERS Down Wall light

Masterbox Qty. 3
Size H: 23 cm, D: 26 cm, Shade Ø: 22 cm, Base: 9.5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Build-in parallel connection




Black 74471003
Metal/Glass

VEJERS Down Wall light

Masterbox Qty. 3
Size H: 23 cm, D: 26 cm, Shade Ø: 22 cm, Base: 9.5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Build-in parallel connection





Black 25118003
Metal/Glass



Galvanized 25118031*
Galvanized steel/Glass



Stainless steel 25118034
Stainless steel/Glass




*15 year guarantee on corrosion

VEJERS Garden light

- Masterbox** Qty. 3
- Size** H: 92 cm, Shade Ø: 22 cm, Tube Ø: 3,5 cm, Base Ø: 15 cm
- IP Class** IP54, Class 2 (Double isolated)
- Lightsource** E27 - Not included

- Features**
- Build-in parallel connection
- Can be mounted on Nordlux base unit



Galvanized 25168031*
Galvanized steel/Glass




*15 year guarantee on corrosion

VEJERS Garden light

- Masterbox** Qty. 2
- Size** H: 215 cm, Shade Ø: 39 cm, Tube Ø: 7,4 cm, Base Ø: 15 cm
- IP Class** IP54, Class 2 (Double isolated)
- Lightsource** E27 - Not included

- Features**
- Build-in parallel connection
- Adjustable from 130 to 200 cm hight
- Can be mounted on Nordlux base unit



*Outdoor
wall lamps*








White 17051001
Plactic/Glass

Black 17051003
Plastic/Glass

SKOT Wall light

Masterbox Qty. 4
Size W: 10 cm, L: 18 cm, D: 11 cm
IP Class IP44, Class 2 (Double isolated)
Lightsource E27 - Not included

Features
 Build-in parallel connection



White 2019041001
Aluminium



Black 2019041003
Aluminium



Copper 2019041030*
Copper



Galvanized 2019041031*
Galvanized steel



Brass 2019041035*
Brass



Corten 2019041038*
Corten

FOLD 10 Wall light by Bønnelycke MDD

Masterbox Qty. 3
Size H: 14,8 cm, W: 10,5 cm, D: 5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource LED Module - 2X3,5W
 LED, 250 Lumen, 3000 Kelvin, 30000 Hours, RA 0,
 Beamangle 205°

Features
 3 light effects included
 Both up- and down-light
 Built-in parallel connection
 Designed by Bønnelycke MDD
 Designed for both outdoor and bathroom use
 5 year LED guarantee



*15 year guarantee
on corrosion



White 2019051001
Aluminium



Black 2019051003
Aluminium



Copper 2019051030*
Copper



Galvanized 2019051031*
Galvanized steel



Brass 2019051035*
Brass



Corten 2019051038*
Corten

FOLD 15 Wall light by Bønnelycke MDD

Masterbox Qty. 3
Size H: 21 cm, W: 14,8 cm, D: 5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource LED Module - 2X3,5W
LED, 200 Lumen, 3000 Kelvin, 30000 Hours, RA 0,
Beamangle 205°



*15 year guarantee
on corrosion

Features

3 light effects included
Both up- and down-light
Built-in parallel connection
Designed by Bønnelycke MDD
Designed for both outdoor and bathroom use
5 year LED guarantee




Black 46901003
Metal/Glass

DALTON Wall light by Bønnelycke MDD

Masterbox Qty. 3
Size H: 29,6 cm, W: 20 cm, D: 24,8 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource E27 - Not included

Features

Build-in parallel connection





White 2019061001
Aluminium



Black 2019061003
Aluminium



Grey 2019061010
Aluminium

TURN Wall light by Bønnelycke MDD

Masterbox Qty. 3
Size W: 15 cm, L: 15 cm, D: 8,3 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource LED Module - 13W LED, 800 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

Features
360° turnable shade
Built-in parallel connection
Dimmable with wall dimmer
Designed for both outdoor and bathroom use
5 year LED guarantee



White 2019131001
Metal



Black 2019131003
Metal



Grey 2019131010
Metal

ALERIA Wall light

Masterbox Qty. 3
Size H: 10,7 cm, W: 11,5 cm, D: 14,7 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Modern and compact design

Designed for both outdoor and bathroom use




Black 872723
Metal/Glass

NENE Wall light

Masterbox Qty. 3
Size H: 6,4 cm, W: 14 cm, D: 8,85 cm, Base: 5,5 x 13 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource LED Module - 6W LED, 480 Lumen, 3000 Kelvin, 25000 Hours, RA 80, Beamangle 42°

Features
 5 year LED guarantee
 Both up- and down-light
 Parallel connection possible




Copper 24981030*
Copper/Glass

Galvanized 24981031*
Galvanized steel/Glass

NIBE Wall light

Masterbox Qty. 6
Size H: 24 cm, D: 34 cm, Shade Ø: 27,5 cm, Base: 10.8 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
 Compact elegant design
 Build-in parallel connection






White 2019161001
Plastic

Black 2019161003
Plastic

CUBA ENERGY ROUND Wall light

Masterbox Qty. 3
Size Ø: 17.5 cm, Shade Ø: 16,3 cm
IP Class IP54, Class 2 (Double isolated)
Lightsources LED Module - 6,5W
 LED, 700 Lumen, 3000 Kelvin, 30000 Hours, RA 80,
 Beamangle 120°

Features
 High light output (700 lumen)
 Designed for both wall and ceiling mounting
 5 year LED guarantee




White 2019171001
Plastic

Black 2019171003
Plastic

CUBA BRIGHT ROUND Wall light

Masterbox Qty. 3
Size Ø: 17.5 cm, Shade Ø: 16,3 cm
IP Class IP54, Class 2 (Double isolated)
Lightsources LED Module - 14W
 LED, 1600 Lumen, 3000 Kelvin, 30000 Hours, RA 80,
 Beamangle 120°

Features
 Very high light output (1600 lumen)
 Designed for both wall and ceiling mounting
 5 year LED guarantee






White 2019181001
Plastic

Black 2019181003
Plastic

CUBA ENERGY OVAL Wall light

Masterbox Qty. 3
Size H: 20,5 cm, L: 10 cm
IP Class IP54, Class 2 (Double isolated)
Lightsources LED Module - 6,5W
LED, 700 Lumen, 3000 Kelvin, 30000 Hours, RA 80,
Beamangle 120°

Features
High light output (700 lumen)
Designed for both wall and ceiling mounting
5 year LED guarantee




White 2019191001
Plastic

Black 2019191003
Plastic

CUBA BRIGHT OVAL Wall light

Masterbox Qty. 3
Size H: 20,5 cm, L: 10 cm
IP Class IP54, Class 2 (Double isolated)
Lightsources LED Module - 14W
LED, 1600 Lumen, 3000 Kelvin, 30000 Hours, RA 80,
Beamangle 120°

Features
Very high light output (1600 lumen)
Designed for both wall and ceiling mounting
5 year LED guarantee





Parallel connection



*15 year guarantee on corrosion


Black 2118041003
Metal/Plastic

Galvanized 2118041031
Galvanized steel/Plastic

BASTIA 24 Wall light

Masterbox Qty. 3
Size H: 17,6 cm, D: 27,6 cm, Shade Ø: 24 cm, Base: 9.8 cm
IP Class IP54, Class 1 (Earth contact)
Lightsources E14 - Not included

Features
Parallel connection possible
Only one visible screw



Parallel connection



*15 year guarantee on corrosion


Black 2118051003
Metal/Plastic

Galvanized 2118051031
Galvanized steel/Plastic

BASTIA 35 Wall light

Masterbox Qty. 2
Size H: 24,3 cm, D: 38,6 cm, Shade Ø: 35 cm, Base: 9.8 cm
IP Class IP54, Class 1 (Earth contact)
Lightsources E27 - Not included

Features
Parallel connection possible
Only one visible screw





White 2118181001
Aluminium/Glass


Black 2118181003
Aluminium/Glass

KINVER 26 Wall light

Masterbox Qty. 3
Size H: 9 cm, W: 26 cm, D: 3,3 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource LED Module - 10W LED, 990 Lumen, 3000 Kelvin, 25000 Hours, RA 80, Beamangle 120°

Features

Super slim design
High light output (990 lumen)
Parallel connection possible
5 year LED guarantee




Black 2118221003
Plastic

Agena Wall light

Masterbox Qty. 3
Size H: 9 cm, L: 22 cm, D: 12,7 cm
IP Class IP44, Class 3 (12V)
Lightsource SolarLed - 5W LED, 400 Lumen, 3000 Kelvin, 30000 Hours, RA 80, Beamangle 0°

Features

Solar charged
Motion sensor turns light on
5 year LED guarantee






Black 2118231003
Plastic

ALYA Wall light EXEMPT

Masterbox Qty. 3
Size H: 20 cm, W: 9 cm, D: 20,5 cm
IP Class IP44, Class 3 (12V)
Lightsource SolarLed - 5W LED, 400 Lumen, 3000 Kelvin, 30000 Hours, RA 80

Features
 Solar charged
 Motion sensor turns light on
 5 year LED guarantee



Black 21269903
Metal/Glass




Copper 21269930*
Copper/Glass



TIN Single Wall light

Masterbox Qty. 3
Size H: 12 cm, D: 11,5 cm, Ø: 6 cm, Base: 3.1 x 9.3 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
 Down-light





Black 21279903
Metal/Glass



Copper 21279930*
Copper/Glass



Stainless steel 21279134
Stainless steel/Glass




*15 year guarantee
on corrosion

TIN Double Wall light

Masterbox Qty. 3
Size H: 17 cm, D: 11 cm, Ø: 6 cm, Base: 3,6 x 9,8 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Both up- and down-light



Stainless steel 21279934
Stainless steel/Glass

TIN Double Sensor Wall light

Masterbox Qty. 3
Size H: 22 cm, D: 10,5 cm, Ø: 6 cm, Base: 5,9 x 15,2 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Both up- and down-light



White 21509901
Metal/Glass



Black 21509903
Metal/Glass



Aluminium 21509929
Metal/Glass

TIN Maxi Wall light

Masterbox Qty. 3
Size H: 10,5 cm, D: 12,5 cm, Ø: 7.6 cm, Base: 4,3 x 7,4 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Down-light



Black 21509103
Metal/Glass



Aluminium 21509129
Metal/Glass

TIN Maxi Sensor Wall light

Masterbox Qty. 3
Size H: 16 cm, D: 12,5 cm, Ø: 7.6 cm, Base: 6,6 x 16 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Build-in daylight and motion sensor



White 21519901
Metal/Glass



Black 21519903
Metal/Glass



Aluminium 21519929
Metal/Glass




Stainless steel 21519934
Stainless steel/Glass

TIN Maxi Double Wall light

Masterbox Qty. 3
Size H: 19 cm, D: 12,5 cm, Ø: 7.6 cm, Base: 4 x 7 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Down-light



Black 21519103
Metal/Glass



Aluminium 21519129
Metal/Glass

TIN Maxi Double Sensor Wall light

Masterbox Qty. 3
Size H: 22 cm, D: 12,5 cm, Ø: 7.6 cm, Base: 7,3 x 16 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Build-in daylight and motion sensor




*15 year guarantee on corrosion

Galvanized 21841031*
Galvanized steel/Plastic

MALTE Wall light

Masterbox Qty. 3
Size D: 9,5 cm, Ø: 24 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Build-in parallel connection



*15 year guarantee on corrosion




Galvanized 21861031*
Galvanized steel/Plastic

MALTE Wall light

Masterbox Qty. 3
Size D: 9,5 cm, Ø: 24 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Build-in parallel connection






*15 year guarantee on corrosion

Galvanized 24111031*
Galvanized steel/Glass

VIRUM Wall light

Masterbox Qty. 3
Size H: 22 cm, D: 38 cm, Shade Ø: 32 cm, Base: 10.5 cm
IP Class IP44, Class 2 (Double isolated)
Lightsource E27 - Not included

Features
Build-in parallel connection



Copper 24381030*
Copper/Plastic



Galvanized 24381031*
Galvanized steel/Plastic




*15 year guarantee on corrosion

PHOENIX Wall light

Masterbox Qty. 2
Size H: 22 cm, D: 42,5 cm, Shade Ø: 39 cm, Base: 11.7 cm
IP Class IP54, Class 2 (Double isolated)
Lightsource E27 - Not included

Features
Huge 42,5 cm shade
Build-in parallel connection






Black 45471003
Aluminium/Plastic

ARN Single Wall light

Masterbox Qty. 3
Size H: 17,5 cm, W: 10,5 cm, D: 11 cm, Base: 9 x 12 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Build-in parallel connection




Black 45481003
Aluminium/Plastic

ARN Double Wall light

Masterbox Qty. 3
Size H: 22,5 cm, W: 10,5 cm, D: 11 cm, Base: 9 x 12 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Build-in parallel connection






Black 46821003
Aluminium/Plastic

MARINA Flatline Wall light by NKaare Bækgaard



Masterbox Qty. 3
Size H: 20 cm, W: 13,5 cm, D: 18 cm, Base: 8,8 x 8,9 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource LED Module - 10W LED, 750 Lumen, 3000 Kelvin, 25000 Hours, RA 80, Beamangle 120°

Features
 5 year LED guarantee
 Build-in parallel connection




Black 46831003
Aluminium/Plastic

MARINA Sensor Wall light by NKaare Bækgaard



Masterbox Qty. 3
Size H: 20 cm, W: 13,5 cm, D: 18 cm, Base: 8,8 x 8,9 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource LED Module - 10W LED, 750 Lumen, 3000 Kelvin, 25000 Hours, RA 80, Beamangle 120°

Features
 5 year LED guarantee
 Build-in parallel connection
 Movement sensor build-in





Brass 49021035*
Brass/Glass



Nickel 49021055*
Metal/Glass





*15 year guarantee on corrosion


POLPERRO Wall light

Masterbox Qty. 3
Size D: 9,3 cm, Ø: 19.5 cm, Shade Ø: 18 cm, Base: 12 cm
IP Class IP64, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
 Maritime robust design
 Build-in parallel connection



Brass 49031035*
Brass/Glass



Nickel 49031055*
Metal/Glass




*15 year guarantee on corrosion

HELFORD Wall light


Masterbox Qty. 3
Size W: 12,5 cm, L: 19 cm, D: 11 cm
IP Class IP64, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
 Maritime robust design






Black 49041003
Aluminium/Plastic

NESTOR Wall light 

- Masterbox** Qty. 3
- Size** H: 22,1 cm, W: 14,7 cm, D: 8,7 cm
- IP Class** IP44, Class 1 (Earth contact)
- Lightsource** LED Module - 8W LED, 550 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°

- Features**
- 5 year LED guarantee
 - Build-in parallel connection




Black 49051503
Aluminium/Plastic

NESTOR Sensor Wall light 

- Masterbox** Qty. 3
- Size** H: 22,1 cm, W: 14,7 cm, D: 8,7 cm
- IP Class** IP44, Class 1 (Earth contact)
- Lightsource** LED Module - 8W LED, 550 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°

- Features**
- Build-in daylight and motion sensor
 - 5 year LED guarantee
 - Build-in parallel connection





White 49701001
Aluminium



Black 49701003
Aluminium



Grey 49701010
Aluminium



Galvanized 49701031*
Galvanized steel



Stainless steel 49701034
Stainless steel




Brass 49701035*
Brass

CANTO 2 Wall light by Bønnelycke MDD

Masterbox Qty. 3
Size H: 10,4 cm, W: 8,7 cm, D: 10 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource LED Module - 2x6W
LED, 500 Lumen, 2700 Kelvin, 25000 Hours, RA 80,
Beamangle 120°

Features
3 light effects included
Both up- and down-light
Build-in parallel connection
5 year LED guarantee




*15 year guarantee
on corrosion



White 49721001
Aluminium



Black 49721003
Aluminium



Grey 49721010
Aluminium



Galvanized 49721031*
Galvanized steel



Stainless steel 49721034
Stainless steel




Brass 49721035*
Brass

CANTO Maxi 2 Wall light by Bønnelycke MDD

Masterbox Qty. 3
Size H: 17 cm, W: 8,7 cm, D: 10 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Both up- and down-light
Build-in parallel connection




*15 year guarantee
on corrosion



White 49711001
Aluminium



Black 49711003
Aluminium



Grey 49711010
Aluminium



Galvanized 49711031*
Galvanized steel



Stainless steel 49711034
Stainless steel


CANTO Kubi 2 Wall light by Bønnelycke MDD



Masterbox Qty. 3
Size H: 10,4 cm, W: 8,7 cm, D: 10 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource LED Module - 2x6W
LED, 500 Lumen, 2700 Kelvin, 25000 Hours, RA 80,
Beamangle 120°

Features

3 light effects included
Both up- and down-light
Build-in parallel connection
5 year LED guarantee



*15 year guarantee
on corrosion



White 49731001
Aluminium



Black 49731003
Aluminium



Grey 49731010
Aluminium




Galvanized 49731031*
Galvanized steel

CANTO Maxi kubi 2 Wall light by Bønnelycke MDD

Masterbox Qty. 3
Size H: 17 cm, W: 8,7 cm, D: 10 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features

Both up- and down-light
Build-in parallel connection



*15 year guarantee
on corrosion




Black 76391003
Aluminium/Plastic

BELL Wall light

Masterbox Qty. 3
Size H: 15 cm, D: 24,5 cm, Shade Ø: 20 cm, Base: 9.5 x 6 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Build-in parallel connection



White 84181001
Metal/Glass




Black 84181003
Metal/Glass


KINVER 18 Wall light



Masterbox Qty. 3
Size H: 9 cm, W: 17,5 cm, D: 3 cm, Base: 14,5 x 5,5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource LED Module - 8,5W
 LED, 700 Lumen, 3000 Kelvin, 25000 Hours, RA 80,
 Beamangle 120°

Features
Super slim design
Lights both up and down
5 year LED guarantee





Black 2019071003
Aluminium

ASBOL Kubi Wall light

Masterbox Qty. 6
Size H: 15 cm, W: 6,7 cm, D: 9,5 cm, Base: 5,5 x 14 cm
IP Class IP44, Class 1 (Earth contact)
Lightsources LED Module - Inkl. 2X6,5W
LED, 350 Lumen, 3000 Kelvin, 20000 Hours, RA 80,
Beamangle 120°

Features

3 light effects included
High 2x350 lumen output
5 year LED guarantee
Built-in parallel connection
5 year LED guarantee




Black 84971003
Aluminium/Glass

ASBOL Round Wall light

Masterbox Qty. 6
Size H: 15 cm, W: 6,7 cm, D: 9,5 cm, Base: 5,5 x 14 cm
IP Class IP44, Class 1 (Earth contact)
Lightsources LED Module - Inkl. 2X6,5W
LED, 350 Lumen, 3000 Kelvin, 20000 Hours, RA 80,
Beamangle 120°

Features

3 light effects included
High 2x350 lumen output
5 year LED guarantee
Built-in parallel connection
5 year LED guarantee






Black 46971003
Aluminium/Plastic

AKRON 17 Wall light

Masterbox Qty. 3
Size H: 10,7 cm, W: 17,5 cm, D: 5,2 cm, Base: 14,5 x 5,5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource LED Module - 2x6W
LED, 460 Lumen, 3000 Kelvin, 20000 Hours, RA 80,
Beamangle 120°

Features
5 year LED guarantee




Black 46951003
Aluminium/Plastic

ARTEGO Square Wall light

Masterbox Qty. 3
Size H: 15 cm, W: 15 cm, D: 5 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource LED Module - 8W LED, 484 Lumen, 3000 Kelvin, 20000 Hours,
RA 81, Beamangle 120°

Features
5 year LED guarantee
Build-in parallel connection






Black 46941003
Aluminium/Plastic

ARTEGO Round Wall light

Masterbox Qty. 3
Size D: 5 cm, Shade Ø: 15 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource LED Module - 8W LED, 468 Lumen, 3000 Kelvin, 20000 Hours, RA 82, Beamangle 120°

Features
5 year LED guarantee
Build-in parallel connection



Ceiling light








Black 77636003
Aluminium/Plastic

Desi 22 Ceiling light

Masterbox Qty. 3
Size Ø: 22.3 cm, D: 7 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Build-in parallel connection




Black 77646003
Aluminium/Plastic

Desi 28 Ceiling light

Masterbox Qty. 3
Size Ø: 27.5 cm, D: 8 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource E27 - Not included

Features
Build-in parallel connection






Black 84136003
Metal/Plastic

TETON Ceiling light

Masterbox Qty. 3
Size Shade Ø: 20,2 cm
IP Class IP54, Class 1 (Earth contact)
Lightsource LED Module - 12W LED, 590 Lumen, 3000 Kelvin, 30000 Hours, RA 80

Features
5 year LED guarantee
Build-in parallel connection



Garden light








Black 2118268003
Aluminium/Plastic

NAMA 50 Garden light EXEMPT

Masterbox Qty. 2
Size H: 50 cm, Shade Ø: 17 cm, Tube Ø: 6,5 cm, Tilt angle: 10°
IP Class IP54, Class 3 (12V)
Lightsource SolarLed - 1W LED, 65 Lumen, 3000 Kelvin, 30000 Hours, RA 80, Beamangle 87°

Features

Solar charged
Night light and motion sensor turns full light on
360 degree light output
Easy to install with the included spike
5 year LED guarantee




Black 2118278003
Aluminium/Plastic

NAMA 90 Garden light EXEMPT

Masterbox Qty. 2
Size H: 90 cm, Shade Ø: 17 cm, Tube Ø: 6,5 cm, Tilt angle: 10°
IP Class IP54, Class 3 (12V)
Lightsource SolarLed - 1W LED, 65 Lumen, 3000 Kelvin, 30000 Hours, RA 80, Beamangle 87°

Features

Solar charged
Night light and motion sensor turns full light on
360 degree light output
Easy to install with the included spike
5 year LED guarantee






Anthracite 49018050
Aluminium

CONCORDIA Garden light by Bønnelycke MDD

Masterbox Qty. 3
Size H: 100 cm, Ø: 15 cm
IP Class IP44, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
1 meter high
Can be mounted on Nordlux base unit



Battery light







White 2018103003
Plastic/Metal

SPONGE Pendant Battery light by Says Who

Masterbox Qty. 3
Size H: 55,4 cm, W: 20 cm, L: 20 cm, Ø: 20 cm, Shade Ø: 20 cm, Tube Ø: 2,3 cm
IP Class IP65, Class 3 (12V)
Cable Black 150 cm. Switch on the fixture
Lightsource LED Module - 4,8W LED, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

Features

Long life battery
Durable materials
High lumen output with 3-step dimming
Water resistant (IP65)
Warm white LED 2700 Kelvin
Space saving pendent
5 year LED guarantee



White 2018128003
Plastic/Metal

SPONGE Spike Battery light by Says Who


Masterbox Qty. 3
Size H: 51,5 cm, W: 20 cm, L: 20 cm, Ø: 20 cm, Shade Ø: 20 cm, Tube Ø: 2,3 cm
IP Class IP65, Class 3 (12V)
Cable Black 150 cm. Switch on the fixture
Lightsource LED Module - 4,8W LED, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

Features


Long life battery
Durable materials
High lumen output with 3-step dimming
Water resistant (IP65)
Warm white LED 2700 Kelvin
Spike included for easy placement
5 year LED guarantee

352

Moodmaker™ Step Dimming




Moodmaker™ Step Dimming





White 2018135003
Plastic/Metal

SPONGE 20 Battery light by Says Who 

- Masterbox** Qty. 3
- Size** H: 21,5 cm, W: 20 cm, L: 20 cm, Ø: 20 cm, Tube Ø: 2,3 cm
- IP Class** IP65, Class 3 (12V)
- Cable** Black 150 cm. Switch on the fixture
- Lightsource** LED Module - 4,8W LED, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

Features

- Long life battery
- Durable materials
- High lumen output with 3-step dimming
- Water resistant (IP65)
- Warm white LED 2700 Kelvin
- 5 year LED guarantee

Moodmaker™ Step Dimming



White 2018145003
Plastic/Metal



SPONGE To Go Battery light by Says Who 

- Masterbox** Qty. 3
- Size** H: 27,7 cm, W: 22,5 cm, L: 22,5 cm, Ø: 22.5 cm, Tube Ø: 1 cm, Base Ø: 13,5 cm
- IP Class** IP65, Class 3 (12V)
- Cable** Black 150 cm. Switch on the fixture
- Lightsource** LED Module - 4,8W LED, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

Features

- Long life battery
- Durable materials
- High lumen output with 3-step dimming
- Water resistant (IP65)
- Warm white LED 2700 Kelvin
- Handle for easy bring along
- 5 year LED guarantee

Moodmaker™ Step Dimming





White 2018154003
Plastic/Metal

SPONGE 34 Battery light by Says Who

Masterbox Qty. 3
Size H: 126 cm, W: 34 cm, L: 34 cm, Ø: 34 cm, Tube Ø: 2,3 cm, Base Ø: 28,5 cm
IP Class IP65, Class 3 (12V)
Cable Black 150 cm. Switch on the fixture
Lightsource LED Module - 6,8W LED, 450 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

Features

Long life battery
 Durable materials
 High lumen output with 3-step dimming
 Water resistant (IP65)
 Warm white LED 2700 Kelvin
 Big size and 450 Lumen
 5 year LED guarantee

Moodmaker™ Step Dimming



White 2018165003
Plastic/Metal


SPONGE 34 Battery light by Says Who

Masterbox Qty. 3
Size H: 40,5 cm, W: 34 cm, L: 34 cm, Ø: 34 cm, Tube Ø: 2,3 cm
IP Class IP65, Class 3 (12V)
Cable Black 150 cm. Switch on the fixture
Lightsource LED Module - 6,8W LED, 450 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

Features

Long life battery
 Durable materials
 High lumen output with 3-step dimming
 Water resistant (IP65)
 Warm white LED 2700 Kelvin
 Big size and 450 Lumen
 5 year LED guarantee
 354

Moodmaker™ Step Dimming






NEW Nature(brown) 2118085062
Bamboo/Plastic

BOB Battery light by Says Who EXEMPT

- Masterbox** Qty. 2
- Size** H: 39,6 cm, W: 29,4 cm, L: 31,8 cm, Shade Ø: 29,4 cm, Base Ø: 18 cm
- IP Class** IP44, Class 3 (12V)
- Cable** Black 100 cm. Switch on the fixture
- Lightsource** SolarLed - 4W LED, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 240°

- Features**
- Solar charged
 - High light output (300 lumen)
 - Turns on automatically when darkness falls
 - 30 cm high (suitable for Kettle spike and tripod)
 - 5 year LED guarantee




NEW Nature(brown) 2118095062
Bamboo/Plastic

LEO Battery light by Says Who EXEMPT

- Masterbox** Qty. 2
- Size** H: 30 cm, Ø: 29.9 cm, Shade Ø: 29,9 cm, Base Ø: 18 cm
- IP Class** IP44, Class 3 (12V)
- Cable** Black 100 cm. Switch on the base
- Canopy** . Dimension: A cm
- Lightsource** SolarLed - 4W LED, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 240°

- Features**
- Solar charged
 - High light output (300 lumen)
 - Turns on automatically when darkness falls
 - 30 cm high (suitable for Kettle spike and tripod)
 - 5 year LED guarantee





White 2118245001
Metal



Black 2118245003
Metal



NEW Sanded 2118245008
Metal

ARA Battery light




- Masterbox** Qty. 3
- Size** H: 29,2 cm, Shade Ø: 19,7 cm
- IP Class** IP54, Class 3 (12V)
- Cable** White 100 cm. Switch on the base
- Lightsource** LED Module - 2W LED, 190 Lumen, 3000 Kelvin, 30000 Hours, RA 80, Beamangle 125°

Features

- Battery powered
- 3-step Moodmaker™ function
- Up to 80 hours of battery life
- 5 year LED guarantee


Moodmaker™ Step Dimming



Step 1
100%

Step 2
50%

Step 3
20%



White 2218013001
Plastic

BRING 12 Battery light by DTA




- Masterbox** Qty. 3
- Size** H: 26 cm, Ø: 12 cm, Shade Ø: 12 cm
- IP Class** IP44, Class 3 (12V)
- Cable** Black 100 cm. Switch on the base
- Lightsource** LED Module, 70 Lumen, 2700 Kelvin, 25000 Hours, RA 83

Features


- Easy to bring everywhere (battery powered)
- Made from recycled materials
- Water resistant (IP65)
- Just tap to turn on/off
- USB cable for charging included
- Long battery life
- 5 year LED guarantee

Moodmaker™ Step Dimming



Step 1
100%

Step 2
30%





NEW Red 2218105002
Metal/Plastic

NEW Black 2218105003
Metal/Plastic

NEW Blue 2218105006
Metal/Plastic

JIM Battery light by Says Who




Masterbox Qty. 4
Size H: 30,3 cm, Ø: 28 cm, Shade Ø: 16 cm, Base Ø: 14 cm
IP Class IP54, Class 3 (12V)
Cable White 100 cm. Switch on the base
Lightsource LED Module, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80


Features

Easy to bring everywhere (battery powered)
High lumen output (300 lumen)
3-step Moodmaker™
5 year LED guarantee

Moodmaker™ Step Dimming




Step 1
100%



Step 2
50%



Step 3
20%



NEW Grey 2218105010
Metal/Plastic

NEW Green 2218105023
Metal/Plastic

NEW Orange 2218105027
Metal/Plastic

JIM Battery light by Says Who




Masterbox Qty. 4
Size H: 30,3 cm, Ø: 28 cm, Shade Ø: 16 cm, Base Ø: 14 cm
IP Class IP54, Class 3 (12V)
Cable White 100 cm. Switch on the base
Lightsource LED Module, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80


Features

Easy to bring everywhere (battery powered)
High lumen output (300 lumen)
3-step Moodmaker™
5 year LED guarantee

Moodmaker™ Step Dimming




Step 1
100%



Step 2
50%



Step 3
20%





*15 year guarantee on corrosion

NEW Galvanized 2218325031*
Galvanized steel/Plastic


NEW Brass 2218325035*
Brass/Plastic

TEMPLE 30 Battery light by Says Who

- Masterbox** Qty. 3
- Size** H: 22,2 cm, W: 22,6 cm, L: 22,6 cm, Shade Ø: 22,6 cm, Base Ø: 13,8 cm
- IP Class** IP54, Class 3 (12V)
- Cable** Black 100 cm. Switch on the base
- Lightsource** LED Module, 106 Lumen, 3000 Kelvin, RA 80

Features

- Durable materials well-suited for harsh weather
- Solar charged
- Turns on automatically when darkness falls



*15 year guarantee on corrosion

NEW Galvanized 2218335031*
Galvanized steel/Plastic


NEW Brass 2218335035*
Brass/Plastic

TEMPLE 35 Battery light by Says Who

- Masterbox** Qty. 3
- Size** H: 30,4 cm, W: 31,3 cm, L: 31,3 cm, Shade Ø: 31,3 cm, Base Ø: 19 cm
- IP Class** IP54, Class 3 (12V)
- Cable** Black 100 cm. Switch on the base
- Lightsource** LED Module, 138 Lumen, 3000 Kelvin, RA 80

Features

- Durable materials well-suited for harsh weather
- Solar charged
- Turns on automatically when darkness falls





White 2018003003
Plastic


KETTLE 22 Battery light by Says Who

Masterbox Qty. 3
Size H: 19,6 cm, Ø: 22 cm
IP Class IP65, Class 3 (12V)
Cable Black 150 cm. Switch on the fixture
Lightsource LED Module - 4,8W LED, 300 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

Features

Long life battery
Durable materials
High lumen output with 3-step dimming
Water resistant (IP65)
Warm white LED 2700 Kelvin
Easy twist mount accessories for placement
5 year LED guarantee


Moodmaker™ Step Dimming



Step 1
100%

Step 2
50%

Step 3
20%



White 2018013003
Plastic


KETTLE 36 Battery light by Says Who

Masterbox Qty. 3
Size H: 30,8 cm, Ø: 36 cm
IP Class IP65, Class 3 (12V)
Cable Black 150 cm. Switch on the fixture
Lightsource LED Module - 6,8W LED, 450 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 120°

Features

Long life battery
Durable materials
High lumen output with 3-step dimming
Water resistant (IP65)
Warm white LED 2700 Kelvin
Easy twist mount accessories for placement
5 year LED guarantee

Moodmaker™ Step Dimming



Step 1
100%

Step 2
50%

Step 3
20%





Black 2018035003
Metal




Nature(brown) 2018035014
Wood

KETTLE Tripod 31 Accessories by Says Who

Masterbox Qty. 3
Size H: 33,8 cm, W: 17,9 cm, L: 15,7 cm, Tube Ø: 1,6 cm
Lightsource

Features
Easy twist mount accessory for Kettle luminaire
Tripod turns it into table or low floor lamp



Black 2018044003
Metal




Nature(brown) 2018044014
Wood

KETTLE Tripod 110 Accessories by Says Who

Masterbox Qty. 3
Size H: 103,9 cm, W: 36,7 cm, L: 32 cm, Tube Ø: 1,6 cm
Lightsource

Features
Easy twist mount accessory for Kettle luminaire
High tripod turns it into floor lamp





Black 2018028003
Metal

KETTLE Spike Accessories by Says Who

Masterbox Qty. 3
Size H: 51,6 cm, W: 5,8 cm, L: 5,8 cm, Tube Ø: 1,8 cm

Features
Easy twist mount accessory for Kettle luminaire
Metal spike



Recessed







Built-in height 3 cm




Cutout Ø 2,5 cm

Stainless steel 45420034
Plastic/stainless steel

UNE 6-Kit Recessed light EXEMPT

Masterbox Qty. 3
Size H: 2,5 cm, Ø: 3.7 cm, Build in height: 2,5 cm, Build in Ø: 3,7 cm, Built-in height 3 cm, Cutout Ø 2,5 cm
IP Class IP67, Class 3 (12V)
Cable Black 500 cm,
Lightsource LED Module - 6X0. 6W
 LED, 20 Lumen, 3000 Kelvin, 30000 Hours, RA 65, Beamangle 120°

Features
5 year LED guarantee




Cutout Ø 9 cm

Stainless steel 83830034
Metal/Glass

PATO Round Recessed light

Masterbox Qty. 3
Size H: 12 cm, Ø: 11 cm, Build in height: 12 cm, Build in Ø: 11 cm, Cutout Ø 9 cm
IP Class IP65, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Suited for a GU10 bulb







Stainless steel 83840034
Metal/Glass

PATO Square Recessed light

Masterbox Qty. 3
Size H: 12 cm, W: 11 cm, L: 11 cm, Build in height: 12 cm, Cutout Ø 9 cm
IP Class IP65, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
 Suited for a GU10 bulb




Stainless steel 96409934
Stainless steel/Plastic

TILOS 1-Kit Recessed light

Masterbox Qty. 3
Size H: 14,1 cm, Ø: 10.5 cm
IP Class IP67, Class 2 (Double isolated)
Lightsource GU10 - Not included

Features
 Parallel connection possible
 Retrofit GU 10 bulb







Stainless steel 96439934
Stainless steel/Glass

TILOS 3-Kit Recessed light

Masterbox Qty. 3
Size H: 13,5 cm, Ø: 10.5 cm
IP Class IP67, Class 2 (Double isolated)
Lightsource GU10 - Not included

Features
 Parallel connection possible
 Retrofit GU 10 bulb




NEW **Stainless steel 2218400034**
Stainless steel

ANDOR Round Recessed light

Masterbox Qty. 3
Size H: 14,8 cm, W: 11 cm, L: 11 cm
IP Class IP67, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
 Ground recessed spotlight perfect for the driveway, walkway or garden
 Suited for a GU10 bulb
 Parallel connection possible






NEW Stainless steel 2218410034
Stainless steel

ANDOR Square Recessed light

Masterbox Qty. 3
Size H: 14,8 cm, W: 11 cm, L: 11 cm
IP Class IP67, Class 1 (Earth contact)
Lightsource GU10 - Not included

Features
Ground recessed spotlight perfect for the driveway, walkway or garden
Suited for a GU10 bulb
Parallel connection possible



Spot light








Black 20789903
Aluminium/Glass

SPOTLIGHT GU10 Spot light

- Masterbox** Qty. 3
- Size** H: 38 cm, D: 14 cm, Ø: 10 cm
- IP Class** IP54, Class 1 (Earth contact)
- Cable** Black 180 cm, non replaceable
- Lightsource** GU10 - Not included

- Features**
- Suitable for GU10 bulb
- Fixed 1,5 meter cable




Stainless steel 77029934
Stainless steel

TAURUS Spot light

- Masterbox** Qty. 3
- Size** H: 31 cm, Ø: 10 cm
- IP Class** IP54, Class 1 (Earth contact)
- Cable** Black 150 cm, non replaceable
- Lightsource** GU10 - Not included

- Features**
- Suitable for GU10 bulb
- Fixed 1,5 meter cable






Black 83698003
Aluminium

MONO Spot light

Masterbox Qty. 3
Size H: 57,7 cm, Shade Ø: 7 cm
IP Class IP44, Class 1 (Earth contact)
Cable Black 170 cm, non replaceable
Lightsource GU10 - Not included

Features
Cable with plug included



*Outdoor
Smart Light*







Black 2019001003
Plastic

Grey 2019001010
Plastic

Arcus Smart Wall light

Masterbox Qty. 3
Size H: 10 cm, W: 20 cm, D: 10 cm
IP Class IP54, Class 1 (Earth contact)
Lightsources LED Module - 9,5W LED, 440 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 147.6°
 Built-in dimmable light source with Nordlux Smart functionality

Features

Dual light LED
 Bluetooth connection to Nordlux Smart Light
 Can be controlled by wireless Nordlux Smart Sensor
 Built-in parallel connection
 Indication light
 5 year LED guarantee



Black 2019016003
Plastic

Grey 2019016010
Plastic

Ava Smart Ceiling light

Masterbox Qty. 3
Size H: 20 cm, D: 6.8 cm
IP Class IP54, Class 1 (Earth contact)
Lightsources LED Module - 9,5W LED, 600 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beamangle 159.2°
 Built-in dimmable light source with Nordlux Smart functionality

Features

Dual light LED
 Bluetooth connection to Nordlux Smart Light
 Can be controlled by wireless Nordlux Smart Sensor
 Optional cover cap for wall use included
 Indication light
 Designed for both ceiling and wall mounting
 5 year LED guarantee



White 2118201001
Plastic



Black 2118201003
Plastic




GripSmart Wall light by MB

- Masterbox** Qty. 3
- Size** H: 18 cm, W: 15 cm, D: 9,7 cm
- IP Class** IP54, Class 1 (Earth contact)
- Lightsource** LED Module - 10W LED, 830 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beamangle 120°
Built-in dimmable light source with Nordlux Smart functionality

Features

- Like a piece of jewellery for your house
- Built-in Nordlux Smart LED
- Cool to warm white light (2200-6500 kelvin)
- Dimmable through app
- Parallel connection possible
- 5 year LED guarantee



White 49091001
Plastic




Black 49091003
Plastic

Sensor Smart Sensor

- Masterbox** Qty. 6
- Size** H: 7,6 cm, W: 4,5 cm, L: 7,6 cm, D: 4,5 cm, Tilt angle: 100°
- IP Class** IP54, Class 3 (12V)
- Lightsource** Can not be dimmed

Features

- Easy installation without the use of cables
- Daylight and motion sensor in one unit
- IP safe for both outdoor and bathroom use
- Bracket included for tilted or corner positioning
- Battery lifetime +400 days
- Can control up to 50 lights via Bluetooth



Accessories







Galvanized 22039931*
Galvanized steel

BASE Accessories

Masterbox Qty. 3
Size H: 50 cm, Ø: 15 cm, Tube Ø: 5 cm
Lightsource

Features
Universal base for Nordlux garden poles



Sandblasted 2440888
Glass



Clear 2440999
Glass

STALDGLAS Accessories

Masterbox Qty. 3
Size H: 16 cm, Ø: 9.5 cm
Lightsource - Not included



Black 2444999
Plastic

STALDGLAS Accessories

Masterbox Qty. 12
Size Ø: 9.5 cm
Lightsource

Bulbs





1800K



EXEMPT

Smoked
2080032747



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

1800K



EXEMPT

Goldcolor
2080042758



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 A60 Deco Dim | Light Bulb | Smoked

Masterbox Qty. 6
Size H: 10,8 cm, Ø: 6 cm
Type Light Bulb
Lightsource E27, Wattage: 4.5W
 (), 120 Lumen, 1800 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

E27 A60 Deco Dim | Light Bulb | Gold

Masterbox Qty. 6
Size H: 11,2 cm, Ø: 6 cm
Type Light Bulb
Lightsource E27, Wattage: 2.3W
 (), 65 Lumen, 1800 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

2500K



A F

Goldcolor
2080012758



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Dimmable

2200K



A G

Goldcolor
2080022758



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 A60 Deco Dim | Light Bulb | Gold

Masterbox Qty. 6
Size H: 10,4 cm, Ø: 6 cm
Type Light Bulb
Lightsource E27, Wattage: 4.2W
 (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class F

E27 A60 Deco Dim | Light Bulb | Gold

Masterbox Qty. 6
Size H: 10,8 cm, Ø: 6 cm
Type Light Bulb
Lightsource E27, Wattage: 4.9W
 (35W), 400 Lumen, 2200 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class G

2700K

Frosted
5197001023Lightsource
Ø: 6 cm,Beamangle
200°,15000
Hours,

Not dimmable

2700K

Frosted
5197001021Lightsource
Ø: 6 cm,Beamangle
200°,15000
Hours,

Not dimmable

E27 A60 3-kit | Light Bulb | Frosted

Masterbox	Qty. 5
Size	H: 11,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 13.3W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 200° Can not be dimmed, 220-240 Volt
Energy class	E

E27 A60 | Light Bulb | Frosted

Masterbox	Qty. 6
Size	H: 11,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 13.3W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 200° Can not be dimmed, 220-240 Volt
Energy class	E

2700K

Frosted
5171013521Lightsource
Ø: 6 cm,Beamangle
240°,15000
Hours,

Not dimmable

2700K

Frosted
5171013323Lightsource
Ø: 6 cm,Beamangle
240°,15000
Hours,

Not dimmable

E27 A60 | Light Bulb | Frosted

Masterbox	Qty. 6
Size	H: 10,9 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 8.6W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 240° Can not be dimmed, 220-240 Volt
Energy class	F

E27 A60 3-kit | Light Bulb | Frosted

Masterbox	Qty. 5
Size	H: 10,9 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4.8W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 240° Can not be dimmed, 220-240 Volt
Energy class	F

2700K



Clear
5181001321



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5181000321



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 A60 | Light Bulb | Clear

Masterbox Qty. 6
Size H: 10,4 cm, Ø: 6 cm
Type Light Bulb
Lightsource E27, Wattage: 7.8W
 (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt
Energy class D

E27 A60 | Light Bulb | Clear

Masterbox Qty. 6
Size H: 10,4 cm, Ø: 6 cm
Type Light Bulb
Lightsource E27, Wattage: 6.8W
 (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt
Energy class E

2700K



Frosted
5171013523



Lightsource
Ø: 6 cm,



Beamangle
240°,



15000
Hours,



Not dimmable

4000K



White
5191001821



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 A60 3-kit | Light Bulb | Frosted

Masterbox Qty. 5
Size H: 10,9 cm, Ø: 6 cm
Type Light Bulb
Lightsource E27, Wattage: 8.6W
 (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80,
 Beamangle 240°
 Can not be dimmed, 220-240 Volt
Energy class F

E27 A60 | Light Bulb | White

Masterbox Qty. 6
Size H: 10,4 cm, Ø: 6 cm
Type Light Bulb
Lightsource E27, Wattage: 6.8W
 (60W), 806 Lumen, 4000 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt
Energy class E

4000K

White
5191002021Lightsource
Ø: 6 cm,Beamangle
360°,15000
Hours,

Not dimmable

2700K

White
5181023121Lightsource
Ø: 6 cm,Beamangle
360°,15000
Hours,

Not dimmable

E27 A60 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 8.5W (75W), 1055 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

E27 A60 Dim | Light Bulb | White

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 7.2W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	E

2700K

Clear
5181000921Lightsource
Ø: 6 cm,Beamangle
360°,15000
Hours,

Not dimmable

4000K

Frosted
5181014923Lightsource
Ø: 6 cm,Beamangle
240°,15000
Hours,

Not dimmable

E27 A60 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

E27 A60 3-kit | Light Bulb | Frosted

Masterbox	Qty. 5
Size	H: 10,9 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4.8W (40W), 470 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 240° Can not be dimmed, 220-240 Volt
Energy class	F

2700K



White
5181023321



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



White
5181021521



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 A60 Dim | Light Bulb | White

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 8.5W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	E

E27 A60 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 8.5W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

2700K



Frosted
5171013723



Lightsource
Ø: 6 cm,



Beamangle
240°,



15000
Hours,



Not dimmable

2700K



White
5181020921



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 A60 3-kit | Light Bulb | Frosted

Masterbox	Qty. 5
Size	H: 10,9 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 9.6W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 240° Can not be dimmed, 220-240 Volt
Energy class	F

E27 A60 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

2700K

Frosted
5161009021Lightsource
Ø: 6 cm,Beamangle
240°,15000
Hours,

Not dimmable

4000K

Clear
5181003321Lightsource
Ø: 6 cm,Beamangle
360°,15000
Hours,

Not dimmable

E27 A60 | Light Bulb | Frosted

Masterbox	Qty. 6
Size	H: 10,9 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 8.8W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 240°
Energy class	F Can not be dimmed, 220-240 Volt

E27 A60 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 6.8W (63W), 860 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	E Can not be dimmed, 220-240 Volt

2400K

Yellow
5181014521Lightsource
Ø: 6 cm,Beamangle
240°,15000
Hours,

Not dimmable

2700K

Clear
5181003621Lightsource
Ø: 6 cm,Beamangle
360°,15000
Hours,

Not dimmable

E27 A60 | Light Bulb | Yellow

Masterbox	Qty. 6
Size	H: 10,9 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4.9W (35W), 396 Lumen, 2400 Kelvin, 15000 Hours, RA 80, Beamangle 240°
Energy class	G Can not be dimmed, 220-240 Volt

E27 A60 Dim | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 7.2W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	E Has built-in dimmable light source for wall dimmer, 220-240 Volt

2700K

Frosted
5171013321Lightsource
Ø: 6 cm,Beamangle
240°,15000
Hours,

Not dimmable

2700K

White
5181021121Lightsource
Ø: 6 cm,Beamangle
360°,15000
Hours,

Not dimmable

E27 A60 | Light Bulb | Frosted

Masterbox	Qty. 6
Size	H: 10,9 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4.8W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 240°
Energy class	Can not be dimmed, 220-240 Volt F

E27 A60 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

2700K

Frosted
5171013721Lightsource
Ø: 6 cm,Beamangle
240°,15000
Hours,

Not dimmable

4000K

Clear
5181011021Lightsource
Ø: 6 cm,Beamangle
360°,15000
Hours,

Not dimmable

E27 A60 | Light Bulb | Frosted

Masterbox	Qty. 6
Size	H: 10,9 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 9.6W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 240°
Energy class	Can not be dimmed, 220-240 Volt F

E27 A60 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 7.8W (80W), 1150 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt D

2700K



Clear
5181000121



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



White
5181021321



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 A60 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

E27 A60 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 6.8W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

2700K



Clear
5181006521



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5181001323



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 A60 Dim | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 7.8W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	D

E27 A60 | Light Bulb | Clear

Masterbox	Qty. 5
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 7.8W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	D

4000K



Clear
5181010321



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



White
5211022721



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 A60 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4W (42W), 500 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

E27 A60 Dim | Light Bulb | White

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Has built-in dimmable light source for wall dimmer, 220-240 Volt D



White
5211028021



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



White
5181021323



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 A60 Dim | Light Bulb | White

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 11W (100W), 1521 Lumen, 4000K Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	D

E27 A60 | Light Bulb | White

Masterbox	Qty. 5
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 6.8W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

4000K



Clear
5181003323



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable



Clear
5211027921



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 A60 | Light Bulb | Clear

Masterbox Qty. 5
Size H: 10,4 cm, Ø: 6 cm
Type Light Bulb
Lightsource E27, Wattage: 6.8W
 (63W), 860 Lumen, 4000 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class E

E27 A60 Dim | Light Bulb | Clear

Masterbox Qty. 6
Size H: 10,4 cm, Ø: 6 cm
Type Light Bulb
Lightsource E27, Wattage: 11W (105W), 1620 Lumen, 4000K
 Kelvin, 15000 Hours, RA 80, Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt

Energy class D

4000K



Clear
5181011221



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

4000K



White
5191002023



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 A60 Dim | Light Bulb | Clear

Masterbox Qty. 6
Size H: 10,4 cm, Ø: 6 cm
Type Light Bulb
Lightsource E27, Wattage: 7.8W
 (80W), 1150 Lumen, 4000 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt

Energy class D

E27 A60 | Light Bulb | White

Masterbox Qty. 5
Size H: 10,4 cm, Ø: 6 cm
Type Light Bulb
Lightsource E27, Wattage: 8.5W
 (75W), 1055 Lumen, 4000 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class E

2700K



Clear
5181000323



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

4000K



White
5191001823



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 A60 3-Kit | Light Bulb | Clear

Masterbox	Qty. 5
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 6.8W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

E27 A60 | Light Bulb | White

Masterbox	Qty. 5
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 6.8W (60W), 806 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

2700K



Clear
5181000923



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

4000K



Clear
5181011023



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 A60 | Light Bulb | Clear

Masterbox	Qty. 5
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

E27 A60 | Light Bulb | Clear

Masterbox	Qty. 5
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 7.8W (80W), 1150 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	D

4000K

White
5191001721Lightsource
Ø: 6 cm,Beamangle
360°,15000
Hours,

Not dimmable

4000K

White
5181023721Lightsource
Ø: 6 cm,Beamangle
360°,15000
Hours,

Not dimmable

E27 A60 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4W (40W), 470 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

E27 A60 Dim | Light Bulb | White

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 8.5W (75W), 1055 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	E

2700K

White
5181021523Lightsource
Ø: 6 cm,Beamangle
360°,15000
Hours,

Not dimmable

4000K

Clear
5181010323Lightsource
Ø: 6 cm,Beamangle
360°,15000
Hours,

Not dimmable

E27 A60 | Light Bulb | White

Masterbox	Qty. 5
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 8.5W (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

E27 A60 | Light Bulb | Clear

Masterbox	Qty. 5
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4W (42W), 500 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

4000K

Frosted
5181015523Lightsource
Ø: 6 cm,Beamangle
240°,15000
Hours,

Not dimmable

2700K

Clear
5211020921Lightsource
Ø: 6 cm,Beamangle
360°,15000
Hours,

Not dimmable

E27 A60 3-kit | Light Bulb | Frosted

Masterbox	Qty. 5
Size	H: 10,9 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 8.6W (60W), 806 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 240°
Energy class	F

E27 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	D

4000K

White
5211033021Lightsource
Ø: 6 cm,Beamangle
360°,15000
Hours,

Not dimmable

Clear
5221030121Lightsource
Ø: 6 cm,Beamangle
360°,30000
Hours,

Not dimmable

E27 | Light Bulb | White


Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 11W (100W), 1521 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	D

E27 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 10,4 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2.3W (41W), 485 Lumen, E27 Kelvin, 30000 Hours, RA 80, Beamangle 360°
Energy class	A




Clear
5221030321



2700K



Frosted
5172003923



E27 | Light Bulb | Clear

Masterbox Qty. 6
Size H: 10,4 cm, Ø: 6 cm
Type Light Bulb
Lightsource E27, Wattage: 4W (62W), 840 Lumen,
 E27 Kelvin, 30000 Hours, RA 80, Beamangle 360°
 Can not be dimmed, 220-240 Volt
Energy class A


E27 G45 3-kit | Light Bulb | Frosted

Masterbox Qty. 5
Size H: 8,7 cm, Ø: 4.5 cm
Type Light Bulb
Lightsource E27, Wattage: 7.7W
 (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80,
 Beamangle 200°
 Can not be dimmed, 220-240 Volt
Energy class F

1800K



Goldcolor
2080282758



2700K



White
5182001921



E27 A165 Deco | Light Bulb | Goldcolor

Masterbox Qty. 3
Size H: 30,3 cm, Ø: 16.8 cm
Type Light Bulb
Lightsource E27, Wattage: 3.5W
 (), 120 Lumen, 1800 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

E27 G45 | Light Bulb | White

Masterbox Qty. 6
Size H: 7,9 cm, Ø: 4.5 cm
Type Light Bulb
Lightsource E27, Wattage: 1.2W
 (15W), 140 Lumen, 2700 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt
Energy class E

4000K



Clear
5192006521



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



White
5182014321



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 G45 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 5.9W (63W), 860 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt D

E27 G45 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

2400K



Yellow
5182003421



Lightsource
Ø: 4.5 cm,



Beamangle
225°,



15000
Hours,



Not dimmable

2700K



Clear
5192001921



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 G45 | Light Bulb | Yellow

Masterbox	Qty. 6
Size	H: 8,4 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2.9W (22W), 215 Lumen, 2400 Kelvin, 15000 Hours, RA 80, Beamangle 225°
Energy class	Can not be dimmed, 220-240 Volt G

E27 G45 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 5.9W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt D

2700K



Clear
5182015821



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5182001121



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 G45 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 1.2W (15W), 140 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

E27 G45 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

2700K



White
5182015521



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



White
5192002321



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 G45 Dim | Light Bulb | White

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4.2W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	E

E27 G45 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 6.8W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

2700K



Frosted
5172014023



Lightsource
Ø: 4.5 cm,



Beamangle
225°,



15000
Hours,



Not dimmable

2700K



Frosted
5172014421



Lightsource
Ø: 4.5 cm,



Beamangle
225°,



15000
Hours,



Not dimmable

E27 G45 3-kit | Light Bulb | Frosted

Masterbox	Qty. 5
Size	H: 8,4 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2.9W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225° Can not be dimmed, 220-240 Volt
Energy class	F

E27 G45 | Light Bulb | Frosted

Masterbox	Qty. 6
Size	H: 8,4 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4.9W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225° Can not be dimmed, 220-240 Volt
Energy class	F

2700K



Clear
5182000321



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



White
5182014721



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 G45 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

E27 G45 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

2700K

Frosted
5172014423Lightsource
Ø: 4.5 cm,Beamangle
225°,15000
Hours,

Not dimmable

2700K

Frosted
5172014021Lightsource
Ø: 4.5 cm,Beamangle
225°,15000
Hours,

Not dimmable

E27 G45 3-kit | Light Bulb | Frosted

Masterbox	Qty. 5
Size	H: 8,4 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4.9W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225°
Energy class	Can not be dimmed, 220-240 Volt F

E27 G45 | Light Bulb | Frosted

Masterbox	Qty. 6
Size	H: 8,4 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2.9W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225°
Energy class	Can not be dimmed, 220-240 Volt F

2700K

Frosted
5172003921Lightsource
Ø: 4.5 cm,Beamangle
200°,15000
Hours,

Not dimmable

4000K

White
5192006821Lightsource
Ø: 4.5 cm,Beamangle
360°,15000
Hours,

Not dimmable

E27 G45 | Light Bulb | Frosted

Masterbox	Qty. 6
Size	H: 8,7 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 7.7W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 200°
Energy class	Can not be dimmed, 220-240 Volt F

E27 G45 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 6.8W (60W), 806 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

4000K



Clear
5182003721



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

4000K



Clear
5182016521



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 G45 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4W (42W), 500 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

E27 G45 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2.1W (26W), 270 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

4000K



White
5192003521



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5182006321



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 G45 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4W (40W), 470 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

E27 G45 Dim | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4.2W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Has built-in dimmable light source for wall dimmer, 220-240 Volt E

2500K



Goldcolor
2080152758



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

1800K



Goldcolor
2080202758



Lightsource
Ø: 9.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 G45 | Light Bulb | Gold

Masterbox Qty. 6
Size H: 7,9 cm, Ø: 4.5 cm
Type Light Bulb
Lightsource E27, Wattage: 4.2W (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80, Beamangle 360°
 Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class F

E27 G95 Deco Dim | Light Bulb | Gold

Masterbox Qty. 6
Size H: 14,4 cm, Ø: 9.5 cm
Type Light Bulb
Lightsource E27, Wattage: 3.5W (15W), 120 Lumen, 1800 Kelvin, 15000 Hours, RA 80, Beamangle 360°
 Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class Exempt

2500K



Goldcolor
2080172758



Lightsource
Ø: 9.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

1800K



Smoked
2080192747



Lightsource
Ø: 9.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 G95 Deco Dim | Light Bulb | Gold

Masterbox Qty. 6
Size H: 13,7 cm, Ø: 9.5 cm
Type Light Bulb
Lightsource E27, Wattage: 4.2W (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80, Beamangle 360°
 Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class F

E27 G95 Deco Dim | Light Bulb | Smoked

Masterbox Qty. 6
Size H: 14 cm, Ø: 9.5 cm
Type Light Bulb
Lightsource E27, Wattage: 4.5W (15W), 140 Lumen, 1800 Kelvin, 15000 Hours, RA 80, Beamangle 360°
 Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class Exempt

2200K



Goldcolor
2080182758



Lightsource
Ø: 9.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5216000121



Lightsource
Ø: 9.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 G95 Deco Dim | Light Bulb | Gold

Masterbox Qty. 6
Size H: 14 cm, Ø: 9.5 cm
Type Light Bulb
Lightsource E27, Wattage: 4.9W
 (35W), 400 Lumen, 2200 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt

Energy class G

E27 G95 Dim | Light Bulb | Clear

Masterbox Qty. 3
Size H: 13,7 cm, Ø: 9.5 cm
Type Light Bulb
Lightsource E27, Wattage: 11W
 (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt

Energy class D

2700K



White
5196000721



Lightsource
Ø: 9.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



White
5216001121



Lightsource
Ø: 9.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 G95 Dim | Light Bulb | White

Masterbox Qty. 6
Size H: 13,7 cm, Ø: 9.5 cm
Type Light Bulb
Lightsource E27, Wattage: 8.5W
 (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt

Energy class E

E27 G95 Dim | Light Bulb | White

Masterbox Qty. 3
Size H: 13,7 cm, Ø: 9.5 cm
Type Light Bulb
Lightsource E27, Wattage: 11W
 (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt

Energy class D

2500K



Goldcolor
2080212758



Lightsource
Ø: 12.4 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



White
5196002821



Lightsource
Ø: 12.4 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 G120 Deco Dim | Light Bulb | Gold

Masterbox	Qty. 3
Size	H: 17,2 cm, Ø: 12.4 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4.2W (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	F

E27 G120 | Light Bulb | White

Masterbox	Qty. 3
Size	H: 17,2 cm, Ø: 12.4 cm
Type	Light Bulb
Lightsource	E27, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	D

2700K



Clear
5196002021



Lightsource
Ø: 12.4 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

1800K



Smoked
2080232747



Lightsource
Ø: 12.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 G120 | Light Bulb | Clear

Masterbox	Qty. 3
Size	H: 17,2 cm, Ø: 12.4 cm
Type	Light Bulb
Lightsource	E27, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	D

E27 G125 Deco Dim | Light Bulb | Smoked

Masterbox	Qty. 3
Size	H: 17,8 cm, Ø: 12.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4.5W (15W), 140 Lumen, 1800 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	Exempt

2200K



Goldcolor
2080222758



Lightsource
Ø: 12.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2200K



Goldcolor
2080292758



Lightsource
Ø: 20 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 G125 Deco Dim | Light Bulb | Gold

Masterbox Qty. 3
Size H: 17,8 cm, Ø: 12.5 cm
Type Light Bulb
Lightsource E27, Wattage: 4.9W (35W), 400 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

Energy class G

E27 G200 Deco | Light Bulb | Gold

Masterbox Qty. 3
Size H: 28,3 cm, Ø: 20 cm
Type Light Bulb
Lightsource E27, Wattage: 7W (48W), 600 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

Energy class F

1800K



Goldcolor
2080242758



Lightsource
Ø: 12.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

1800K



Smoked
2080302747



Lightsource
Ø: 20 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 G125 Deco Dim | Light Bulb | Gold

Masterbox Qty. 3
Size H: 16,4 cm, Ø: 12.5 cm
Type Light Bulb
Lightsource E27, Wattage: 3.5W (120 Lumen, 1800 Kelvin, 15000 Hours, RA 80, Beamangle 360°
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

Energy class Exempt

E27 G200 Deco | Light Bulb | Smoked

Masterbox Qty. 3
Size H: 28,3 cm, Ø: 20 cm
Type Light Bulb
Lightsource E27, Wattage: 8.5W (21W), 200 Lumen, 1800 Kelvin, 15000 Hours, RA 80, Beamangle 360°
 Has built-in dimmable light source for wall dimmer, 220-240 Volt

Energy class Exempt

1800K



EXEMPT

Smoked
2290102747



Lightsource
Ø: 3 cm,



Beamangle
360°,



15000
Hours,



Dimmable

1800K



EXEMPT

Goldcolor
2290092758



Lightsource
Ø: 3 cm,



Beamangle
360°,



15000
Hours,



Dimmable

E27 | Light Bulb | Smoked

Masterbox Qty. 12
Size H: 18,5 cm, Ø: 3 cm
Type Light Bulb
Lightsource E27,
 Wattage: 2.3W (), 35 Lumen, 1800 Kelvin, 15000 Hours,
 RA 0, Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

E27 | Light Bulb | Goldc

Masterbox Qty. 12
Size H: 12,6 cm, Ø: 3 cm
Type Light Bulb
Lightsource E27,
 Wattage: 2.3W (), 65 Lumen, 1800 Kelvin, 15000 Hours,
 RA 0, Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

1800K



EXEMPT

Goldcolor
2290062758



Lightsource
Ø: 3 cm,



Beamangle
360°,



15000
Hours,



Dimmable

1800K



EXEMPT

Smoked
2290072747



Lightsource
Ø: 3 cm,



Beamangle
360°,



15000
Hours,



Dimmable

E27 | Light Bulb | Gold

Masterbox Qty. 12
Size H: 18,5 cm, Ø: 3 cm
Type Light Bulb
Lightsource E27,
 Wattage: 2.3W (), 65 Lumen, 1800 Kelvin, 15000 Hours,
 RA 0, Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

E27 | Light Bulb | Smoked

Masterbox Qty. 12
Size H: 12,6 cm, Ø: 3 cm
Type Light Bulb
Lightsource E27,
 Wattage: 2.3W (), 35 Lumen, 1800 Kelvin, 15000 Hours,
 RA 0, Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

1800K



EXEMPT

Goldcolor
2290072758



Lightsource
Ø: 3 cm,



Beamangle
360°,



15000
Hours,



Dimmable

1800K



EXEMPT

Smoked
2290062747



Lightsource
Ø: 3 cm,



Beamangle
360°,



15000
Hours,



Dimmable

E27 | Light Bulb | Gold

Masterbox Qty. 12
Size H: 12,6 cm, Ø: 3 cm
Type Light Bulb
Lightsource E27,
 Wattage: 2.3W (), 65 Lumen, 1800 Kelvin, 15000 Hours,
 RA 0, Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

E27 | Light Bulb | Smoked

Masterbox Qty. 12
Size H: 18,5 cm, Ø: 3 cm
Type Light Bulb
Lightsource E27,
 Wattage: 2.3W (), 35 Lumen, 1800 Kelvin, 15000 Hours,
 RA 0, Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

1800K



EXEMPT

Smoked
2290092747



Lightsource
Ø: 3 cm,



Beamangle
360°,



15000
Hours,



Dimmable

1800K



EXEMPT

Smoked
2290082747



Lightsource
Ø: 3 cm,



Beamangle
360°,



15000
Hours,



Dimmable

E27 | Light Bulb | Smoked

Masterbox Qty. 12
Size H: 12,6 cm, Ø: 3 cm
Type Light Bulb
Lightsource E27,
 Wattage: 2.3W (), 35 Lumen, 1800 Kelvin, 15000 Hours,
 RA 0, Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

E27 | Light Bulb | Smoked

Masterbox Qty. 12
Size H: 18,5 cm, Ø: 3 cm
Type Light Bulb
Lightsource E27,
 Wattage: 2.3W (), 35 Lumen, 1800 Kelvin, 15000 Hours,
 RA 0, Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

1800K



EXEMPT

Goldcolor
2290102748



Lightsource
Ø: 3 cm,



Beamangle
360°,



15000
Hours,



Dimmable

1800K



EXEMPT

Goldcolor
2290082758



Lightsource
Ø: 3 cm,



Beamangle
360°,



15000
Hours,



Dimmable

E27 | Light Bulb | Gold

Masterbox Qty. 12
Size H: 18,5 cm, Ø: 3 cm
Type Light Bulb
Lightsource E27,
 Wattage: 2.3W (), 65 Lumen, 1800 Kelvin, 15000 Hours,
 RA 0, Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

E27 | Light Bulb | Gold

Masterbox Qty. 12
Size H: 18,5 cm, Ø: 3 cm
Type Light Bulb
Lightsource E27,
 Wattage: 2.3W (), 65 Lumen, 1800 Kelvin, 15000 Hours,
 RA 0, Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

1800K



EXEMPT

Smoked
2290052747



Lightsource
Ø: 3 cm,



Beamangle
360°,



15000
Hours,



Dimmable

1800K



EXEMPT

Goldcolor
2290052758



Lightsource
Ø: 3 cm,



Beamangle
360°,



15000
Hours,



Dimmable

E27 | Light Bulb | Smoked

Masterbox Qty. 12
Size H: 12,6 cm, Ø: 3 cm
Type Light Bulb
Lightsource E27,
 Wattage: 2.3W (), 35 Lumen, 1800 Kelvin, 15000 Hours,
 RA 0, Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

E27 | Light Bulb | Gold

Masterbox Qty. 12
Size H: 12,6 cm, Ø: 3 cm
Type Light Bulb
Lightsource E27,
 Wattage: 2.3W (), 65 Lumen, 1800 Kelvin, 15000 Hours,
 RA 0, Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

2200K



Goldcolor
2080132758



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2200K



Goldcolor
2080252758



Lightsource
Ø: 6.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 T45 Deco Dim | Light Bulb | Gold

Masterbox	Qty. 6
Size	H: 11 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4.9W (35W), 400 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	G

E27 T65 Deco Dim | Light Bulb | Gold

Masterbox	Qty. 3
Size	H: 27 cm, Ø: 6.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 7W (48W), 600 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	F

1800K



Goldcolor
2080142758



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

3000K



Clear
502016092105



Lightsource
Ø: 6.35 cm,



Beamangle
30°,



15000
Hours,



Not dimmable

E27 T45 Deco Dim | Light Bulb | Gold

Masterbox	Qty. 6
Size	H: 11,2 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 3.5W (), 120 Lumen, 1800 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	Exempt

E27 Par20 Dim | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 8,9 cm, Ø: 6.35 cm
Type	Light Bulb
Lightsource	E27, Wattage: 7W (75W), 500 Lumen, 3000 Kelvin, 15000 Hours, RA 80, Beamangle 30° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	G

2700K



Clear
5194002021



Lightsource
Ø: 6.3 cm,



Beamangle
36°,



15000
Hours,



Not dimmable

2700K



White
5183016521



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 R63 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 10,2 cm, Ø: 6.3 cm
Type	Light Bulb
Lightsource	E27, Wattage: 3.3W (40W), 207 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
Energy class	Can not be dimmed, 220-240 Volt G

E27 C35 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

2700K



Clear
5194002621



Lightsource
Ø: 8 cm,



Beamangle
36°,



15000
Hours,



Not dimmable

2700K



Clear
5183000321



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 R80 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 11 cm, Ø: 8 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4.4W (60W), 345 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
Energy class	Can not be dimmed, 220-240 Volt F

E27 C35 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

2700K



White
5183016121



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

1800K



Smoked
2080272747



Lightsource
Ø: 16 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 C35 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

E27 Ps160 Deco | Light Bulb | Smoked

Masterbox	Qty. 3
Size	H: 29 cm, Ø: 16 cm
Type	Light Bulb
Lightsource	E27, Wattage: 8.5W (21W), 200 Lumen, 1800 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Has built-in dimmable light source for wall dimmer, 220-240 Volt Exempt

2700K



Clear
5183001721



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2200K



Goldcolor
2080262758



Lightsource
Ø: 16 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 C35 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

E27 Ps160 Deco | Light Bulb | Gold

Masterbox	Qty. 3
Size	H: 29 cm, Ø: 16 cm
Type	Light Bulb
Lightsource	E27, Wattage: 7W (48W), 600 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Has built-in dimmable light source for wall dimmer, 220-240 Volt F

1800K



EXEMPT

Goldcolor
2080082758



Lightsource
Ø: 6.4 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

1800K



EXEMPT

Smoked
2080072747



Lightsource
Ø: 6.4 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 St64 Deco Dim | Light Bulb | Gold

Masterbox Qty. 6
Size H: 14,2 cm, Ø: 6.4 cm
Type Light Bulb
Lightsource E27, Wattage: 3.5W
 (), 120 Lumen, 1800 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

E27 St64 Deco Dim | Light Bulb | Smoked

Masterbox Qty. 6
Size H: 14 cm, Ø: 6.4 cm
Type Light Bulb
Lightsource E27, Wattage: 4.5W
 (15W), 140 Lumen, 1800 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class Exempt

2200K



A+ G

Goldcolor
2080062758



Lightsource
Ø: 6.4 cm,



Beamangle
360°,




15000
Hours,



Not dimmable

2500K



A+ F

Goldcolor
2080052758



Lightsource
Ø: 6.4 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E27 St64 Deco Dim | Light Bulb | Gold

Masterbox Qty. 6
Size H: 14 cm, Ø: 6.4 cm
Type Light Bulb
Lightsource E27, Wattage: 4.9W
 (35W), 400 Lumen, 2200 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class G

E27 St64 Deco Dim | Light Bulb | Gold

Masterbox Qty. 6
Size H: 14 cm, Ø: 6.4 cm
Type Light Bulb
Lightsource E27, Wattage: 4.2W
 (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt
Energy class F

2200K



Smoked
1426070



Lightsource
Ø: 12.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2000K



Amber
1438070



Lightsource
Ø: 12.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

Avra E27 G120 | Light Bulb | Smoked

Masterbox	Qty. 6
Size	H: 18 cm, Ø: 12.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2W (), 140 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	G

Avra E27 G125 | Light Bulb | Amber

Masterbox	Qty. 6
Size	H: 17,5 cm, Ø: 12.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 1.5W (16W), 150 Lumen, 2000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	G

2200K



Amber
1422070



Lightsource
Ø: 12.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2200K



Smoked
1427070



Lightsource
Ø: 12.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

Avra E27 G125 | Light Bulb | Amber

Masterbox	Qty. 6
Size	H: 17,5 cm, Ø: 12.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2W (20W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	G

Avra E27 G125 | Light Bulb | Smoked

Masterbox	Qty. 6
Size	H: 17,5 cm, Ø: 12.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2W (20W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	G

2200K



Clear
1441070



Lightsource
Ø: 12.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2000K



Amber
1439070



Lightsource
Ø: 12.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

Avra E27 G125 | Light Bulb | Clear

Masterbox Qty. 6
Size H: 17,5 cm, Ø: 12.5 cm
Type Light Bulb
Lightsource E27, Wattage: 1.5W
 (16W), 150 Lumen, 2200 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class F

Avra E27 G125 | Light Bulb | Amber

Masterbox Qty. 6
Size H: 17,5 cm, Ø: 12.5 cm
Type Light Bulb
Lightsource E27, Wattage: 1.5W
 (16W), 150 Lumen, 2000 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class F

2200K



Smoked
1429070



Lightsource
Ø: 12.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2200K



Clear
1421070



Lightsource
Ø: 12.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

Avra E27 G125 | Light Bulb | Smoked

Masterbox Qty. 6
Size H: 18 cm, Ø: 12.5 cm
Type Light Bulb
Lightsource E27, Wattage: 2W
 (20W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class G

Avra E27 G125 | Light Bulb | Clear

Masterbox Qty. 6
Size H: 17,5 cm, Ø: 12.5 cm
Type Light Bulb
Lightsource E27, Wattage: 2W
 (20W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class G

2200K



Clear
1423070



Lightsource
Ø: 10 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2200K



Amber
1430070



Lightsource
Ø: 10 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

Avra E27 Diamond | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 14,5 cm, Ø: 10 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2W (20W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt G

Avra E27 Nut | Light Bulb | Amber

Masterbox	Qty. 6
Size	H: 17,8 cm, Ø: 10 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2W (20W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt G

2200K



Amber
1428070



Lightsource
Ø: 12.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2000K



Amber
1440070



Lightsource
Ø: 10 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

Avra E27 G130 | Light Bulb | Amber

Masterbox	Qty. 6
Size	H: 17,7 cm, Ø: 12.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 2W (20W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt G

Avra E27 Nut | Light Bulb | Amber

Masterbox	Qty. 6
Size	H: 17,8 cm, Ø: 10 cm
Type	Light Bulb
Lightsource	E27, Wattage: 1.5W (16W), 150 Lumen, 2000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt G

1800K



EXEMPT

Black
2020070201



Lightsource
Ø: 9.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

1800K



EXEMPT

Black
2020070202



Lightsource
Ø: 9.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

Umami E27 G95 | Light Bulb | Black

Masterbox Qty. 6
Size H: 14 cm, Ø: 9.5 cm
Type Light Bulb
Lightsource E27, Wattage: 4W (18W), 180 Lumen, 1800 Kelvin, 15000 Hours, RA 0, Beamangle 360°
 Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class Exempt

Umami E27 G95 | Light Bulb | Black

Masterbox Qty. 6
Size H: 14 cm, Ø: 9.5 cm
Type Light Bulb
Lightsource E27, Wattage: 4W (19W), 180 Lumen, 1800 Kelvin, 15000 Hours, RA 0, Beamangle 360°
 Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class Exempt

1800K



EXEMPT

Matt gold
2020070203



Lightsource
Ø: 9.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

1800K



EXEMPT

Matt gold
2020070204



Lightsource
Ø: 9.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

Umami E27 G95 | Light Bulb | Matt Gold

Masterbox Qty. 6
Size H: 14 cm, Ø: 9.5 cm
Type Light Bulb
Lightsource E27, Wattage: 4W (80 Lumen), 1800 Kelvin, 15000 Hours, RA 0, Beamangle 360°
 Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class Exempt

Umami E27 G95 | Light Bulb | Matt Gold

Masterbox Qty. 6
Size H: 14 cm, Ø: 9.5 cm
Type Light Bulb
Lightsource E27, Wattage: 4W (19W), 180 Lumen, 1800 Kelvin, 15000 Hours, RA 0, Beamangle 360°
 Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class Exempt

1800K



EXEMPT

Silver
2020070205



Lightsource
Ø: 9.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

1800K



EXEMPT

Black
2020070207



Lightsource
Ø: 20 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

Umami E27 G95 | Light Bulb | Silver

Masterbox	Qty. 6
Size	H: 14 cm, Ø: 9.5 cm
Type	Light Bulb
Lightsource	E27, Wattage: 4W (21W), 200 Lumen, 1800 Kelvin, 15000 Hours, RA 0, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	Exempt

Umami E27 G200 | Light Bulb | Black

Masterbox	Qty. 3
Size	H: 28 cm, Ø: 20 cm
Type	Light Bulb
Lightsource	E27, Wattage: 5W (28W), 300 Lumen, 1800 Kelvin, 15000 Hours, RA 0, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	Exempt

1800K



EXEMPT

Black
2020070206



Lightsource
Ø: 20 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2500K



A
↑
G F

Goldcolor
2080161458



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

Umami E27 G200 | Light Bulb | Black

Masterbox	Qty. 3
Size	H: 28 cm, Ø: 20 cm
Type	Light Bulb
Lightsource	E27, Wattage: 5W (17W), 160 Lumen, 1800 Kelvin, 15000 Hours, RA 0, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	Exempt

E14 G45 Deco Dim | Light Bulb | Gold

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4.2W (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	F

2700K



Frosted
5172013921



Lightsource
Ø: 4.5 cm,



Beamangle
225°,



15000
Hours,



Not dimmable

2700K



White
5182014121



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 G45 | Light Bulb | Frosted

Masterbox	Qty. 6
Size	H: 8,7 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 2.9W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225°
Energy class	F Can not be dimmed, 220-240 Volt

E14 G45 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	E Can not be dimmed, 220-240 Volt

2700K



Clear
5182000121



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5182000921



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 G45 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	E Can not be dimmed, 220-240 Volt

E14 G45 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	E Can not be dimmed, 220-240 Volt

2700K

Frosted
5172014323Lightsource
Ø: 4.5 cm,Beamangle
225°,15000
Hours,

Not dimmable

2700K

White
5182001721Lightsource
Ø: 4.5 cm,Beamangle
360°,15000
Hours,

Not dimmable

E14 G45 3-kit | Light Bulb | Frosted

Masterbox	Qty. 5
Size	H: 8,7 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4.9W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225° Can not be dimmed, 220-240 Volt
Energy class	F

E14 G45 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 1.2W (15W), 140 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

2700K

White
5182014521Lightsource
Ø: 4.5 cm,Beamangle
360°,15000
Hours,

Not dimmable

2700K

Clear
5182015721Lightsource
Ø: 4.5 cm,Beamangle
360°,15000
Hours,

Not dimmable

E14 G45 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

E14 G45 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 1.2W (15W), 140 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

4000K



Clear
5182007821



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

4000K



White
5192003321



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 G45 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4W (42W), 500 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

E14 G45 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4W (40W), 470 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

2400K



Yellow
5182003321



Lightsource
Ø: 4.5 cm,



Beamangle
225°,



15000
Hours,



Not dimmable

2700K



Frosted
5172013923



Lightsource
Ø: 4.5 cm,



Beamangle
225°,



15000
Hours,



Not dimmable

E14 G45 | Light Bulb | Yellow

Masterbox	Qty. 6
Size	H: 8,7 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 2.9W (22W), 215 Lumen, 2400 Kelvin, 15000 Hours, RA 80, Beamangle 225°
Energy class	Can not be dimmed, 220-240 Volt G

E14 G45 3-kit | Light Bulb | Frosted

Masterbox	Qty. 5
Size	H: 8,7 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 2.9W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225°
Energy class	Can not be dimmed, 220-240 Volt F

4000K



Clear
5182007823



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

4000K



White
5192007221



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 G45 | Light Bulb | Clear

Masterbox Qty. 5
Size H: 7,9 cm, Ø: 4.5 cm
Type Light Bulb
Lightsource E14, Wattage: 4W
 (42W), 500 Lumen, 4000 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class E

E14 G45 | Light Bulb | White

Masterbox Qty. 6
Size H: 7,9 cm, Ø: 4.5 cm
Type Light Bulb
Lightsource E14, Wattage: 6.8W
 (60W), 806 Lumen, 4000 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class E

4000K



White
5192003323



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5182000123



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 G45 | Light Bulb | White

Masterbox Qty. 5
Size H: 7,9 cm, Ø: 4.5 cm
Type Light Bulb
Lightsource E14, Wattage: 4W
 (40W), 470 Lumen, 4000 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class E

E14 G45 | Light Bulb | Clear

Masterbox Qty. 5
Size H: 7,9 cm, Ø: 4.5 cm
Type Light Bulb
Lightsource E14, Wattage: 4W
 (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class E

2700K



White
5182014523



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Frosted
5172014321



Lightsource
Ø: 4.5 cm,



Beamangle
225°,



15000
Hours,



Not dimmable

E14 G45 | Light Bulb | White

Masterbox	Qty. 5
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

E14 G45 | Light Bulb | Frosted

Masterbox	Qty. 6
Size	H: 8,7 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4.9W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 225°
Energy class	Can not be dimmed, 220-240 Volt F

2700K



White
5192002121



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5187000321



Lightsource
Ø: 2.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 G45 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 7,9 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 6.8W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

E14 T25 | Light Bulb | Clear

Masterbox	Qty. 8
Size	H: 8,5 cm, Ø: 2.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

2700K



Clear
5187000121



Lightsource
Ø: 2.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2200K



Goldcolor
2080121458



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 T25 | Light Bulb | Clear

Masterbox Qty. 8
Size H: 8,5 cm, Ø: 2.5 cm
Type Light Bulb
Lightsource E14, Wattage: 2.1W
 (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class E

E14 C35 Deco Dim | Light Bulb | Gold

Masterbox Qty. 6
Size H: 12,3 cm, Ø: 3.5 cm
Type Light Bulb
Lightsource E14, Wattage: 3W
 (21W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt

Energy class G

2200K



Clear
5167003521



Lightsource
Ø: 2.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2500K



Goldcolor
2080111458



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 T25 | Light Bulb | Clear

Masterbox Qty. 8
Size H: 5,7 cm, Ø: 2.5 cm
Type Light Bulb
Lightsource E14, Wattage: 1.1W
 (1), 100 Lumen, 2200 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class F

E14 C35 Deco Dim | Light Bulb | Gold

Masterbox Qty. 6
Size H: 12,3 cm, Ø: 3.5 cm
Type Light Bulb
Lightsource E14, Wattage: 4.2W
 (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt

Energy class F

2500K



Goldcolor
2080091458



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5183001521



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 C35 Deco Dim | Light Bulb | Gold

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4.2W (35W), 400 Lumen, 2500 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	F

E14 C35 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

2200K



Goldcolor
2080101458



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



White
5183017921



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 C35 Deco Dim | Light Bulb | Gold

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 3W (21W), 200 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	G

E14 C35 Dim | Light Bulb | White

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4.2W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	E

4000K



White
5193003221



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Frosted
5173018923



Lightsource
Ø: 3.5 cm,



Beamangle
300°,



15000
Hours,



Not dimmable

E14 C35 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4W (40W), 470 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

E14 C35 3-kit | Light Bulb | Frosted

Masterbox	Qty. 5
Size	H: 10 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 2.9W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 300° Can not be dimmed, 220-240 Volt
Energy class	F

2700K



Frosted
5173018921



Lightsource
Ø: 3.5 cm,



Beamangle
300°,



15000
Hours,



Not dimmable

4000K



Clear
5183005321



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 C35 | Light Bulb | Frosted

Masterbox	Qty. 6
Size	H: 10 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 2.9W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 300° Can not be dimmed, 220-240 Volt
Energy class	F

E14 C35 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4W (42W), 500 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

2700K



White
5183015921



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

4000K



Clear
5283018821



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 C35 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

E14 C35 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 5.9W (63W), 860 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	D

2700K



Clear
5183000121



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Frosted
5173019323



Lightsource
Ø: 3.5 cm,



Beamangle
300°,



15000
Hours,



Not dimmable

E14 C35 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

E14 C35 3-kit | Light Bulb | Frosted

Masterbox	Qty. 5
Size	H: 10 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4.9W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 300° Can not be dimmed, 220-240 Volt
Energy class	F

2700K



Clear
5183014021



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Frosted
5173019321



Lightsource
Ø: 3.5 cm,



Beamangle
300°,



15000
Hours,



Not dimmable

E14 C35 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 1.2W (15W), 140 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

E14 C35 | Light Bulb | Frosted

Masterbox	Qty. 6
Size	H: 10 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4.9W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 300°
Energy class	Can not be dimmed, 220-240 Volt F

2700K



White
5183002921



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



White
5193002421



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 C35 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 1.2W (15W), 140 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

E14 C35 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 6.8W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

4000K



White
5193006021



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5183005421



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 C35 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 6.8W (60W), 806 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

E14 C35 Dim | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4.2W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Has built-in dimmable light source for wall dimmer, 220-240 Volt E

2700K



White
5183016321



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5183001523



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 C35 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

E14 C35 | Light Bulb | Clear

Masterbox	Qty. 5
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

4000K



White
5193002821



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



White
5183016323



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 C35 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 2.1W (25W), 250 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

E14 C35 | Light Bulb | White

Masterbox	Qty. 5
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

4000K



Clear
5183018821



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5283018721



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

E14 C35 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 2.1W (26W), 270 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

E14 C35 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 9,7 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	E14, Wattage: 5.9W (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	D

2700K



White
5181021421



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

4000K



Clear
5181010723



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

B22 A60 | Light Bulb | White

Masterbox Qty. 6
Size H: 10,2 cm, Ø: 6 cm
Type Light Bulb
Lightsource B22, Wattage: 6.8W
 (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class E

B22 A60 | Light Bulb | Clear

Masterbox Qty. 5
Size H: 10,2 cm, Ø: 6 cm
Type Light Bulb
Lightsource B22, Wattage: 6.8W
 (63W), 860 Lumen, 4000 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class E

2700K



White
5181021621



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5181000421



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

B22 A60 | Light Bulb | White

Masterbox Qty. 6
Size H: 10,2 cm, Ø: 6 cm
Type Light Bulb
Lightsource B22, Wattage: 8.5W
 (75W), 1055 Lumen, 2700 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class E

B22 A60 | Light Bulb | Clear


Masterbox Qty. 6
Size H: 10,2 cm, Ø: 6 cm
Type Light Bulb
Lightsource B22, Wattage: 6.8W
 (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class E

4000K




Clear
5181010721



2700K



Clear
5181000423



B22 A60 | Light Bulb | Clear

Masterbox Qty. 6
Size H: 10,2 cm, Ø: 6 cm
Type Light Bulb
Lightsource B22, Wattage: 6.8W
 (63W), 860 Lumen, 4000 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class E

B22 A60 | Light Bulb | Clear


Masterbox Qty. 5
Size H: 10,2 cm, Ø: 6 cm
Type Light Bulb
Lightsource B22, Wattage: 6.8W
 (60W), 806 Lumen, 2700 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class E

4000K




White
5191002121



2700K



Clear
5181001021



B22 A60 | Light Bulb | White

Masterbox Qty. 6
Size H: 10,2 cm, Ø: 6 cm
Type Light Bulb
Lightsource B22, Wattage: 6.8W
 (60W), 806 Lumen, 4000 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class E

B22 A60 | Light Bulb | Clear

Masterbox Qty. 6
Size H: 10,2 cm, Ø: 6 cm
Type Light Bulb
Lightsource B22, Wattage: 4W
 (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80,
 Beamangle 360°
 Can not be dimmed, 220-240 Volt

Energy class E

2700K



Clear
5211027423



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable



White
5211029821



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

B22 | Light Bulb | Clear

Masterbox Qty. 5
Size H: 10,2 cm, Ø: 6 cm
Type Light Bulb
Lightsource B22, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
 Can not be dimmed, 220-240 Volt
Energy class D

B22 | Light Bulb | White

Masterbox Qty. 6
Size H: 10,2 cm, Ø: 6 cm
Type Light Bulb
Lightsource B22, Wattage: 11W (100W), 1521 Lumen, 4000K Kelvin, 15000 Hours, RA 80, Beamangle 360°
 Can not be dimmed, 220-240 Volt
Energy class D

2700K



Clear
5211027421



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

4000K



Clear
5211029723



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

B22 | Light Bulb | Clear

Masterbox Qty. 6
Size H: 10,2 cm, Ø: 6 cm
Type Light Bulb
Lightsource B22, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
 Can not be dimmed, 220-240 Volt
Energy class D

B22 | Light Bulb | Clear

Masterbox Qty. 5
Size H: 10,2 cm, Ø: 6 cm
Type Light Bulb
Lightsource B22, Wattage: 11W (105W), 1620 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
 Can not be dimmed, 220-240 Volt
Energy class D

2700K



White
5211027621



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5182000421



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

B22 | Light Bulb | White

Masterbox	Qty. 6
Size	H: 10,2 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	B22, Wattage: 11W (100W), 1521 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°, 220-240 Volt
Energy class	D

B22 G45 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 7,7 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	B22, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

4000K



Clear
5211029721



Lightsource
Ø: 6 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5182001221



Lightsource
Ø: 4.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

B22 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 10,2 cm, Ø: 6 cm
Type	Light Bulb
Lightsource	B22, Wattage: 11W (105W), 1620 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt D

B22 G45 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 7,7 cm, Ø: 4.5 cm
Type	Light Bulb
Lightsource	B22, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360°
Energy class	Can not be dimmed, 220-240 Volt E

2700K



Clear
5183000421



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



White
5183016621



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

B22 C35 | Light Bulb | Clear

Masterbox Qty.	6
Size	H: 9,3 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	B22, Wattage: 2.1W (25W), 250 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

B22 B22 | Light Bulb | White

Masterbox Qty.	6
Size	H: 9,3 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	B22, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

2700K



Clear
5183001821



Lightsource
Ø: 3.5 cm,



Beamangle
360°,



15000
Hours,



Not dimmable

2700K



Clear
5184002821



Lightsource
Ø: 5 cm,



Beamangle
36°,



15000
Hours,



Not dimmable

B22 C35 | Light Bulb | Clear


Masterbox Qty.	6
Size	H: 9,3 cm, Ø: 3.5 cm
Type	Light Bulb
Lightsource	B22, Wattage: 4W (40W), 470 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 360° Can not be dimmed, 220-240 Volt
Energy class	E

GU10 Dim | Light Bulb | Clear

Masterbox Qty.	6
Size	H: 5,5 cm, Ø: 5 cm
Type	Light Bulb
Lightsource	GU10, Wattage: 6.2W (64W), 450 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	F




Clear
5184003621



2700K



Clear
5174008521



Gu10 | Light Bulb | Clear

Masterbox Qty. 6
Size H: 5,5 cm, Ø: 5 cm
Type Light Bulb
Lightsource GU10, Wattage: 4.7W (50W), 345 Lumen, 4000K Kelvin, 15000 Hours, RA 80, Beamangle 36°
Energy class F
Can not be dimmed, 220-240 Volt


Gu10 | Light Bulb | Clear

Masterbox Qty. 6
Size H: 5,5 cm, Ø: 5 cm
Type Light Bulb
Lightsource GU10, Wattage: 3.1W (35W), 230 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
Energy class F
Can not be dimmed, 220-240 Volt

2700K




Clear
5174008923



2700K



Clear
5174008621



Gu10 3-Kit | Light Bulb | Clear

Masterbox Qty. 5
Size H: 5,5 cm, Ø: 5 cm
Type Light Bulb
Lightsource GU10, Wattage: 4.7W (50W), 345 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
Energy class F
Can not be dimmed, 220-240 Volt

Gu10 | Light Bulb | Clear

Masterbox Qty. 6
Size H: 5,5 cm, Ø: 5 cm
Type Light Bulb
Lightsource GU10, Wattage: 4.7W (50W), 345 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
Energy class F
Can not be dimmed, 220-240 Volt

2700K



Clear
5174008823



Lightsource
Ø: 5 cm,



Beamangle
36°,



15000
Hours,



Not dimmable

2700K



Clear
5174008623



Lightsource
Ø: 5 cm,



Beamangle
36°,



15000
Hours,



Not dimmable

Gu10 3-Kit | Light Bulb | Clear

Masterbox	Qty. 15
Size	H: 5,5 cm, Ø: 5 cm
Type	Light Bulb
Lightsource	GU10, Wattage: 3.1W (35W), 230 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
Energy class	Can not be dimmed, 220-240 Volt F

Gu10 | Light Bulb | Clear

Masterbox	Qty. 15
Size	H: 5,5 cm, Ø: 5 cm
Type	Light Bulb
Lightsource	GU10, Wattage: 4.7W (50W), 345 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
Energy class	Can not be dimmed, 220-240 Volt F

4000K



Clear
5164005623



Lightsource
Ø: 5 cm,



Beamangle
36°,



15000
Hours,



Not dimmable

4000K



Clear
5184003623



Lightsource
Ø: 5 cm,



Beamangle
36°,



15000
Hours,



Not dimmable

Gu10 | Light Bulb | Clear

Masterbox	Qty. 5
Size	H: 5,5 cm, Ø: 5 cm
Type	Light Bulb
Lightsource	GU10, Wattage: 4.9W (64W), 450 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 36°
Energy class	Can not be dimmed, 220-240 Volt F

Gu10 | Light Bulb | Clear

Masterbox	Qty. 5
Size	H: 5,5 cm, Ø: 5 cm
Type	Light Bulb
Lightsource	GU10, Wattage: 4.7W (50W), 345 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 36°
Energy class	Can not be dimmed, 220-240 Volt F

2700K



Clear
5164003223



Lightsource
Ø: 5 cm,



Beamangle
36°,



15000
Hours,



Not dimmable

4000K



Clear
5164005421



Lightsource
Ø: 5 cm,



Beamangle
36°,



15000
Hours,



Not dimmable

Gu10 | Light Bulb | Clear

Masterbox	Qty. 5
Size	H: 5,5 cm, Ø: 5 cm
Type	Light Bulb
Lightsource	GU10, Wattage: 4.9W (64W), 450 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
Energy class	Can not be dimmed, 220-240 Volt F

Gu10 Dim | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 5,5 cm, Ø: 5 cm
Type	Light Bulb
Lightsource	GU10, Wattage: 4.7W (50W), 345 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 36°
Energy class	Has built-in dimmable light source for wall dimmer, 220-240 Volt F

2700K



Clear
5164003221



Lightsource
Ø: 5 cm,



Beamangle
36°,



15000
Hours,



Not dimmable



Clear
5164005621



Lightsource
Ø: 5 cm,



Beamangle
36°,



15000
Hours,



Not dimmable

Gu10 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 5,5 cm, Ø: 5 cm
Type	Light Bulb
Lightsource	GU10, Wattage: 4.9W (64W), 450 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36°
Energy class	Can not be dimmed, 220-240 Volt F

Gu10 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 5,5 cm, Ø: 5 cm
Type	Light Bulb
Lightsource	GU10, Wattage: 4.9W (64W), 450 Lumen, 4000 Kelvin, 15000 Hours, RA 80, Beamangle 36°
Energy class	Can not be dimmed, 220-240 Volt F

2700K



Clear
5164003723



Lightsource
Ø: 5 cm,



Beamangle
36°,



15000
Hours,



Not dimmable

2700K



Clear
5174008523



Lightsource
Ø: 5 cm,



Beamangle
36°,



15000
Hours,



Not dimmable

Gu10 3-Kit Dim | Light Bulb | Clear

Masterbox	Qty. 15
Size	H: 5,5 cm, Ø: 5 cm
Type	Light Bulb
Lightsource	GU10, Wattage: 4.7W (50W), 345 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	F

Gu10 3-Kit | Light Bulb | Clear

Masterbox	Qty. 15
Size	H: 5,5 cm, Ø: 5 cm
Type	Light Bulb
Lightsource	GU10, Wattage: 3.1W (35W), 230 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36° Can not be dimmed, 220-240 Volt
Energy class	F

2700K



Clear
5164003721



Lightsource
Ø: 5 cm,



Beamangle
36°,



15000
Hours,



Not dimmable



White
5214008423



Lightsource
Ø: 5 cm,



Beamangle
36°,



15000
Hours,



Not dimmable

Gu10 Dim | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 5,5 cm, Ø: 5 cm
Type	Light Bulb
Lightsource	GU10, Wattage: 4.7W (50W), 345 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 36° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	F

Gu10 | Light Bulb | White

Masterbox	Qty. 5
Size	H: 5,5 cm, Ø: 5 cm
Type	Light Bulb
Lightsource	GU10, Wattage: 6.7W (75W), 540 Lumen, 2700K Kelvin, 15000 Hours, RA 80, Beamangle 36° Has built-in dimmable light source for wall dimmer, 220-240 Volt
Energy class	F

2700K

Clear
5195000621Lightsource
Ø: 1 cm,Beamangle
300°,15000
Hours,

Not dimmable

3000K

Clear
5155101521Lightsource
Ø: 1 cm,Beamangle
300°,15000
Hours,

Not dimmable

G4 | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 4 cm, Ø: 1 cm
Type	Light Bulb
Lightsource	G4, Wattage: 1.7W (18W), 180 Lumen, 2700 Kelvin, 15000 Hours, RA 80, Beamangle 300° Can not be dimmed, 12 Volt
Energy class	F

G4 Stick | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 3,8 cm, Ø: 1 cm
Type	Light Bulb
Lightsource	G4, Wattage: 1.4W (15W), 136 Lumen, 3000 Kelvin, 15000 Hours, RA 80, Beamangle 300° Can not be dimmed, 12 Volt
Energy class	F

3000K

Clear
5155101523Lightsource
Ø: 1 cm,Beamangle
300°,15000
Hours,

Not dimmable

3000K

Frosted
5195000321Lightsource
Ø: 1.8 cm,Beamangle
300°,15000
Hours,

Not dimmable

G4 Stick | Light Bulb | Clear

Masterbox	Qty. 16
Size	H: 3,8 cm, Ø: 1 cm
Type	Light Bulb
Lightsource	G4, Wattage: 1.4W (15W), 136 Lumen, 3000 Kelvin, 15000 Hours, RA 80, Beamangle 300° Can not be dimmed, 12 Volt
Energy class	F


G9 | Light Bulb | Frosted

Masterbox	Qty. 6
Size	H: 5,6 cm, Ø: 1.8 cm
Type	Light Bulb
Lightsource	G9, Wattage: 3.3W (), 370 Lumen, 3000 Kelvin, 15000 Hours, RA 80, Beamangle 300° Can not be dimmed, 220-240 Volt
Energy class	E


3000K



Clear
5195000221



Clear
5194001821



G9 | Light Bulb | Clear

Masterbox Qty. 6
Size H: 5,6 cm, Ø: 1.8 cm
Type Light Bulb
Lightsource G9, Wattage: 3.3W
 (), 400 Lumen, 3000 Kelvin, 15000 Hours, RA 80,
 Beamangle 300°
 Can not be dimmed, 220-240 Volt

Energy class E

R50 Dim | Light Bulb | Clear


Masterbox Qty. 6
Size H: 8,2 cm, Ø: 5 cm
Type Light Bulb
Lightsource E14, Wattage: 3W (46W), 250 Lumen, 2700K
 Kelvin, 15000 Hours, RA 80, Beamangle 36°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt

Energy class F


3000K



Clear
5185000321



Clear
5194002421



G9 Dim | Light Bulb | Clear




Masterbox Qty. 6
Size H: 5,6 cm, Ø: 1.8 cm
Type Light Bulb
Lightsource G9, Wattage: 3.5W
 (), 350 Lumen, 3000 Kelvin, 15000 Hours, RA 80,
 Beamangle 300°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt

Energy class D

R63 Dim | Light Bulb | Clear

Masterbox Qty. 6
Size H: 10,2 cm, Ø: 6.3 cm
Type Light Bulb
Lightsource E27, Wattage: 4.2W (60W), 345 Lumen, 2700K
 Kelvin, 15000 Hours, RA 80, Beamangle 36°
 Has built-in dimmable light source for wall
 dimmer, 220-240 Volt

Energy class F






T8 | Light Bulb | White

Masterbox	Qty. 12
Size	Ø: 2.5 cm
Type	Light Bulb
Lightsource	T8, () Can not be dimmed, 230 Volt
Energy class	G

G13F | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 151,3 cm, Ø: 2.8 cm
Type	Light Bulb
Lightsource	G13, Wattage: 22W (), 2750 Lumen, 4000K Kelvin, 30000 Hours, RA 80, Beamangle 230° Can not be dimmed, 220-240 Volt
Energy class	E



T8 | Light Bulb | White



Masterbox	Qty. 12
Size	Ø: 2.5 cm
Type	Light Bulb
Lightsource	T8, () Can not be dimmed, 230 Volt
Energy class	F

G13F | Light Bulb | Clear

Masterbox	Qty. 6
Size	H: 121,2 cm, Ø: 2.8 cm
Type	Light Bulb
Lightsource	G13, Wattage: 16W (), 2250 Lumen, 4000K Kelvin, 30000 Hours, RA 80, Beamangle 230° Can not be dimmed, 220-240 Volt
Energy class	D



Clear
4211000221



G13F | Light Bulb | Clear



Masterbox Qty. 6
Size H: 60,3 cm, Ø: 2.8 cm
Type Light Bulb
Lightsource G13, Wattage: 9W (), 1150 Lumen, 6500K Kelvin, 30000 Hours, RA 80, Beamangle 230°
Energy class E
Can not be dimmed, 220-240 Volt

G13F | Light Bulb | Clear

Masterbox Qty. 6
Size H: 151,3 cm, Ø: 2.8 cm
Type Light Bulb
Lightsource G13, Wattage: 22W (), 2750 Lumen, 6500K Kelvin, 30000 Hours, RA 80, Beamangle 230°
Energy class E
Can not be dimmed, 220-240 Volt



Clear
4211000421



G13F | Light Bulb | Clear

Masterbox Qty. 6
Size H: 121,2 cm, Ø: 2.8 cm
Type Light Bulb
Lightsource G13, Wattage: 16W (), 2250 Lumen, 6500K Kelvin, 30000 Hours, RA 80, Beamangle 230°
Energy class D
Can not be dimmed, 220-240 Volt

G13F | Light Bulb | Clear

Masterbox Qty. 6
Size H: 60,3 cm, Ø: 2.8 cm
Type Light Bulb
Lightsource G13, Wattage: 9W (), 1150 Lumen, 4000K Kelvin, 30000 Hours, RA 80, Beamangle 230°
Energy class E
Can not be dimmed, 220-240 Volt

*Product
index*

Model	Number	Material	Color	Type	EAN	Energy class	Page
Adrian 12	48815003	Metal/Plastic	Anthracite	Table lamp	5701581462380		91
Adrian 16	48783003	Metal/Plastic	Anthracite	Pendant	5701581461789		90
Adrian	48801003	Metal/Plastic	Anthracite	Wall light	5701581462182		92
Adrian 25	48793003	Metal/Plastic	Anthracite	Pendant	5701581461987		90
Adrian	48824003	Metal/Plastic	Anthracite	Floor lamp	5701581462588		91
Agena	2118221003	Plastic	Black	Wall light	5704924004964	Exempt	325
Agger	74481031	Galvanized steel/Glass	Galvanized	Wall light	5701581210776		291
Agger	74528031	Galvanized steel/Glass	Galvanized	Garden light	5701581211179		292
Agger Sensor	74501031	Galvanized steel/Glass	Galvanized	Wall light	5701581210974		291
Akron 17	46971003	Aluminium/Plastic	Black	Wall light	5701581410480	E	340
Alanis	2213455003	Metal	Black	Table lamp	5704924012150		14
Alanis	2213423035	Metal	Brass	Pendant	5704924012129		14
Alanis	2213413035	Metal/Plastic	Brass	Pendant	5704924012105		13
Alanis	2213441035	Metal/Metal	Brass	Wall light	5704924012143		15
Alanis	2213423003	Metal	Black	Pendant	5704924012112		14
Alanis	2213455035	Metal	Brass	Table lamp	5704924012167		14
Alanis	2213441003	Metal/Metal	Black	Wall light	5704924012136		15
Alanis	2213413003	Metal/Plastic	Black	Pendant	5704924012099		13
Alec	2110350103	Plastic/Plastic	Black	Downlight	5704924006968	F	216
Alec	2110350101	Plastic/Plastic	White	Downlight	5704924006951	F	216
Aleria	2019131001	Metal	White	Wall light	5704924004742		320
Aleria	2019131010	Metal	Grey	Wall light	5704924000737		320
Aleria	2019131003	Metal	Black	Wall light	5704924000720		320
Alexander 16	48654001	Metal/Plastic	White	Floor lamp	5701581459687		70
Alexander 16	48621001	Metal/Plastic	White	Wall light	5701581459281		71
Alexander 16	48621003	Metal/Plastic	Black	Wall light	5701581459380		71
Alexander 16	48635003	Metal/Plastic	Black	Table lamp	5701581459588		70
Alexander 16	48654003	Metal/Plastic	Black	Floor lamp	5701581459786		70
Alexander 16	48635001	Metal/Plastic	White	Table lamp	5701581459489		70
Alton 25	47313047	Glass/Metal	Black	Pendant	5701581452688		93
Alton 27,5	2010506001	Glass/Metal	Brass	Ceiling light	5704924001062		95
Alton 23	47303001	Glass/Metal	White	Pendant	5701581413788		92
Alton 20	47645001	Glass/Metal	Brass	Table lamp	5701581416987		94
Alton 27,5	2010514047	Metal/Glass	Black	Floor lamp	5704924001093		94

Model	Number	Material	Color	Type	EAN	Energy class	Page
Alton 35	48973001	Glass/Metal	White	Pendant	5704924000355		93
Alton 25	47313001	Glass/Metal	White	Pendant	5701581413887		93
Alton 20	47645047	Glass/Metal	Black	Table lamp	5701581452886		94
Alton 27,5	2010514001	Metal/Glass	Brass	Floor lamp	5704924001086		94
Alton 35	48973047	Glass/Metal	Black	Pendant	5701581488588		93
Alton 27,5	2010506047	Glass/Metal	Black	Ceiling light	5704924001079		95
Alton 23	47303047	Glass/Metal	Black	Pendant	5701581452589		92
Altus	47206001	Plastic/Metal	White	Ceiling light	5701581412682	E	162
Altus	47206010	Plastic/Metal	Grey	Ceiling light	5701581412781	E	162
Aludra	2118006010	Aluminium/Plastic	Aluminium	Ceiling light	5704924004445		277
Aludra	2118011010	Aluminium/Plastic	Aluminium	Wall light	5704924004414		277
Aludra	2118006061	Aluminium/Plastic	Brown Metallic	Ceiling light	5704924004438		277
Aludra	2118011003	Aluminium/Plastic	Black	Wall light	5704924004391		277
Aludra 95	2118038010	Aluminium/Plastic	Aluminium	Garden light	5704924004506		278
Aludra	2118011061	Aluminium/Plastic	Brown Metallic	Wall light	5704924004407		277
Aludra 95	2118038061	Aluminium/Plastic	Brown Metallic	Garden light	5704924004490		278
Aludra 95	2118038003	Aluminium/Plastic	Black	Garden light	5704924004483		278
Aludra 45	2118028061	Aluminium/Plastic	Brown Metallic	Garden light	5704924004469		278
Aludra 45	2118028003	Aluminium/Plastic	Black	Garden light	5704924004452		278
Aludra	2118006003	Aluminium/Plastic	Black	Ceiling light	5704924004421		277
Aludra 45	2118028010	Aluminium/Plastic	Aluminium	Garden light	5704924004476		278
Alya	2118231003	Plastic	Black	Wall light	5704924004971	Exempt	326
Amal	10600319	Galvanized steel/Plastic	Galvanized	Garden light	5702376003191		293
Amal	10600219	Galvanized steel/Plastic	Galvanized	Wall light	5702376002194		292
Ancona Maxi	25316101	Metal/Glass	White	Ceiling light	5701581278479		162
Ancona Maxi	25316132	Metal/Glass	Brushed steel	Ceiling light	5701581277274		162
Andor Square	2218410034	Aluminium/StainlessSteel	Stainless steel	Recessed light	5704924012495		367
Andor Round	2218400034	Aluminium/StainlessSteel	Stainless steel	Recessed light	5704924012488		366
Anniver	76633001	Metal	White	Pendant	5701581231986		129
Ara	2118245001	Aluminium/Plastic	White	Battery light	5704924004995	Exempt	356
Ara	2118245003	Aluminium/Plastic	Black	Battery light	5704924004988	Exempt	356
Ara	2118245008	Aluminium/Plastic	Sanded	Battery light	5704924010507	Exempt	356
Arcussmart	2019001003	Aluminium/Plastic	Black	Wall light	5704924000478	D	374
Arcussmart	2019001010	Aluminium/Plastic	Grey	Wall light	5704924000775	D	374

Model	Number	Material	Color	Type	EAN	Energy class	Page
Arki 20	75181031	Galvanized steel/Plastic	Galvanized	Wall light	5701581280274		294
Arki 20	75181003	Metal/Plastic	Black	Wall light	5701581280175		294
Arki 100	2118108031	Metal/Plastic	Galvanized	Garden light	5704924004698		294
Arki 35	2118111031	Metal/Plastic	Galvanized	Wall light	5704924004674		293
Arki 100	2118108003	Metal/Plastic	Black	Garden light	5704924004681		294
Arki 35	2118111003	Metal/Plastic	Black	Wall light	5704924004667		293
Arlington 150	47846101	Plastic	White	Batten Light Fitting	5701581418486	E	197
Arlington 120	47836101	Plastic	White	Batten Light Fitting	5701581418387	E	196
Arlington 60	47826101	Plastic	White	Batten Light Fitting	5701581418288	F	196
Arn Double	45481003	Aluminium/Plastic	Black	Wall light	5701581363786		332
Arn Single	45471003	Aluminium/Plastic	Black	Wall light	5701581363687		332
Artego Round	46941003	Aluminium/Plastic	Black	Wall light	5701581410183	F	341
Artego Square	46951003	Aluminium/Plastic	Black	Wall light	5701581410282	F	340
Asbol Kubi	2019071003	Aluminium/Glass	Black	Wall light	5704924000652	F	339
Asbol Round	84971003	Aluminium/Glass	Black	Wall light	5701581401389	F	339
Ask 36 Sensor	45386501	Metal/Plastic	White	Ceiling light	5701581367487	E	164
Ask 36	45376001	Metal/Plastic	White	Ceiling light	5701581367388	E	163
Ask 28	45356001	Metal/Plastic	White	Ceiling light	5701581367289	E	163
Ask 41	45396001	Metal/Plastic	White	Ceiling light	5701581367586	D	164
Aslak	45721003	Metal	Black	Wall light	5701581368989		111
Aslak 3-Spot	45740101	Metal	White	Spot light	5701581369283		112
Aslak	46553003	Metal	Black	Pendant	5701581406681		110
Aslak 3-Spot	45740103	Metal	Black	Spot light	5701581369382		112
Aslak 2-Spot	45730103	Metal	Black	Spot light	5701581369184		112
Aslak 2-Spot	45730101	Metal	White	Spot light	5701581369085		112
Aslak	46724003	Metal	Black	Floor lamp	5701581409781		111
Aslak	46685003	Metal	Black	Table lamp	5701581408982		110
Aslak	45721001	Metal	White	Wall light	5701581368880		111
Asti 50	2213143014	Wood/Metal	Nature	Pendant	5704924011832		50
Asti 30	2213133014	Wood/Metal	Nature	Pendant	5704924011825		49
Aud	45643003	Metal	Black	Pendant	5701581367982		125
Avasmart	2019016010	Aluminium/Plastic	Grey	Ceiling light	5704924000492	D	374
Avasmart	2019016003	Aluminium/Plastic	Black	Ceiling light	5704924000485	D	374
Avenue 3-Rondel	2113200132	Metal	Brushed steel	Spot light	5704924009433		56

Model	Number	Material	Color	Type	EAN	Energy class	Page
Avenue 2-Rail	2113180132	Metal	Brushed steel	Spot light	5704924009419		55
Avenue 6-Rail	2113210132	Metal	Brushed steel	Spot light	5704924009440		57
Avenue 3-Rail	2113190132	Metal	Brushed steel	Spot light	5704924009426		56
Avenue	2113171032	Metal	Brushed steel	Wall light	5704924009402		55
Avra	84800030	Metal	Copper	Pendant	5701581345881		130
Avra	84800003	Metal	Black	Pendant	5701581345683		130
Avra	84800025	Metal	Brass	Pendant	5701581345782		130
Avrae27 G125	1422070	Glass	Amber	Light Bulb	5701581344686	G	412
Avrae27 G125	1438070	Glass	Amber	Light Bulb	5701581439887	G	412
Avrae27 Diamond	1423070	Glass	Clear	Light Bulb	5701581344785	G	414
Avrae27 Nut	1430070	Glass	Amber	Light Bulb	5701581366282	G	414
Avrae27 G120	1426070	Glass	Smoked	Light Bulb	5701581365889	G	412
Avrae27 G125	1427070	Glass	Smoked	Light Bulb	5701581365988	G	412
Avrae27 G125	1441070	Glass	Clear	Light Bulb	5701581440180	F	413
Avrae27 Nut	1440070	Glass	Amber	Light Bulb	5701581440081	G	414
Avrae27 G125	1429070	Glass	Smoked	Light Bulb	5701581366183	G	413
Avrae27 G125	1439070	Glass	Amber	Light Bulb	5701581439986	F	413
Avrae27 G125	1421070	Glass	Clear	Light Bulb	5701581344587	G	413
Avrae27 G130	1428070	Glass	Amber	Light Bulb	5701581366084	G	414
B22 A60	5181021421	Glass	White	Light Bulb	6923933818334	E	429
B22 A60	5181021621	Glass	White	Light Bulb	6923933818365	E	429
B22 A60	5181010723	Glass	Clear	Light Bulb	6923933819904	E	429
B22 C35	5183000421	Glass	Clear	Light Bulb	6923933819836	E	433
B22 G45	5182000421	Glass	Clear	Light Bulb	6923933819812	E	432
B22 A60	5181000421	Glass	Clear	Light Bulb	6923933819874	E	429
B22 G45	5182001221	Glass	Clear	Light Bulb	6923933819829	E	432
B22 A60	5181010721	Glass	Clear	Light Bulb	6923933819898	E	430
B22 A60	5191002121	Glass	White	Light Bulb	6923933819959	E	430
B22 C35	5183001821	Glass	Clear	Light Bulb	6923933819843	E	433
B22 A60	5181000423	Glass	Clear	Light Bulb	6923933819881	E	430
B22 A60	5181001021	Glass	Clear	Light Bulb	6923933819867	E	430
B22 B22	5183016621	Glass	White	Light Bulb	6923933819850	E	433
B22	5211027423	Glass	Clear	Light Bulb	6923933820504	D	431
B22	5211027421	Glass	Clear	Light Bulb	6923933820498	D	431

Model	Number	Material	Color	Type	EAN	Energy class	Page
B22	5211029821	Glass	White	Light Bulb	6923933820542	D	431
B22	5211029723	Glass	Clear	Light Bulb	6923933820528	D	431
B22	5211027621	Glass	White	Light Bulb	6923933820535	D	432
B22	5211029721	Glass	Clear	Light Bulb	6923933820511	D	432
Balance	2010145003	Metal/Acrylic	Black	Table lamp	5704924001291	E	96
Balance	2010164003	Metal/Acrylic	Black	Floor lamp	5704924001307	E	96
Balance	2010103003	Metal/Acrylic	Black	Pendant	5704924001277	E	42
Balance	2010121003	Metal/Acrylic	Black	Wall light	5704924001284	E	97
Base	22039931	Galvanized steel	Galvanized	Accessories	5701581292048		378
Bastia 24	2118041003	Metal/Plastic	Black	Wall light	5704924004629		324
Bastia 35	2118051003	Metal/Plastic	Black	Wall light	5704924004643		324
Bastia 24	2118041031	Metal/Plastic	Galvanized	Wall light	5704924004636		324
Bastia 35	2118051031	Metal/Plastic	Galvanized	Wall light	5704924004650		324
Bell	76391003	Aluminium/Plastic	Black	Wall light	5701581244382		338
Bend Double	2112784003	Metal/Aluminium	Black	Floor lamp	5704924005992	F	73
Bend Single	2112774003	Metal/Aluminium	Black	Floor lamp	5704924006005	F	72
Bend	2112765003	Metal/Aluminium	Black	Table lamp	5704924006012	F	72
Bend	2112751003	Metal/Aluminium	Black	Wall light	5704924006029	F	73
Beroni 40	2213313003	Metal	Black	Pendant	5704924011955		52
Beroni 35	2213303003	Metal	Black	Pendant	5704924011948		52
Beroni 45	2213323003	Metal	Black	Pendant	5704924011962		53
Birk Single	45521003	Aluminium/Plastic	Black	Wall light	5701581383388		295
Birk Double	45501003	Aluminium/Plastic	Black	Wall light	5701581363885		295
Birk	45518003	Aluminium/Plastic	Black	Garden light	5701581363984		296
Birla	84950001	Plastic	White	Downlight	5701581373082	F	216
Bity 40 3000k	2110016101	Plastic/Plastic	White	Batten Light Fitting	5704924005022	F	197
Bity 55 4000k	2110026101	Plastic/Plastic	White	Batten Light Fitting	5704924005039	F	198
Blok Up Sensor	25031034	Stainless steel/Glass	Stainless steel	Wall light	5701581120044		297
Blok Up	25011031	Galvanized steel/Glass	Galvanized	Wall light	5701581116047		296
Blok	25078031	Galvanized steel/Glass	Galvanized	Garden light	5701581124042		298
Blok Up	25011034	Stainless steel/Glass	Stainless steel	Wall light	5701581117044		296
Blok Up	25011030	Copper/Glass	Copper	Wall light	5701581115040		296
Blok Down	25051031	Galvanized steel/Glass	Galvanized	Wall light	5701581122048		297
Blok Up Sensor	25031031	Galvanized steel/Glass	Galvanized	Wall light	5701581119048		297

Model	Number	Material	Color	Type	EAN	Energy class	Page
Blok	25078030	Copper/Glass	Copper	Garden light	5701581123045		298
Blok Up Sensor	25031030	Copper/Glass	Copper	Wall light	5701581118041		297
Blok Up	25011003	Metal/Glass	Black	Wall light	5701581204072		296
Blok	25078034	Stainless steel/Glass	Stainless steel	Garden light	5701581125049		298
Blok Up Sensor	25031003	Metal/Glass	Black	Wall light	5701581219274		297
Bob	2118085062	Bamboo/Plastic	Nature(brown)	Battery light	5704924004568	Exempt	355
Break	19861003	Metal/Plastic	Black	Wall light	5701581226180		58
Break	19874003	Metal/Plastic	Black	Floor lamp	5701581226289		57
Bretagne	39489901	Metal	White	Pendant	5701581330788		21
Bretagne 38	39489910	Metal/Metal	Grey	Pendant	5704924011450		21
Bretagne	2213471001	Metal/Metal	White	Wall light	5704924012174		23
Bretagne	2213485010	Metal/Metal	Grey	Table lamp	5704924012204		22
Bretagne	2213494001	Metal/Metal	White	Floor lamp	5704924012211		22
Bretagne	2213494010	Metal/Metal	Grey	Floor lamp	5704924012228		22
Bretagne 38	39489930	Metal/Metal	Copper	Pendant	5704924011467		21
Bretagne	2213471010	Metal/Metal	Grey	Wall light	5704924012181		23
Bretagne	2213485001	Metal/Metal	White	Table lamp	5704924012198		22
Bring 12	2218013001	Plastic	White	Battery light	5704924010545	Exempt	356
Cafe 25	39573001	Glass/Metal	Opal white	Pendant	5701581103016		124
Cafe 30	39583001	Glass/Metal	Opal white	Pendant	5701581104013		125
Cafe 20	39563001	Glass/Metal	Opal white	Pendant	5701581102019		124
Cafe 15	39553001	Glass/Metal	Opal white	Pendant	5701581101012		123
Cambio 3-Kit	79440029	Plastic/Metal	Aluminium	Surface down-light	5701581341784	F	192
Canto Maxi 2	49721003	Aluminium	Black	Wall light	5701581483583		336
Canto Kubi 2	49711010	Aluminium	Grey	Wall light	5701581483187	F	337
Canto Kubi 2	49711031	Galvanized steel	Galvanized	Wall light	5701581483286	F	337
Canto Maxi 2	49721010	Aluminium	Grey	Wall light	5701581483682		336
Canto Maxi 2	49721031	Galvanized steel	Galvanized	Wall light	5701581483781		336
Canto 2	49701035	Brass	Brass	Wall light	5701581482883	F	336
Canto 2	49701010	Aluminium	Grey	Wall light	5701581482586	F	336
Canto Maxi 2	49721001	Aluminium	White	Wall light	5701581483484		336
Canto Maxi Kubi 2	49731003	Aluminium	Black	Wall light	5701581484085		337
Canto Kubi 2	49711034	Stainless steel	Stainless steel	Wall light	5701581483385	F	337
Canto 2	49701001	Aluminium	White	Wall light	5701581482388	F	336

Model	Number	Material	Color	Type	EAN	Energy class	Page
Canto 2	49701031	Galvanized steel	Galvanized	Wall light	5701581482685	F	336
Canto Maxi Kubi 2	49731001	Aluminium	White	Wall light	5701581476080		337
Canto 2	49701034	Stainless steel	Stainless steel	Wall light	5701581482784	F	336
Canto Maxi 2	49721034	Stainless steel	Stainless steel	Wall light	5701581483880		336
Canto Kubi 2	49711001	Aluminium	White	Wall light	5701581482982	F	337
Canto Maxi Kubi 2	49731031	Galvanized steel	Galvanized	Wall light	5701581485785		337
Canto Maxi 2	49721035	Brass	Brass	Wall light	5701581483989		336
Canto Maxi Kubi 2	49731010	Aluminium	Grey	Wall light	5701581476189		337
Canto Kubi 2	49711003	Aluminium	Black	Wall light	5701581483088	F	337
Canto 2	49701003	Aluminium	Black	Wall light	5701581482487	F	336
Cardiff	74398003	Aluminium/Glass	Black	Garden light	5701581256972		299
Cardiff Up	74371003	Aluminium/Glass	Black	Wall light	5701581256774		298
Cardiff Down	74381003	Aluminium/Glass	Black	Wall light	5701581256873		299
Carmen 45	2213603003	Metal	Black	Pendant	5704924012310		8
Carmen	2213615003	Metal	Black	Table lamp	5704924012969		8
Cera	2010203035	Metal	Brass	Pendant	5704924001314		74
Cera	2010244035	Metal	Brass	Floor lamp	5704924001338		75
Cera	2010225035	Metal	Brass	Table lamp	5704924001321		74
Chicago 4-Spot	2113240132	Metal	Brushed steel	Spot light	5704924009471		59
Chicago 2-Spot	2113230132	Metal	Brushed steel	Spot light	5704924009464		59
Chicago	2113221032	Metal	Brushed steel	Wall light	5704924009457		58
Chino 40	84843014	Wood	Nature	Pendant	5701581346482		132
Chino 25	84823014	Wood	Nature	Pendant	5701581346284		131
Chino 30	84833014	Wood	Nature	Pendant	5701581346383		131
Christina 20	48905011	Concrete/Glass	Light grey	Table lamp	5701581463684		54
Christina 20	48905014	Wood/Glass	Clear	Table lamp	5704924011566		54
Christina 20	48905050	Concrete/Glass	Anthracite	Table lamp	5704924011573		54
Clyde	2010844003	Metal/Plastic	Black	Floor lamp	5704924001192	F	44
Clyde	2010835003	Metal/Plastic	Black	Table lamp	5704924001185	F	43
Clyde	2010803003	Metal/Plastic	Black	Pendant	5704924001154	F	42
Clyde 15 2700k	47510101	Plastic/Plastic	White	Downlight	5701581414785	F	218
Clyde	2010821003	Metal/Plastic	Black	Wall light	5704924001178	F	44
Clyde 8 2700k	47500101	Plastic/Plastic	White	Downlight	5701581414686	F	217
Clyde	2010813003	Metal/Plastic	Black	Pendant	5704924001161	F	42

Model	Number	Material	Color	Type	EAN	Energy class	Page
Clyde 15 4000k	47660101	Plastic/Plastic	White	Downlight	5701581421981	F	218
Clyde	2213543003	Metal/Plastic	Black	Pendant	5704924012266	F	43
Clyde 4-Spot	2213530103	Metal/Plastic	Black	Spot light	5704924012259	F	45
Clyde 8 4000k	47650101	Plastic/Plastic	White	Downlight	5701581422087		217
Clydelink	2213550103	Metal/Plastic	Black	Track Light	5704924012280	F	152
Clydelink	2213550101	Metal/Plastic	Matt white	Track Light	5704924012273	F	152
Cody	2112001001	Metal	White	Wall light	5704924005107		137
Cody	2112001023	Metal	Green	Wall light	5704924005121		137
Cody	2112001003	Metal	Black	Wall light	5704924005114		137
Cole	2112991003	Metal/Glass	Black	Wall light	5704924006098		60
Cole 5-Spot	2112950003	Metal/Glass	Black	Spot light	5704924006159		61
Cole 2-Spot	2112890003	Metal/Glass	Black	Wall light	5704924006111		60
Cole 3-Spot	2112910003	Metal/Glass	Black	Spot light	5704924006135		61
Colelink	2112859901	Metal/Glass	White	Track Light	5704924006074		152
Concor	49018050	Aluminium	Anthracite	Garden light	5701581464384		349
Contina 3-Spot	2010953035	Metal/Glass	Brass	Pendant	5704924001710		97
Contina 3-Spot	2010953003	Metal/Glass	Black	Pendant	5704924001703		97
Contina	2010971035	Metal/Glass	Brass	Wall light	5704924001734		99
Contina	2010985003	Metal/Glass	Black	Table lamp	5704924001741		98
Contina	2010994003	Metal/Glass	Black	Floor lamp	5704924001765		99
Contina	2113153035	Metal/Glass	Brass	Pendant	5704924006463		98
Contina	2010985035	Metal/Glass	Brass	Table lamp	5704924001758		98
Contina	2010971003	Metal/Glass	Black	Wall light	5704924001727		99
Contina	2113153003	Metal/Glass	Black	Pendant	5704924006456		98
Contina	2010994035	Metal/Glass	Brass	Floor lamp	5704924001772		99
Coupar	2218061003	Plastic/Aluminium	Black	Wall light	5704924010613		280
Coupar	2218061008	Plastic/Aluminium	Sanded	Wall light	5704924010620		280
Coupar	2218053001	Plastic/Aluminium	White	Pendant	5704924010569		279
Coupar	2218075001	Plastic/Aluminium	White	Table lamp	5704924010637		279
Coupar	2218088008	Aluminium/Plastic	Sanded	Garden light	5704924010682		280
Coupar	2218075003	Plastic/Aluminium	Black	Table lamp	5704924010644		279
Coupar	2218053008	Plastic/Aluminium	Sanded	Pendant	5704924010583		279
Coupar	2218075008	Plastic/Aluminium	Sanded	Table lamp	5704924010651		279
Coupar	2218088001	Aluminium/Plastic	White	Garden light	5704924010668		280

Model	Number	Material	Color	Type	EAN	Energy class	Page
Coupar	2218088003	Aluminium/Plastic	Black	Garden light	5704924010675		280
Coupar	2218061001	Plastic/Aluminium	White	Wall light	5704924010606		280
Coupar	2218053003	Plastic/Aluminium	Black	Pendant	5704924010576		279
Cross 20	2118121003	Aluminium/Plastic	Black	Wall light	5704924004513		284
Cross 25	2118131035	Brass/Plastic	Brass	Wall light	5704924004544		284
Cross 25	2118131003	Aluminium/Plastic	Black	Wall light	5704924004520		284
Cross 20	2118121035	Brass/Plastic	Brass	Wall light	5704924004537		284
Cross 25	2118131031	/PCA	Galvanized	Wall light	5704924012945		284
Cross 20	2118121031	/PCA	Galvanized	Wall light	5704924012938		284
Cuba_out Energy Oval	2019181001	Plastic	White	Wall light	5704924001901	E	323
Cuba_out Bright Round	2019171003	Plastic/Aluminium	Black	Wall light	5704924004735	E	322
Cuba_out Bright Oval	2019191001	Plastic/Aluminium	White	Wall light	5704924001918	E	323
Cuba_out Bright Oval	2019191003	Plastic/Aluminium	Black	Wall light	5704924004728	E	323
Cuba_out Bright Round	2019171001	Plastic/Aluminium	White	Wall light	5704924001895	E	322
Cuba_out Energy Round	2019161003	Plastic	Black	Wall light	5704924004711	F	322
Cuba_out Energy Oval	2019181003	Plastic	Black	Wall light	5704924004704	E	323
Cuba_out Energy Round	2019161001	Plastic	White	Wall light	5704924001888	F	322
Curtiz	2110551001	Aluminium/Metal	Matt white	Wall light	5704924007149	F	
Curtiz	2110551003	Aluminium/Metal	Black/Steel	Wall light	5704924007156	F	
Cyclone	73072003	Metal	Black	Clamp lamp	5701581220775		76
Cyclone	72991003	Metal	Black	Wall light	5701581259973		76
Cyclone	73065001	Metal	White	Table lamp	5701581220379		75
Cyclone	73065003	Metal	Black	Table lamp	5701581220478		75
Cyclone	72991001	Metal	White	Wall light	5701581259775		76
Cyclone	73072001	Metal	White	Clamp lamp	5701581220676		76
Dalton	46901003	Stainless steel/Glass	Black	Wall light	5701581410084		319
Dean	46605003	Metal	Black	Table lamp	5701581407282		136
Dean	46605025	Metal	Brass	Table lamp	5701581407381		136
Desi 22	77636003	Aluminium/Plastic	Black	Ceiling light	5701581250888		344
Desi 28	77646003	Aluminium/Plastic	Black	Ceiling light	5701581250987		344
Dial	2213385026	Metal	Yellow	Table lamp	5704924012075		24
Dial	2213371001	Metal	White	Wall light	5704924012037		25
Dial 25	2213333010	Metal	Grey	Pendant	5704924011986		23
Dial	2213371010	Metal	Grey	Wall light	5704924012044		25

Model	Number	Material	Color	Type	EAN	Energy class	Page
Dial 45	2213353010	Metal	Grey	Pendant	5704924012013		24
Dial 45	2213353001	Metal	White	Pendant	5704924012006		24
Dial	2213394001	Metal	White	Floor lamp	5704924012082		25
Dial	2213385001	Metal	White	Table lamp	5704924012051		24
Dial 25	2213333026	Metal	Yellow	Pendant	5704924011993		23
Dial	2213385010	Metal	Grey	Table lamp	5704924012068		24
Dial 25	2213333001	Metal	White	Pendant	5704924011979		23
Dial 45	2213353026	Metal	Yellow	Pendant	5704924012020		24
Dial	2213394003	Metal/Metal	Black	Floor lamp	5704924013768		25
Dial	2213371003	Metal	Black	Wall light	5704924013744		25
Dial 45	2213353003	Metal	Black	Pendant	5704924013737		24
Dial	2213385003	Metal	Black	Table lamp	5704924013751		24
Dial 25	2213333003	Metal	Black	Pendant	5704924013720		23
Dias	45823027	Glass	Amber	Pendant	5701581370586		127
Dias	45823000	Glass	Clear	Pendant	5701581370487		127
Dicte	2112391009	Textile/Metal	Beige	Wall light	5704924005565		102
Dicte	2112405001	Textile/Metal	White	Table lamp	5704924005572		101
Dicte 53	2112373009	Textile/Metal	Beige	Pendant	5704924005541		100
Dicte	2112414009	Textile/Metal	Beige	Floor lamp	5704924005602		101
Dicte 40	2112353009	Textile/Metal	Beige	Pendant	5704924005527		100
Dicte	2112414001	Textile/Metal	White	Floor lamp	5704924005596		101
Dicte	2112391001	Textile/Metal	White	Wall light	5704924005558		102
Dicte	2112405009	Textile/Metal	Beige	Table lamp	5704924005589		101
Dicte 53	2112373001	Textile/Metal	White	Pendant	5704924005534		100
Dicte 40	2112353001	Textile/Metal	White	Pendant	5704924005510		100
Dimmer 35-500w	531556	Plastic	White	Accessories	7057385315567		250
Diskielink	2110609901	Metal/Plastic	Matt white	Track Light	5704924007200	F	153
Diskielink	2110609903	Metal/Plastic	Matt black	Track Light	5704924007217	F	153
Djaysmart Color	2110886101	Plastic/Metal	White	Ceiling light	5704924007514	E	258
Donsmart Color	2110900101	Plastic/Metal	White	Downlight	5704924007521	G	259
Donsmart Color	2110900103	Plastic/Metal	Black	Downlight	5704924007538	G	259
Donsmart Color	2110900155	Plastic/Metal	Brushed Nickel	Downlight	5704924007545	G	259
Donsmart Color	2210500001	Plastic/Metal	White	Downlight	5704924013263	G	259
Donsmart Color	2210500003	Plastic/Metal	Black	Downlight	5704924013270	G	259

Model	Number	Material	Color	Type	EAN	Energy class	Page
Dorado 3-Kit Ip20 2700k	49400101	Plastic/Metal	White	Downlight	5701581470781	F	219
Dorado 3-Kit Ip65 2700k	49410155	Plastic/Metal	Nickel	Downlight	5701581471283	E	220
Dorado 3-Kit Ip20 2700k	49400155	Plastic/Metal	Nickel	Downlight	5701581470989	F	219
Dorado 1-Kit Ip65 2700k	49430101	Plastic/Metal	White	Downlight	5701581471580		219
Dorado 3-Kit Ip65 2700k	49410101	Plastic/Metal	White	Downlight	5701581471085		220
Dorado 1-Kit Ip65 2700k	49430155	Plastic/Metal	Nickel	Downlight	5701581471788		219
Doradosmar	2015650155	Plastic/Metal	Brushed Nickel	Downlight	5704924003066	F	260
Doradosmar	2015650101	Plastic/Metal	White	Downlight	5704924003004	F	260
Doradosmar	2015650103	Plastic/Metal	Black	Downlight	5704924003059	F	260
Dover	84593103	Plastic/Metal	Black	Table lamp	5701581343085	F	137
Drop	320130	Aluminium	Black	Wall light	7057383201305	G	140
Drop	320131	Aluminium	White	Wall light	7057383201312	G	140
E14 C35 Deco Dim	2080121458	Glass	Goldcolor	Light Bulb	5704924000164	G	422
E14 C35 Deco Dim	2080111458	Glass	Goldcolor	Light Bulb	5704924000157	F	422
E14 C35 Deco Dim	2080091458	Glass	Goldcolor	Light Bulb	5704924000133	F	423
E14 G45 Deco Dim	2080161458	Glass	Goldcolor	Light Bulb	5704924000201	F	416
E14 C35 Deco Dim	2080101458	Glass	Goldcolor	Light Bulb	5704924000140	G	423
E14 C35	5183001521	Glass	Clear	Light Bulb	6923933814077	E	423
E14 C35 Dim	5183017921	Glass	White	Light Bulb	6923933818518	E	423
E14 G45	5172013921	Plastic	Frosted	Light Bulb	6923933817917	F	417
E14 G45	5182000121	Glass	Clear	Light Bulb	6923933813568	E	417
E14 G45	5182014121	Glass	White	Light Bulb	6923933818686	E	417
E14 T25	5187000321	Glass	Clear	Light Bulb	6923933814008	E	421
E14 C35	5193003221	Glass	White	Light Bulb	6923933818525	E	424
E14 C35	5173018921	Plastic	Frosted	Light Bulb	6923933818112	F	424
E14 C35 3-Kit	5173018923	Plastic	Frosted	Light Bulb	6923933818129	F	424
E14 G45	5182000921	Glass	Clear	Light Bulb	6923933814039	E	417
E14 C35	5183005321	Glass	Clear	Light Bulb	6923933817115	E	424
E14 G45 3-Kit	5172014323	Plastic	Frosted	Light Bulb	6923933817948	F	418
E14 G45	5182014521	Glass	White	Light Bulb	6923933818709	E	418
E14 C35	5183015921	Glass	White	Light Bulb	6923933818495	E	425
E14 G45	5182001721	Glass	White	Light Bulb	6923933814237	E	418
E14 C35	5183000121	Glass	Clear	Light Bulb	6923933813124	E	425
E14 C35	5283018821	Glass	Clear	Light Bulb	6923933818471	D	425

Model	Number	Material	Color	Type	EAN	Energy class	Page
E14 C35 3-Kit	5173019323	Plastic	Frosted	Light Bulb	6923933818143	F	425
E14 C35	5183014021	Glass	Clear	Light Bulb	6923933815319	E	426
E14 C35	5183002921	Glass	White	Light Bulb	6923933814329	E	426
E14 G45	5182015721	Glass	Clear	Light Bulb	6923933815357	E	418
E14 G45	5182007821	Glass	Clear	Light Bulb	6923933817337	E	419
E14 G45	5182003321	Plastic	Yellow	Light Bulb	6923933813896	G	419
E14 C35	5173019321	Plastic	Frosted	Light Bulb	6923933817726	F	426
E14 C35	5193002421	Glass	White	Light Bulb	6923933818532	E	426
E14 C35	5193006021	Glass	White	Light Bulb	6923933818549	E	427
E14 G45	5192003321	Glass	White	Light Bulb	6923933818716	E	419
E14 C35	5183016321	Glass	White	Light Bulb	6923933818501	E	427
E14 G45 3-Kit	5172013923	Plastic	Frosted	Light Bulb	6923933817900	F	419
E14 C35 Dim	5183005421	Glass	Clear	Light Bulb	6923933813117	E	427
E14 C35	5183001523	Glass	Clear	Light Bulb	6923933820092	E	427
E14 G45	5182007823	Glass	Clear	Light Bulb	6923933820016	E	420
E14 C35	5193002821	Glass	White	Light Bulb	6923933820108	E	428
E14 G45	5192003323	Glass	White	Light Bulb	6923933820030	E	420
E14 C35	5183018821	Glass	Clear	Light Bulb	6923933820085	E	428
E14 G45	5192007221	Glass	White	Light Bulb	6923933820054	E	420
E14 G45	5182000123	Glass	Clear	Light Bulb	6923933820009	E	420
E14 G45	5182014523	Glass	White	Light Bulb	6923933820023	E	421
E14 G45	5192002121	Glass	White	Light Bulb	6923933820047	E	421
E14 C35	5183016323	Glass	White	Light Bulb	6923933820115	E	428
E14 T25	5187000121	Glass	Clear	Light Bulb	6923933813544	E	422
E14 C35	5283018721	Glass	Clear	Light Bulb	6923933818464	D	428
E14 G45	5172014321	Plastic	Frosted	Light Bulb	6923933817962	F	421
E14 T25	5167003521	Glass	Clear	Light Bulb	6923933812578	F	422
E27 A60 Deco Dim	2080032747	Glass	Smoked	Light Bulb	5704924000065	Exempt	382
E27 G125 Deco Dim	2080232747	Glass	Smoked	Light Bulb	5704924000270	Exempt	403
E27 G200 Deco	2080292758	Glass	Goldcolor	Light Bulb	5704924000331	F	404
E27 T45 Deco Dim	2080132758	Glass	Goldcolor	Light Bulb	5704924000171	G	408
E27 G95 Deco Dim	2080172758	Glass	Goldcolor	Light Bulb	5704924000218	F	401
E27 G95 Deco Dim	2080202758	Glass	Goldcolor	Light Bulb	5704924000249	Exempt	401
E27 A60 Deco Dim	2080012758	Glass	Goldcolor	Light Bulb	5704924000003	F	382

Model	Number	Material	Color	Type	EAN	Energy class	Page
E27 A60 Deco Dim	2080042758	Glass	Goldcolor	Light Bulb	5704924000072	Exempt	382
E27 G95 Deco Dim	2080192747	Glass	Smoked	Light Bulb	5704924000232	Exempt	401
E27 G125 Deco Dim	2080222758	Glass	Goldcolor	Light Bulb	5704924000263	G	404
E27 A165 Deco	2080282758	Glass	Goldcolor	Light Bulb	5704924000324	Exempt	395
E27 Ps160 Deco	2080272747	Glass	Smoked	Light Bulb	5704924000317	Exempt	410
E27 G95 Deco Dim	2080182758	Glass	Goldcolor	Light Bulb	5704924000225	G	402
E27 St64 Deco Dim	2080082758	Glass	Goldcolor	Light Bulb	5704924000119	Exempt	411
E27 G200 Deco	2080302747	Glass	Smoked	Light Bulb	5704924000348	Exempt	404
E27 T65 Deco Dim	2080252758	Glass	Goldcolor	Light Bulb	5704924000294	F	408
E27 St64 Deco Dim	2080062758	Glass	Goldcolor	Light Bulb	5704924000096	G	411
E27 Ps160 Deco	2080262758	Glass	Goldcolor	Light Bulb	5704924000300	F	410
E27 St64 Deco Dim	2080072747	Glass	Smoked	Light Bulb	5704924000102	Exempt	411
E27 G120 Deco Dim	2080212758	Glass	Goldcolor	Light Bulb	5704924000256	F	403
E27 A60 Deco Dim	2080022758	Glass	Goldcolor	Light Bulb	5704924000058	G	382
E27 T45 Deco Dim	2080142758	Glass	Goldcolor	Light Bulb	5704924000188	Exempt	408
E27 G125 Deco Dim	2080242758	Glass	Goldcolor	Light Bulb	5704924000287	Exempt	404
E27 A60 3-Kit	5197001023	Plastic	Frosted	Light Bulb	6923933817887	E	383
E27 A60	5171013521	Plastic	Frosted	Light Bulb	6923933817856	F	383
E27 G45 3-Kit	5172003923	Plastic	Frosted	Light Bulb	6923933817979	F	395
E27 A60	5197001021	Plastic	Frosted	Light Bulb	6923933817894	E	383
E27 G45	5182001921	Glass	White	Light Bulb	6923933814398	E	395
E27 A60 3-Kit	5171013323	Plastic	Frosted	Light Bulb	6923933817818	F	383
E27 G45	5192006521	Glass	Clear	Light Bulb	6923933818655	D	396
E27 A60	5181001321	Glass	Clear	Light Bulb	6923933814107	D	384
E27 G45	5182003421	Plastic	Yellow	Light Bulb	6923933814213	G	396
E27 G45	5182014321	Glass	White	Light Bulb	6923933818693	E	396
E27 G45	5192001921	Glass	Clear	Light Bulb	6923933818648	D	396
E27 A60 3-Kit	5171013523	Plastic	Frosted	Light Bulb	6923933817832	F	384
E27 G45	5182015821	Glass	Clear	Light Bulb	6923933815364	E	397
E27 G45 Dim	5182015521	Glass	White	Light Bulb	6923933818730	E	397
E27 A60	5181000321	Glass	Clear	Light Bulb	6923933818204	E	384
E27 A60	5191001821	Glass	White	Light Bulb	6923933817085	E	384
E27 A60	5191002021	Glass	White	Light Bulb	6923933817092	E	385
E27 A60	5181000921	Glass	Clear	Light Bulb	6923933818198	E	385

Model	Number	Material	Color	Type	EAN	Energy class	Page
E27 G120	5196002021	Glass	Clear	Light Bulb	6923933817184	D	403
E27 G95 Dim	5196000721	Glass	White	Light Bulb	6923933816910	E	402
E27 A60 Dim	5181023121	Glass	White	Light Bulb	6923933818389	E	385
E27 G45	5182001121	Glass	Clear	Light Bulb	6923933814046	E	397
E27 A60 3-Kit	5181014923	Plastic	Frosted	Light Bulb	6923933817801	F	385
E27 A60 Dim	5181023321	Glass	White	Light Bulb	6923933818372	E	386
E27 A60 3-Kit	5171013723	Plastic	Frosted	Light Bulb	6923933817863	F	386
E27 A60	5181021521	Glass	White	Light Bulb	6923933818341	E	386
E27 G45	5192002321	Glass	White	Light Bulb	6923933818754	E	397
E27 G45 3-Kit	5172014023	Plastic	Frosted	Light Bulb	6923933817924	F	398
E27 A60	5181020921	Glass	White	Light Bulb	6923933818297	E	386
E27 G120	5196002821	Glass	White	Light Bulb	6923933817207	D	403
E27 A60	5161009021	Plastic	Frosted	Light Bulb	6923933809639	F	387
E27 G45	5182000321	Glass	Clear	Light Bulb	6923933813575	E	398
E27 G45	5172014421	Plastic	Frosted	Light Bulb	6923933813551	F	398
E27 G45	5182014721	Glass	White	Light Bulb	6923933818723	E	398
E27 A60	5181014521	Plastic	Yellow	Light Bulb	6923933817771	G	387
E27 A60	5181003321	Glass	Clear	Light Bulb	6923933818211	E	387
E27 A60 Dim	5181003621	Glass	Clear	Light Bulb	6923933818259	E	387
E27 A60	5171013321	Plastic	Frosted	Light Bulb	6923933817702	F	388
E27 G45 3-Kit	5172014423	Plastic	Frosted	Light Bulb	6923933817955	F	399
E27 G45	5172003921	Plastic	Frosted	Light Bulb	6923933814770	F	399
E27 G45	5172014021	Plastic	Frosted	Light Bulb	6923933817931	F	399
E27 A60	5171013721	Plastic	Frosted	Light Bulb	6923933817719	F	388
E27 A60	5181021121	Glass	White	Light Bulb	6923933818303	E	388
E27 A60	5181011021	Glass	Clear	Light Bulb	6923933816965	D	388
E27 G45	5192006821	Glass	White	Light Bulb	6923933818761	E	399
E27 A60	5181000121	Glass	Clear	Light Bulb	6923933813599	E	389
E27 G45	5182003721	Glass	Clear	Light Bulb	6923933817146	E	400
E27 A60 Dim	5181006521	Glass	Clear	Light Bulb	6923933814138	D	389
E27 G45	5192003521	Glass	White	Light Bulb	6923933818747	E	400
E27 A60	5181021321	Glass	White	Light Bulb	6923933818310	E	389
E27 Par20 Dim	5020160921OS	Glass	Clear	Light Bulb	6923933820221	G	408
E27 A60	5181001323	Glass	Clear	Light Bulb	6923933819720	D	389

Model	Number	Material	Color	Type	EAN	Energy class	Page
E27 A60	5181010321	Glass	Clear	Light Bulb	6923933819683	E	390
E27 C35	5183016521	Glass	White	Light Bulb	6923933819669	E	409
E27 R80	5194002621	Glass	Clear	Light Bulb	6923933820078	F	409
E27 G95 Dim	5216000121	Glass	Clear	Light Bulb	6923933820306	D	402
E27 G45	5182016521	Glass	Clear	Light Bulb	6923933819621	E	400
E27 A60 Dim	5211028021	Glass	White	Light Bulb	6923933820290	D	390
E27 C35	5183000321	Glass	Clear	Light Bulb	6923933819638	E	409
E27 A60 Dim	5211022721	Glass	White	Light Bulb	6923933820283	D	390
E27 A60	5181021323	Glass	White	Light Bulb	6923933819768	E	390
E27 A60	5181003323	Glass	Clear	Light Bulb	6923933819713	E	391
E27 A60 Dim	5181011221	Glass	Clear	Light Bulb	6923933819744	D	391
E27 A60 Dim	5211027921	Glass	Clear	Light Bulb	6923933820337	D	391
E27 C35	5183016121	Glass	White	Light Bulb	6923933819652	E	410
E27 G95 Dim	5216001121	Glass	White	Light Bulb	6923933820313	D	402
E27 C35	5183001721	Glass	Clear	Light Bulb	6923933819645	E	410
E27 R63	5194002021	Glass	Clear	Light Bulb	6923933820061	G	409
E27 A60	5191002023	Glass	White	Light Bulb	6923933819799	E	391
E27 A60 3-Kit	5181000323	Glass	Clear	Light Bulb	6923933819706	E	392
E27 A60	5181000923	Glass	Clear	Light Bulb	6923933819676	E	392
E27 A60	5191001823	Glass	White	Light Bulb	6923933819775	E	392
E27 A60	5181011023	Glass	Clear	Light Bulb	6923933819737	D	392
E27 A60	5191001721	Glass	White	Light Bulb	6923933819751	E	393
E27 A60	5181021523	Glass	White	Light Bulb	6923933819782	E	393
E27 A60 Dim	5181023721	Glass	White	Light Bulb	6923933819805	E	393
E27 A60	5181010323	Glass	Clear	Light Bulb	6923933819690	E	393
E27 G45 Dim	5182006321	Glass	Clear	Light Bulb	6923933813483	E	400
E27 A60 3-Kit	5181015523	Plastic	Frosted	Light Bulb	6923933817849	F	394
E27	5211033021	Glass	White	Light Bulb	6923933821068	D	394
E27	5211020921	Glass	Clear	Light Bulb	6923933820559	D	394
E27	2290102747	Glass	Smoked	Light Bulb	5704924013454	Exempt	405
E27	2290062758	Glass	Goldcolor	Light Bulb	5704924013355	Exempt	405
E27	2290092758	Glass	Goldcolor	Light Bulb	5704924013423	Exempt	405
E27	2290072747	Glass	Smoked	Light Bulb	5704924013386	Exempt	405
E27	2290072758	Glass	Goldcolor	Light Bulb	5704924013379	Exempt	406

Model	Number	Material	Color	Type	EAN	Energy class	Page
E27	2290092747	Glass	Smoked	Light Bulb	5704924013430	Exempt	406
E27	2290062747	Glass	Smoked	Light Bulb	5704924013362	Exempt	406
E27	2290082747	Glass	Smoked	Light Bulb	5704924013416	Exempt	406
E27	2290102748	Glass	Goldcolor	Light Bulb	5704924013447	Exempt	407
E27	2290052747	Glass	Smoked	Light Bulb	5704924013348	Exempt	407
E27	2290082758	Glass	Goldcolor	Light Bulb	5704924013409	Exempt	407
E27	2290052758	Glass	Goldcolor	Light Bulb	5704924013324	Exempt	407
E27	5221030121	Glass	Clear	Light Bulb	6923933821129	A	394
E27	5221030321	Glass	Clear	Light Bulb	6923933821136	A	395
E27 St64 Deco Dim	2080052758	Glass	Goldcolor	Light Bulb	5704924000089	F	411
E27 G45	2080152758	Glass	Goldcolor	Light Bulb	5704924000195	F	401
Eik 2-Spot	45770110	Metal	Grey	Spot light	5701581369788		9
Eik	45761001	Metal	White	Wall light	5701581369481		9
Eik	45761010	Metal	Grey	Wall light	5701581369580		9
Eik 3-Spot	45780101	Metal	White	Spot light	5701581369887		10
Eik 2-Spot	45770101	Metal	White	Spot light	5701581369689		9
Eik 3-Spot	45780110	Metal	Grey	Spot light	5701581369986		10
Eik 2-Spot	45770103	Metal	Black	Spot light	5704924011481		9
Eik	45761003	Metal	Black	Wall light	5704924011474		9
Eik 3-Spot	45780103	Metal	Black	Spot light	5704924011498		10
Elkton 8	47520101	Plastic/Plastic	White	Downlight	5701581414884	F	220
Elkton 14	47530101	Plastic/Plastic	White	Downlight	5701581414983	F	221
Ellen 20	2112305035	Metal/Glass	Brass	Table lamp	5704924005503		27
Ellen 30	48563003	Metal	Black	Pendant	5701581458482		26
Ellen 40	48584001	Metal	White	Floor lamp	5701581458789		28
Ellen 20	48555023	Metal/Plastic	Green	Table lamp	5701581458284		27
Ellen 20	48555003	Metal/Plastic	Black	Table lamp	5701581458185		27
Ellen 40	48573001	Metal	White	Pendant	5701581458581		26
Ellen 30	48563001	Metal	White	Pendant	5701581463066		26
Ellen 20	48555001	Metal/Plastic	White	Table lamp	5701581458086		27
Ellen 20	2112305003	Metal/Glass	Black	Table lamp	5704924005480		27
Ellen 20	2112305032	Metal/Glass	Brushed steel	Table lamp	5704924005497		27
Ellen 40	48584003	Metal	Black	Floor lamp	5701581458888		28
Ellen 40	48573003	Metal	Black	Pendant	5701581458680		26

Model	Number	Material	Color	Type	EAN	Energy class	Page
Ellen 20	48555009	Metal/Plastic	Beige	Table lamp	5704924011559		27
Elm	45348003	Aluminium/Plastic	Black	Garden light	5701581382985		301
Elm Single	45321003	Aluminium/Plastic	Black	Wall light	5701581382589		300
Elm Double	45331003	Aluminium/Plastic	Black	Wall light	5701581382787		300
Embla	45703001	Glass	Opal white	Pendant	5701581368286		126
Embla	45703047	Glass	Grey	Pendant	5701581368385		126
Ethan 4-Spot	2110430101	Aluminium/Metal	Matt white	Surface down-light	5704924007071		189
Ethan 1-Spot	2110400101	Aluminium/Metal	Matt white	Surface down-light	5704924007033		188
Ethan 2-Spot	2110410101	Aluminium/Metal	Matt white	Surface down-light	5704924007057		188
Ethan 4-Spot	2110430103	Aluminium/Metal	Matt black	Surface down-light	5704924007088		189
Ethan 1-Spot	2110400103	Aluminium/Metal	Matt black	Surface down-light	5704924007040		188
Ethan 2-Spot	2110410103	Aluminium/Metal	Matt black	Surface down-light	5704924007064		188
Explore	2113251001	Metal	White	Wall light	5704924009488		29
Explore Flex	2113261001	Metal	White	Wall light	5704924009501		30
Explore 3-Spot	2113270101	Metal	White	Spot light	5704924009525		30
Explore Flex	2113261003	Metal	Black	Wall light	5704924009518		30
Explore 3-Spot	2113270103	Metal	Black	Spot light	5704924009532		30
Explore	2113251003	Metal	Black	Wall light	5704924009495		29
Explore	2213505003	Metal	Black	Table lamp	5704924012235		28
Explore	2213514003	Metal	Black	Floor lamp	5704924012242		29
Explore	2113251035	Metal/Metal	Brass	Wall light	5704924011610		29
Explore Flex	2113261035	Metal/Metal	Brass	Wall light	5704924011627		30
Explore 3-Spot	2113700135	Metal/Metal	Brass	Spot light	5704924011634		30
Explorlink	86189903	Metal/Plastic	Black	Track Light	5701581373686		153
Explorlink	86189901	Metal/Plastic	White	Track Light	5701581373587		153
Fallon	47540101	Metal/Plastic	White/White	Surface down-light	5701581415089	F	189
Fallon Long	47550103	Metal/Plastic	Black/Steel	Surface down-light	5701581445987	F	190
Fallon Long	47550101	Metal/Plastic	White/White	Surface down-light	5701581415287	F	190
Fallon Long	47550132	Metal/Plastic	White/Steel	Surface down-light	5701581415386	F	190
Fallon	47540132	Metal/Plastic	White/Steel	Surface down-light	5701581415188	F	189
Fallon	47540103	Metal/Plastic	Black/Steel	Surface down-light	5701581445888	F	189
Fixit	0130032	Metal/Plastic	Brushed steel	Accessories	5701581011076		271
Fleur 15	2112101001	Metal	Beige	Wall light	5704924005282		78
Fleur 15	2112115001	Metal	Beige	Table lamp	5704924005299		77

Model	Number	Material	Color	Type	EAN	Energy class	Page
Fleur 24	2112124001	Metal	Beige	Floor lamp	5704924005305		77
Focus	874863	Metal/Plastic	Anthracite	Garden light	7057388748638		303
Focus Mini	874523	Metal/Plastic	Black	Garden light	7057388745231		302
Focus	874823	Metal/Plastic	Black	Garden light	7057388748232		303
Focus Single	874193	Metal/Plastic	Aluminium	Wall light	7057388741936		302
Focus Single	874123	Metal/Plastic	Black	Wall light	7057388741233		302
Focus Single	874163	Metal/Plastic	Anthracite	Wall light	7057388741639		302
Focus Double	874023	Metal/Plastic	Black	Wall light	7057388740236		301
Focus Double	874063	Metal/Plastic	Anthracite	Wall light	7057388740632		301
Focus Single	874131	Metal/Plastic	White	Wall light	7057388741318		302
Focus Double	874093	Metal/Plastic	Aluminium	Wall light	7057388740939		301
Focus Double	874031	Metal/Plastic	White	Wall light	7057388740311		301
Focus Mini	874563	Metal/Plastic	Anthracite	Garden light	7057388745637		302
Fold 10	2019041030	Copper/Plastic	Copper	Wall light	5704924000546	F	318
Fold 15	2019051035	Brass/Plastic	Brass	Wall light	5704924000614	F	319
Fold 10	2019041038	Corten/Plastic	Corten	Wall light	5704924001970	F	318
Fold 15	2019051003	Aluminium/Plastic	Black	Wall light	5704924000584	E	319
Fold 10	2019041001	Aluminium/Plastic	White	Wall light	5704924000522	E	318
Fold 15	2019051038	Metal/Plastic	Corten	Wall light	5704924001987	F	319
Fold 10	2019041035	Brass/Plastic	Brass	Wall light	5704924000560	F	318
Fold 10	2019041031	Galvanized steel/Plastic	Galvanized	Wall light	5704924000553	F	318
Fold 15	2019051031	Galvanized steel/Plastic	Galvanized	Wall light	5704924000607	F	319
Fold 15	2019051030	Copper/Plastic	Copper	Wall light	5704924000591	F	319
Fold 15	2019051001	Aluminium/Plastic	White	Wall light	5704924000577	E	319
Fold 10	2019041003	Aluminium/Plastic	Black	Wall light	5704924000539	E	318
Fremont 3-Kit	47580132	Plastic/Metal	Brushed steel	Downlight	5701581415980	F	221
Fremont 3-Kit	47580103	Plastic/Metal	Black	Downlight	5701581415881	F	221
Fremont 3-Kit	47580101	Plastic/Metal	White	Downlight	5701581420489	F	221
Freya 35	2213083003	Metal	Black	Pendant	5704924011757		31
Freya	2213101003	Metal	Black	Wall light	5704924011771		32
Freya	2213115003	Metal	Black	Table lamp	5704924011788		31
Freya	2213115009	Metal	Beige	Table lamp	5704924011795		31
Freya	2213115023	Metal	Green	Table lamp	5704924011801		31
Freya 35	2213083009	Metal	Beige	Pendant	5704924011740		31

Model	Number	Material	Color	Type	EAN	Energy class	Page
Freya	2213124003	Metal	Black	Floor lamp	5704924011818		32
Freya 35	2213083023	Metal	Green	Pendant	5704924011764		31
Frida 4-Spot	49820101	Metal	White	Spot light	5701581477285		63
Frida 2-Spot	49810101	Metal	White	Spot light	5701581477186		62
Frida	49801001	Metal	White	Wall light	5701581477087		62
Front 36	84091003	Metal/Plastic	Black	Wall light	5701581341487	E	288
Front Single	46801001	Aluminium/Glass	White	Wall light	5701581398986		287
Front 26	84081001	Metal/Plastic	White	Wall light	5701581341180	F	288
Front 26	84081003	Metal/Plastic	Black	Wall light	5701581341289	F	288
Front 36	84091001	Metal/Plastic	White	Wall light	5701581341388	E	288
Front Single	46801003	Aluminium/Glass	Black	Wall light	5701581399082		287
Front Single	46801008	Aluminium/Glass	Sanded	Wall light	5704924012396		287
Frøyalink	86119901	Metal/Plastic	White	Track Light	5701581373389		156
Fuse	77509931	Galvanized steel	Galvanized	Accessories	5701581257689		303
Fuse	77518031	Galvanized steel/Glass	Galvanized	Garden light	5701581249288		304
G13f	4211000521	Glass	Clear	Light Bulb	6923933820412	E	440
G13f	4211000321	Glass	Clear	Light Bulb	6923933820399	D	440
G13f	4211000221	Glass	Clear	Light Bulb	6923933820382	E	441
G13f	4211000421	Glass	Clear	Light Bulb	6923933820405	D	441
G13f	4211000621	Glass	Clear	Light Bulb	6923933820429	E	441
G13f	4211000121	Glass	Clear	Light Bulb	6923933820375	E	441
G4	5195000621	Silicone	Clear	Light Bulb	6923933818150	F	438
G4 Stick	5155101523	Ceramic	Clear	Light Bulb	6923933820214	F	438
G4 Stick	5155101521	Ceramic	Clear	Light Bulb	6923933820207	F	438
G9 G9	5195000321	Ceramic	Frosted	Light Bulb	6923933818167	F	438
G9 G9	5195000221	Ceramic	Clear	Light Bulb	6923933817733	F	439
G9 Dim	5185000321	Ceramic	Clear	Light Bulb	6923933820320	F	439
Galloway	2011053003	Metal	Black/Brass	Pendant	5704924001826		63
Galloway	2011075003	Metal	Black/Brass	Table lamp	5704924001833		64
Gloom	2113053003	Metal	Black	Pendant	5704924006227		49
Gloom	2113053035	Metal	Brass	Pendant	5704924006234		49
Grant 3-Spot	2010583003	Glass/Metal	Black	Pendant	5704924001130		80
Grant	46635025	Glass/Metal	Brass	Table lamp	5701581407985		80
Grant 25	2010563035	Glass/Metal	Brass	Pendant	5704924001116		79

Model	Number	Material	Color	Type	EAN	Energy class	Page
Grant 35	2010573035	Glass/Metal	Brass	Pendant	5704924001123		79
Grant	46635003	Glass/Metal	Black	Table lamp	5701581407886		80
Grant 3-Spot	2010583035	Glass/Metal	Brass	Pendant	5704924001147		80
Grant	47091003	Glass/Metal	Black	Wall light	5701581411685		81
Grant 15	2010553035	Glass/Metal	Brass	Pendant	5704924001109		78
Grant	47091025	Glass/Metal	Brass	Wall light	5701581411784		81
Gripsmart	2118201003	Aluminium/Plastic	Black	Wall light	5704924004377	F	375
Gripsmart	2118201001	Aluminium/Plastic	White	Wall light	5704924004384	F	375
Groa	2213155014	Wood	Nature	Table lamp	5704924011856		53
Groa	2213155003	Wood	Black	Table lamp	5704924011849		53
Gu10 Dim	5184002821	Glass	Clear	Light Bulb	6923933817276	F	433
Gu10 Gu10	5184003621	Glass	Clear	Light Bulb	6923933818013	F	434
Gu10 3-Kit	5174008923	Plastic	Clear	Light Bulb	6923933818068	F	434
Gu10	5174008521	Glass	Clear	Light Bulb	6923933817993	F	434
Gu10	5174008621	Glass	Clear	Light Bulb	6923933818006	F	434
Gu10 3-Kit	5174008823	Plastic	Clear	Light Bulb	6923933818051	F	435
Gu10	5164005623	Glass	Clear	Light Bulb	6923933820191	F	435
Gu10	5174008623	Glass	Clear	Light Bulb	6923933820122	F	435
Gu10	5184003623	Glass	Clear	Light Bulb	6923933820139	F	435
Gu10	5164003223	Glass	Clear	Light Bulb	6923933820184	F	436
Gu10	5164003221	Glass	Clear	Light Bulb	6923933814749	F	436
Gu10 Dim	5164005421	Glass	Clear	Light Bulb	6923933817740	F	436
Gu10	5164005621	Glass	Clear	Light Bulb	6923933817269	F	436
Gu10 3-Kit Dim	5164003723	Glass	Clear	Light Bulb	6923933812691	F	437
Gu10 Dim	5164003721	Glass	Clear	Light Bulb	6923933812462	F	437
Gu10 3-Kit	5174008523	Glass	Clear	Light Bulb	6923933820436	F	437
Gu10	5214008423	Plastic	White	Light Bulb	6923933821112		437
Hang	2010013001	Porcelain	White	Pendant	5704924001222		118
Hang	2010013059	Porcelain	Terracotta	Pendant	5704924001246		118
Hang	2010013010	Porcelain	Grey	Pendant	5704924001239		118
Harlow 60x30 Step	2110496101	Plastic/Plastic	White	Ceiling light	5704924007118	F	165
Harlowsmar Rgb	2110806101	Plastic/Plastic	White	Ceiling light	5704924007422	F	257
Heka	2118211050	Aluminium/Glass	Grey	Wall light	5704924005046		285
Heka	2118211003	Aluminium/Glass	Black	Wall light	5704924004957		285

Model	Number	Material	Color	Type	EAN	Energy class	Page
Heka	2118211008	Aluminium/Glass	Sanded	Wall light	5704924010491		285
Helford	49031055	Brass/Glass	Nickel	Wall light	5701581464780		334
Helford	49031035	Brass/Glass	Brass	Wall light	5701581464681		334
Helix	77499931	Galvanized steel/Plastic	Galvanized	Garden light	5704924005961		305
Helix	77479938	Corten/Plastic	Corten	Wall light	5704924005893		304
Helix	77479931	Galvanized steel/Plastic	Galvanized	Wall light	5704924005954		304
Helix	77499938	Corten/Plastic	Corten	Garden light	5704924005909		305
Helva Night	2015301001	Plastic/Plastic	White	Wall light	5704924002557	F	230
Helva Double Basic	2015311001	Plastic/Plastic	White	Wall light	5704924002571	F	230
Helva Double	2015321055	Plastic/Plastic	Brushed Nickel	Wall light	5704924002601	F	231
Helva Double	2015321033	Plastic/Plastic	Chrome	Wall light	5704924002595	F	231
Helva Night	2015301033	Plastic/Plastic	Chrome	Wall light	5704924002564	F	230
Helva Double Basic	2015311003	Plastic/Plastic	Black	Wall light	5704924002588	F	230
Hester	2015391033	Plastic/Glass	Chrome	Wall light	5704924002663	F	231
Hester	2015391003	Plastic/Glass	Black	Wall light	5704924002656	F	231
Hester	2015391001	Plastic/Glass	White	Wall light	5704924002649	F	231
Hollywood	46645047	Glass/Plastic	Smoked	Table lamp	5701581408289		65
Hollywood	46645027	Glass/Plastic	Amber	Table lamp	5701581408180		65
Hollywood	46483047	Glass/Metal	Smoked	Pendant	5701581405585		64
Hollywood	46483000	Glass/Metal	Clear	Pendant	5701581405387		64
Hollywood	46483027	Glass/Metal	Amber	Pendant	5701581405486		64
Hollywood	46645000	Glass/Plastic	Clear	Table lamp	5701581408081		65
Ip S12	83051001	Metal/Plastic	White	Bathroom lighting	5701581300484		234
Ip S4	78511001	Metal/Plastic	White	Bathroom lighting	5701581268388		233
Ip S6	78531001	Metal/Plastic	White	Bathroom lighting	5701581274983		234
Ip S4	78511032	Metal/Plastic	Brushed steel	Bathroom lighting	5701581268487		233
Ip S13 60	83071032	Metal/Plastic	Brushed steel	Bathroom lighting	5701581300989	E	235
Ip S13 40	83061032	Metal/Plastic	Brushed steel	Bathroom lighting	5701581300781	E	235
Ip S5	78521001	Metal/Plastic	White	Bathroom lighting	5701581268685		233
Ip S13 60	83071001	Metal/Plastic	White	Bathroom lighting	5701581300880	E	235
Ip S12	83051033	Metal/Plastic	Chrome	Bathroom lighting	5701581300583		234
Ip S13 40	83061001	Metal/Plastic	White	Bathroom lighting	5701581300682	E	235
Ip S6	78531032	Metal/Plastic	Brushed steel	Bathroom lighting	5701581275089		234
Ivona 6-Spot	2112163035	Glass/Metal	Brass	Pendant	5704924005343		121

Model	Number	Material	Color	Type	EAN	Energy class	Page
Ivona 6-Spot	2112163003	Glass/Metal	Black	Pendant	5704924005336		121
Ivona 4-Spot	2112153003	Glass/Metal	Black	Pendant	5704924005312		120
Ivona 4-Spot	2112153035	Glass/Metal	Brass	Pendant	5704924005329		120
Jelly	2010783001	Glass/Metal	Clear	Pendant	5704924001628		120
Jim	2218105023	Metal/Plastic	Green	Battery light	5704924010736	Exempt	357
Jim	2218105027	Metal/Plastic	Orange	Battery light	5704924010743	Exempt	357
Jim	2218105003	Metal/Plastic	Black	Battery light	5704924010705	Exempt	357
Jim	2218105010	Metal/Plastic	Grey	Battery light	5704924010729	Exempt	357
Jim	2218105006	Metal/Plastic	Blue	Battery light	5704924010712	Exempt	357
Jim	2218105002	Metal/Plastic	Red	Battery light	5704924010699	Exempt	357
Josefine 7-Spot	2010303003	Metal	Black	Pendant	5704924001055		81
Josefine	48955003	Metal	Matt black	Table lamp	5701581464186		82
Josefine	48941003	Metal	Matt black	Wall light	5701581464087		83
Josefine	48933003	Metal	Matt black	Pendant	5701581463981		82
Kettle Tripod 110	2018044003	Metal	Black	Accessories	5701581496583		360
Kettle Tripod 110	2018044014	Wood/Metal	Nature(brown)	Accessories	5701581496682		360
Kettle Spike	2018028003	Metal/Aluminium	Black	Accessories	5701581496187		361
Kettle 22	2018003003	Plastic	White	Battery light	5701581495982	E	359
Kettle Tripod 31	2018035003	Metal	Black	Accessories	5701581496385		360
Kettle 36	2018013003	Plastic	White	Battery light	5701581496088	E	359
Kettle Tripod 31	2018035014	Wood/Metal	Nature(brown)	Accessories	5701581496484		360
Kinver 18	84181001	Metal/Glass	White	Wall light	5701581342781	E	338
Kinver 18	84181003	Metal/Glass	Black	Wall light	5701581342880	E	338
Kinver 26	2118181003	Aluminium/Glass	Black	Wall light	5704924004759	E	325
Kinver 26	2118181001	Aluminium/Glass	White	Wall light	5704924004766	E	325
Kitchenio 3-Kit	2015460103	Plastic/Plastic	Black	Surface down-light	5704924002823	G	191
Kitchenio 3-Kit	2015460155	Plastic/Plastic	Brushed Nickel	Surface down-light	5704924002830	G	191
Kitchenio 1-Kit	2015450101	Plastic/Plastic	White	Surface down-light	5704924002786	G	190
Kitchenio 1-Kit	2015450155	Plastic/Plastic	Brushed Nickel	Surface down-light	5704924002809	G	190
Kitchenio 3-Kit	2015460101	Plastic/Plastic	White	Surface down-light	5704924002816	G	191
Kitchenio 1-Kit	2015450103	Plastic/Plastic	Black	Surface down-light	5704924002793	G	190
Konieklink	2110629903	Metal/Plastic	Matt black	Track Light	5704924007255		157
Konieklink	2110629901	Metal/Plastic	Matt white	Track Light	5704924007248		157
Kurnos 35	2118071003	Metal/Plastic	Black	Wall light	5704924004605		283

Model	Number	Material	Color	Type	EAN	Energy class	Page
Kurnos 20	2118061031	Metal/Plastic	Galvanized	Wall light	5704924004599		283
Kurnos 20	2118061003	Metal/Plastic	Black	Wall light	5704924004582		283
Kurnos 35	2118071031	Metal/Plastic	Galvanized	Wall light	5704924004612		283
Kurnos 20	2118061008	Metal/Plastic	Sanded	Wall light	5704924010477		283
Kurnos 35	2118071008	Metal/Plastic	Sanded	Wall light	5704924010484		283
Landon 8	2110660101	Metal/Plastic	White	Bathroom lighting	5704924007309	F	236
Landon 14	2110670103	Metal/Plastic	Black	Bathroom lighting	5704924007330	F	236
Landon 14	2110670101	Metal/Plastic	White	Bathroom lighting	5704924007323	F	236
Landon 8	2110660103	Metal/Plastic	Black	Bathroom lighting	5704924007316	F	236
Landonsmar	2110840103	Metal/Plastic	Black	Ceiling light	5704924007460	F	255
Landonsmar Long	2110850101	Metal/Plastic	White	Ceiling light	5704924007477	F	255
Landonsmar	2110840101	Metal/Plastic	White	Ceiling light	5704924007453	F	255
Landonsmar Long	2110850103	Metal/Plastic	Black	Ceiling light	5704924007484	F	255
Largo	47051001	Metal	White	Wall light	5701581411081		141
Largo	47051003	Metal	Black	Wall light	5701581411180		141
Latona 12w	47436101	Plastic	White	Batten Light Fitting	5701581446489	E	199
Latona 9w	47426101	Plastic	White	Batten Light Fitting	5701581446380	E	199
Latona 5w	47416101	Plastic	White	Batten Light Fitting	5701581446281	E	198
Led Strip 3m	47970000	Silicone/Plastic		LED strip	5701581443587	Exempt	244
Led Strip 5m	47980000	Silicone/Plastic		LED strip	5701581443686	G	244
Led Strip 3m 2700-6000k	2210359901	Copper	White	LED strip	5704924012778	G	246
Led Strip 3m Rgb Music	2210399901	Copper	White	LED strip	5704924012808		248
Led Strip 5m 2700-6000k	2210369901	Copper	White	LED strip	5704924012785	G	247
Led Strip 10m 2700-6000k	2210379901	Copper	White	LED strip	5704924012792	G	247
Led Strip 5m Basic	2210319901	Copper	White	LED strip	5704924012754	G	245
Led Strip 5m Rgb Music	2210409901	Copper	White	LED strip	5704924012815		248
Led Strip 3m Basic	2210329901	Copper	White	LED strip	5704924012747	G	245
Led Strip 10m Basic	2210339901	Copper	White	LED strip	5704924012761	G	246
Leo	2118095062	Bamboo/Plastic	Nature(brown)	Battery light	5704924004575	Exempt	355
Leroy	47560101	Plastic	White	Ceiling light	5701581415485		165
Leroy 4000k	47680101	Plastic	White	Ceiling light	5701581422988		166
Lilly	48891003	Glass/Metal	Black	Wall light	5701581463486		34
Lilly	48613003	Metal/Glass	Black	Floor lamp	5701581459182		34
Lilly 3-Spot	48603003	Metal/Glass	Black	Pendant	5701581458987		33

Model	Number	Material	Color	Type	EAN	Energy class	Page
Lilly 3-Spot	48603035	Metal/Glass	Brass	Pendant	5701581459083		33
Lilly Marble	2213575010	Glass/Marble	Grey	Table lamp	5704924012297		33
Lilly Marble	2213575018	Glass/Marble	Brown	Table lamp	5704924012303		33
Lilt	2010603032	Metal/Plastic	Brushed steel	Pendant	5704924001512	E	48
Lilt	2010603003	Metal/Plastic	Black	Pendant	5704924001505	E	48
Lilt	2010603051	Metal/Plastic	Dark grey steel	Pendant	5704924011580	E	48
Link Pendant Adapter	79069903	Plastic	Black	Track Light	5701581356986		148
Link T-Connector Left	86069903	Plastic/Metal	Black	Track Light	5701581402386		150
Link Adapter Side	79039901	Plastic/Metal	White	Track Light	5701581357280		146
Link Pendant Adapter	79069901	Plastic	White	Track Light	5701581273283		148
Link 2m	79089903	Metal	Black	Track Light	5701581356580		149
Link X-Connector	86079903	Plastic/Metal	Black	Track Light	5701581402584		150
Link Connector Turnable	79029903	Plastic/Metal	Black	Track Light	5701581357181		146
Link 1m	79079901	Metal	White	Track Light	5701581273382		148
Link T-Connector Right	86059901	Plastic/Metal	White	Track Light	5701581402089		151
Link Connector	79059901	Plastic	White	Track Light	5701581273184		147
Link 1,8m	2110589901		Matt white	Track Light	5704924007187		149
Link T-Connector Right	86059903	Plastic/Metal	Black	Track Light	5701581402188		151
Link Adapter Center	79049901	Plastic	White	Track Light	5701581357488		147
Link 1m	79079903	Metal	Black	Track Light	5701581356382		148
Link X-Connector	86079901	Plastic/Metal	White	Track Light	5701581402485		150
Link T-Connector Left	86069901	Plastic/Metal	White	Track Light	5701581402287		150
Link Connector Turnable	79029901	Plastic/Metal	White	Track Light	5701581357082		146
Link Adapter Center	79049903	Plastic	Black	Track Light	5701581357587		147
Link Adapter Side	79039903	Plastic	Black	Track Light	5701581357389		146
Link Connector	79059903	Plastic	Black	Track Light	5701581356788		147
Link 2m	79089901	Metal	White	Track Light	5701581273481		149
Link 1,8m	2110589903	Metal/Plastic	Matt black	Track Light	5704924007194		149
Link Cover	2210309003		Black	Track Light	5704924012716		151
Link Cover	2210309001		White	Track Light	5704924012709		151
Linton	2218308031	Galvanized steel/Plastic	Galvanized	Garden light	5704924011078		282
Linton	2218295035	Brass/Plastic	Brass	Table lamp	5704924011061		281
Linton	2218295031	Galvanized steel/Plastic	Galvanized	Table lamp	5704924011054		281
Linton	2218281031	Galvanized steel/Plastic	Galvanized	Wall light	5704924011030		282

Model	Number	Material	Color	Type	EAN	Energy class	Page
Linton	2218273031	Galvanized steel/Plastic	Galvanized	Pendant	5704924011016		281
Linton	2218273035	Brass/Plastic	Brass	Pendant	5704924011023		281
Linton	2218308035	Brass/Plastic	Brass	Garden light	5704924011085		282
Linton	2218281035	Brass/Plastic	Brass	Wall light	5704924011047		282
Lismore 4-Kit	76730001	Plastic	Chrome	Surface down-light	5701581210684	F	191
Livasmart Color	2110826103	Plastic/Plastic	Black	Ceiling light	5704924007446	F	258
Livasmart Color	2110826101	Plastic/Plastic	White	Ceiling light	5704924007439	F	258
Lotus 2-Spot	50110103	Metal	Black/Brass	Spot light	5701581478282		66
Lotus	50101003	Metal	Black/Brass	Wall light	5701581478183		65
Lotus 4-Spot	50130103	Metal	Black/Brass	Spot light	5701581478480		67
Lotus 3-Spot	50120103	Metal	Black/Brass	Spot light	5701581478381		66
Luxe	22671031	Galvanized steel/Glass	Galvanized	Wall light	5701581035010		307
Luxe	72805009	Metal/Glass	Rusty	Pendant	5701581233270		306
Luxe	22671030	Copper/Glass	Copper	Wall light	5701581083011		307
Luxe	22671003	Metal/Glass	Black	Wall light	5701581004047		307
Luxe Sensor	22661031	Galvanized steel/Glass	Galvanized	Wall light	5701581020054		306
Luxe	22671009	Metal/Glass	Rusty	Wall light	5701581233171		307
Lyne	84813003	Metal	Black	Pendant	5701581346086		130
Lønstrup 22 Sensor	71432031	Galvanized steel/Glass	Galvanized	Wall light	5701581232280		309
Lønstrup 32	71411031	Galvanized steel/Glass	Galvanized	Wall light	5701581253773		307
Lønstrup 32	71428031	Galvanized steel/Glass	Galvanized	Garden light	5701581253674		309
Lønstrup 22	71431003	Metal/Glass	Black	Wall light	5701581232389		308
Lønstrup 32	71411003	Metal/Glass	Black	Wall light	5701581277977		307
Lønstrup 32 Sensor	71412031	Galvanized steel/Glass	Galvanized	Wall light	5701581278073		308
Lønstrup 22	71431031	Galvanized steel/Glass	Galvanized	Wall light	5701581232181		308
Lønstrup 32	71428003	Metal/Glass	Black	Garden light	5701581278271		309
Magia	2112044003	Glass/Metal	Black	Floor lamp	5704924005206		17
Magia	2112035001	Glass/Metal	White	Table lamp	5704924005176		16
Magia 18	2112013001	Glass/Metal	White	Pendant	5704924005138		15
Magia	2112044001	Glass/Metal	White	Floor lamp	5704924005190		17
Magia 26	2112023003	Glass/Metal	Black	Pendant	5704924005169		16
Magia 18	2112013003	Glass/Metal	Black	Pendant	5704924005145		15
Magia	2112035003	Glass/Metal	Black	Table lamp	5704924005183		16
Magia 26	2112023001	Glass/Metal	White	Pendant	5704924005152		16

Model	Number	Material	Color	Type	EAN	Energy class	Page
Magie27 G95	2020070201	Glass	Black	Light Bulb	5400848002351	Exempt	415
Magie27 G95	2020070203	Glass	Matt gold	Light Bulb	5400848002399	Exempt	415
Magie27 G200	2020070206	Glass	Black	Light Bulb	5400848002450	Exempt	416
Magie27 G95	2020070202	Glass	Black	Light Bulb	5400848002375	Exempt	415
Magie27 G95	2020070204	Glass	Matt gold	Light Bulb	5400848002412	Exempt	415
Magie27 G95	2020070205	Glass	Silver	Light Bulb	5400848002436	Exempt	416
Magie27 G200	2020070207	Glass	Black	Light Bulb	5400848002474	Exempt	416
Mahi	2015430103	Plastic/Metal	Black	Downlight	5704924002755	F	
Mahi	2015430101	Plastic/Metal	White	Downlight	5704924002748	F	
Mahi	2015430155	Plastic/Metal	Brushed Nickel	Downlight	5704924002779	F	
Malte	21861031	Galvanized steel/Plastic	Galvanized	Wall light	5701581100046		330
Malte	21841031	Galvanized steel/Plastic	Galvanized	Wall light	5701581099043		330
Marina	62329933	Metal/Glass	Chrome	Bathroom lighting	5701581331785		237
Marina	62329903	Metal/Glass	Black	Bathroom lighting	5701581365780		237
Marina Sensor	46831003	Aluminium/Plastic	Black	Wall light	5701581399488	E	333
Marina Flatline	46821003	Aluminium/Plastic	Black	Wall light	5701581399280	E	333
Marlee	2110701003	Metal/Plastic	Black	Bathroom lighting	5704924007378	F	237
Marlee	2110701001	Metal/Plastic	White	Bathroom lighting	5704924007361	F	237
Mason	47131003	Plastic	Black	Wall light	5701581412286	F	141
Mason	47131001	Plastic	White	Wall light	5701581412187	F	141
Mento	75582003	Metal	Black	Clamp lamp	5701581211889	G	68
Mento	75531003	Metal	Black	Wall light	5701581286078	G	67
Mento	75582001	Metal	White	Clamp lamp	5701581211780	G	68
Mento	75531001	Metal	White	Wall light	5701581285972	G	67
Mib6link	71669901	Metal/Plastic	White	Track Light	5701581332287		157
Mib6link	71669903	Metal/Plastic	Black	Track Light	5701581332386		157
Milford	48915001	Glass/Wood	Nature	Table lamp	5701581463783		20
Milford 30	46583001	Glass/Metal	Opal white	Pendant	5701581407084		19
Milford 20	46573001	Glass/Metal	Opal white	Pendant	5701581406988		18
Milford	48924001	Glass/Metal	White	Floor lamp	5701581463882		21
Milford	48965001	Glass/Metal	Black	Table lamp	5701581464285		20
Milford 30	2213213001	Glass/Metal	Opal white	Pendant	5704924011894		18
Milford	2213225001	Glass/Metal	Brass	Table lamp	5704924011900		19
Milford 20	2213203001	Glass/Metal	Opal white	Pendant	5704924011887		17

Model	Number	Material	Color	Type	EAN	Energy class	Page
Mixit Pro	71810132	Plastic/Metal	Brushed steel	Downlight	5701581279681		222
Mixit Pro	71810101	Plastic/Metal	White	Downlight	5701581295186		222
Mixit	71820132	Plastic/Metal	Brushed steel	Downlight	5701581264779		222
Molli Double	2112844003	Glass/Metal	Black	Floor lamp	5704924006050		104
Molli	2112834003	Glass/Metal	Black	Floor lamp	5704924006043		103
Molli	2112825003	Glass/Metal	Black	Table lamp	5704924006449		103
Molli	2112811003	Glass/Metal	Black	Wall light	5704924006036		104
Molli	2112803003	Glass/Metal	Black	Pendant	5704924006067		102
Mona	2110561001	Aluminium/Glass	White	Wall light	5704924007163	F	
Mona	2110561003	Aluminium/Glass	Black/White	Wall light	5704924007170	F	
Mono	83698003	Aluminium	Black	Spot light	5701581306585		371
Montone 18	2015156101	Metal/Plastic	White	Ceiling light	5704924002250	E	166
Montone 30	2015196101	Metal/Plastic	White	Ceiling light	5704924002274	E	167
Montone 25	2015176101	Metal/Plastic	White	Ceiling light	5704924002267	E	167
Muninlink	86129901	Metal/Plastic	White	Track Light	5701581373488		158
Muninlink	86129903	Metal/Plastic	Black	Track Light	5704924012723		158
Máni 25	45606001	Metal/Plastic		Ceiling light	5701581367784	F	168
Máni 32	45616001	Metal/Plastic		Ceiling light	5701581367883	E	168
Nama 90	2118278003	Aluminium/Plastic	Black	Garden light	5704924005015	Exempt	348
Nama 50	2118268003	Aluminium/Plastic	Black	Garden light	5704924005008	Exempt	348
Nene	872723	Metal/Glass	Black	Wall light	7057388727237	F	321
Nestor Sensor	49051503	Aluminium/Plastic	Black	Wall light	5701581464988	E	335
Nestor	49041003	Aluminium/Plastic	Black	Wall light	5701581464889	E	335
Nibe	24981030	Copper/Glass	Copper	Wall light	5701581121010		321
Nibe	24981031	Galvanized steel/Glass	Galvanized	Wall light	5701581122017		321
Nico Round 22	2218231009	Aluminium/Glass	Rusty	Wall light	5704924010972		286
Nico Round 22	2218231050	Aluminium/Glass	Anthracite	Wall light	5704924010989		286
Nico Square 22	2218221009	Aluminium/Glass	Rusty	Wall light	5704924010934		285
Nico Square 22	2218221050	Aluminium/Glass	Anthracite	Wall light	5704924010941		285
Nico Round 22	2218231003	Aluminium/Glass	Black	Wall light	5704924010958		286
Nico Square 22	2218221003	Aluminium/Glass	Black	Wall light	5704924012426		285
Notti	2010903003	Metal	Black	Pendant	5704924001666		10
Notti 20	2011003010	Glass/Metal	Grey	Pendant	5704924001796		11
Notti	2011035003	Metal/Glass	Black	Table lamp	5704924001802		12

Model	Number	Material	Color	Type	EAN	Energy class	Page
Notti	2011035010	Metal/Glass	Grey	Table lamp	5704924001819		12
Notti 20	2011003003	Glass/Metal	Black	Pendant	5704924001789		11
Notti	2010903010	Metal	Grey	Pendant	5704924001673		10
Notti 10	2213073010	Metal	Grey	Pendant	5704924011719		11
Notti	2011035023	Metal/Glass	Green	Table lamp	5704924011597		12
Notti 10	2213073023	Metal	Green	Pendant	5704924011726		11
Notti	2011035059	Metal/Glass	Terracotta	Table lamp	5704924011603		12
Notti 10	2213073059	Metal	Terracotta	Pendant	5704924011733		11
Notti 10	2213073003	Metal	Black	Pendant	5704924011702		11
Noxy	2015356101	Plastic/Aluminium	White	Ceiling light	5704924002618	F	169
Noxy	2015356103	Plastic/Aluminium	Black	Ceiling light	5704924002625	F	169
Oakland 60 Single	47716101	Plastic/Plastic	White	Batten Light Fitting	5701581417182	E	200
Oakland 150 Single	47756101	Plastic/Plastic	White	Batten Light Fitting	5701581417588	E	202
Oakland 120 Single	47736101	Plastic/Plastic	White	Batten Light Fitting	5701581417380	E	201
Oakland 120 Double	47746101	Plastic/Plastic	White	Batten Light Fitting	5701581417489	E	201
Oakland 150 Double	47766101	Plastic/Plastic	White	Batten Light Fitting	5701581417687	E	202
Oakland 60 Double	47726101	Plastic	White	Batten Light Fitting	5701581417281	E	200
Octans 3-Kit 4000k	49270101	Plastic	White	Downlight	5701581468382	F	223
Octans 3-Kit 4000k	49270155	Plastic	Nickel	Downlight	5701581468580	F	223
Oja 29 Square Ip20 3000/4000k	2015056101	Plastic/Plastic	White	Ceiling light	5704924002168	F	180
Oja 24 Ip20 2700k	47246001	Plastic	White	Ceiling light	5701581413283	E	171
Oja 29 Ip54 3000/4000k	2015026103	Plastic/Plastic	Black	Ceiling light	5704924002144	E	178
Oja 29 Ip54 3000/4000k	2015026133	Plastic/Plastic	Chrome	Ceiling light	5704924002151	E	178
Oja 29 Ip20 3000/4000k	2015016101	Plastic/Plastic	White	Ceiling light	5704924002120	E	178
Oja 29 Ip54 2700k	50036101	Plastic	White	Ceiling light	5701581485082	E	173
Oja 29 Ip54 2700k Dim	50046101	Plastic	White	Ceiling light	5701581485181	E	175
Oja 60 Ip20 2700k Step-Dim	50066101	Plastic/Metal	White	Ceiling light	5701581488380	E	177
Oja 42 Ip20 3000/4000k	2015106101	Plastic/Plastic	White	Ceiling light	5704924002205	E	179
Oja 29 Ip20 2700k Step-Dim	47276001	Plastic/Plastic	White	Ceiling light	5701581443181	E	169
Oja 42 Ip54 2700k Sensor	2110476101	Plastic/Plastic	White	Ceiling light	5704924007101	F	181
Oja 29 Square Ip54 3000/4000k	2015066133	Plastic/Plastic	Chrome	Ceiling light	5704924002199	E	180
Oja 29 Ip20 3000/4000k	2015016155	Plastic/Plastic	Brushed Nickel	Ceiling light	5704924002137	E	178
Oja 42 Ip20 2700k Step-Dim	47286001	Plastic/Plastic	White	Ceiling light	5701581443280	E	170
Oja 60 Ip20 2700k Step-Dim	50066103	Plastic/Metal	Black	Ceiling light	5704924002243	E	177

Model	Number	Material	Color	Type	EAN	Energy class	Page
Oja 29 Ip54 2700k Sensor	2110456101	Plastic/Plastic	White	Ceiling light	5704924007095	F	181
Oja 42 Ip54 3000/4000k	2015116133	Plastic/Plastic	Chrome	Ceiling light	5704924002236	E	179
Oja 42 Ip54 2700k Dim	50056101	Plastic	White	Ceiling light	5701581485280	E	176
Oja 29 Square Ip54 3000/4000k	2015066103	Plastic/Plastic	Black	Ceiling light	5704924002182	F	180
Oja 29 Ip20 2700k	47256001	Plastic	White	Ceiling light	5701581413382	E	172
Oja 42 Ip20 2700k	47266001	Plastic	White	Ceiling light	5701581413481	E	174
Oja 42 Ip54 3000/4000k	2015116103	Plastic/Plastic	Black	Ceiling light	5704924002229	E	179
Oja 42 Ip20 3000/4000k	2015106155	Plastic/Plastic	Brushed Nickel	Ceiling light	5704924002212	F	179
Oja 29 Square Ip20 3000/4000k	2015056155	Plastic/Plastic	Brushed Nickel	Ceiling light	5704924002175	F	180
Oja 42 Ip54 4000k Dim	50226101	Plastic/Metal	White	Ceiling light	5701581488182	E	176
Oja 29 Ip20 4000k Step-Dim	47156001	Plastic/Plastic	White	Ceiling light	5701581442986	E	170
Oja 29 Ip20 2700k Step-Dim	47276003	Plastic/Plastic	Black	Ceiling light	5704924009761	E	169
Oja 29 Ip20 4000k Step-Dim	47156003	Plastic/Plastic	Black	Ceiling light	5704924009778	E	170
Oja 42 Ip20 2700k Step-Dim	47286003	Plastic/Plastic	Black	Ceiling light	5704924009785	E	170
Oja 42 Ip20 4000k Step-Dim	2210016103	Plastic/Plastic	Black	Ceiling light	5704924009792	E	171
Oja 42 Ip20 4000k Step-Dim	47166001	Plastic	White	Ceiling light	5701581443082		171
Oja 42 Ip20 4000k	47966001	Plastic	White	Ceiling light	5701581421486		174
Oja 29 Ip20 4000k	47956001	Plastic	White	Ceiling light	5701581421288		173
Oja 29 Ip54 4000k Dim	50216101	Plastic/Metal	White	Ceiling light	5701581488083		175
Oja 60 Ip20 4000k Step-Dim	50236101	Plastic/Metal	White	Ceiling light	5701581487987		177
Oja 24 Ip20 4000k	47946001	Plastic	White	Ceiling light	5701581421080		
Ojasmart 29	2015036101	Plastic/Metal	White	Ceiling light	5704924002977	F	256
Ojasmart 42	2015136101	Plastic/Metal	White	Ceiling light	5704924002984	E	256
Ojasmart 60	2015146101	Plastic/Metal	White	Ceiling light	5704924002991	E	257
Ojasmart 29	2015036103	Plastic/Metal	Black	Ceiling light	5704924013232	F	256
Ojasmart 42	2015136103	Plastic/Metal	Black	Ceiling light	5704924013249	E	256
Ojasmart 60	2015146103	Plastic/Metal	Black	Ceiling light	5704924013256	E	257
Oliver Round	2218261003	Plastic	Black	Wall light	5704924011009	E	287
Oliver Square	2218251003	Plastic	Black	Wall light	5704924010996	E	286
Omari	2112213001	Metal	White	Pendant	5704924005398	F	113
Omari	2112231003	Metal	Black	Wall light	5704924005435	F	114
Omari 5-Spot	2112203001	Metal	White	Spot light	5704924005374	F	115
Omari 3-Spot	2112193003	Metal	Black	Spot light	5704924005367	F	115
Omari 5-Spot	2112203003	Metal	Black	Spot light	5704924005381	F	115

Model	Number	Material	Color	Type	EAN	Energy class	Page
Omari	2112245001	Metal	White	Table lamp	5704924005442	F	113
Omari 3-Spot	2112193001	Metal	White	Spot light	5704924005350	F	115
Omari	2112254003	Metal	Black	Floor lamp	5704924005473	F	114
Omari	2112231001	Metal	White	Wall light	5704924005428	F	114
Omari	2112245003	Metal	Black	Table lamp	5704924005459	F	113
Omari	2112213003	Metal	Black	Pendant	5704924005404	F	113
Omari	2112254001	Metal	White	Floor lamp	5704924005466	F	114
Omarilink	2112229901	Metal/Plastic	Matt white	Track Light	5704924005411	F	154
Omarilink	2112229903	Metal/Plastic	Black	Track Light	5704924012730	F	154
Openlink	2110619903	Metal/Plastic	Matt black	Track Light	5704924007231		154
Openlink	2110619901	Metal/Plastic	Matt white	Track Light	5704924007224		154
Orbiform	2010715047	Glass/Metal	Brass	Table lamp	5704924001550		84
Orbiform 3-Spot	2010693047	Glass/Metal	Brass	Pendant	5704924001543		84
Orbiform	2010656047	Glass/Metal	Brass	Ceiling light	5704924001529		85
Orbiform	2010673047	Glass/Metal	Grey	Pendant	5704924001536		83
Otis 60	2015411033	Aluminium/Plastic	Chrome	Wall light	5704924002724	F	232
Otis 40	2015401055	Aluminium/Plastic	Brushed Nickel	Wall light	5704924002700	F	232
Otis 40	2015401033	Aluminium/Plastic	Chrome	Wall light	5704924002694	F	232
Otis 60	2015411055	Aluminium/Plastic	Brushed Nickel	Wall light	5704924002731	F	232
Otis 40	2015401001	Aluminium/Plastic	White	Wall light	5704924002687	F	
Otis 60	2015411001	Aluminium/Plastic	White	Wall light	5704924002717	F	232
Paco	2112071003	Metal	Black	Wall light	5704924005251		47
Paco	2112053035	Metal	Brass	Pendant	5704924005220		45
Paco 3-Spot	2112063003	Metal	Black	Pendant	5704924005237		46
Paco	2112094003	Metal	Black	Floor lamp	5704924005275		47
Paco	2112053003	Metal	Black	Pendant	5704924005213		45
Paco	2112085003	Metal	Black	Table lamp	5704924005268		46
Paco 3-Spot	2112063035	Metal	Brass	Pendant	5704924005244		46
Paco 5-Spot	2213273003	Metal	Black	Spot light	5704924011931		48
Pato Square	83840034	Metal/Glass	Stainless steel	Recessed light	5701581307889		365
Pato Round	83830034	Metal/Glass	Stainless steel	Recessed light	5701581307780		364
Pend	0100001	Plastic	White	Pendant sus- pension	5701581168886		54
Pend	2212003003	Plastic	Black	Pendant sus- pension	5704924014017		54
Phoe	24381030	Copper/Plastic	Copper	Wall light	5701581033030		331

Model	Number	Material	Color	Type	EAN	Energy class	Page
Phoe	24381031	Galvanized steel/Plastic	Galvanized	Wall light	5701581034037		331
Photo	59372029	Metal	Silver	Clamp lamp	5701581123014		142
Pine	2010405003	Metal	Black	Table lamp	5704924001406		86
Pine	2010381003	Metal	Black	Wall light	5704924001383		86
Pine	2010353003	Metal	Black	Pendant	5704924001345		85
Piso	2010763001	Metal/Plastic	White	Pendant	5704924001604	E	68
Piso	2010756001	Metal/Plastic	White	Ceiling light	5704924001581	E	69
Piso	2010763010	Metal/Plastic	Grey	Pendant	5704924001611	E	68
Piso	2010756010	Metal/Plastic	Grey	Ceiling light	5704924001598	E	69
Polperro	49021035	Brass/Glass	Brass	Wall light	5701581464483		334
Polperro	49021055	Brass/Glass	Nickel	Wall light	5701581464582		334
Pontio	2218208003	Aluminium	Black	Garden light	5704924010910		275
Pontio 27	2218191008	Aluminium	Sanded	Wall light	5704924010897		274
Pontio 15	2218171003	Aluminium	Black	Wall light	5704924010842		274
Pontio	2218208008	Aluminium	Sanded	Garden light	5704924010927		275
Pontio 15	2218171001	Aluminium	White	Wall light	5704924010835		274
Pontio 27	2218191001	Aluminium	White	Wall light	5704924010873		274
Pontio	2218208001	Aluminium	White	Garden light	5704924010903		275
Pontio 15	2218171008	Aluminium	Sanded	Wall light	5704924010866		274
Pontio 27	2218191003	Aluminium	Black	Wall light	5704924010880		274
Pop Rough	48754001	Metal	White	Floor lamp	5701581461383		37
Pop	45833050	Metal	Anthracite	Pendant	5701581371088		36
Pop Rough	48754011	Metal	Grey	Floor lamp	5701581461482		37
Pop	45841003	Metal	Black	Wall light	5701581371385		38
Pop Rough	48733001	Metal	White	Pendant	5701581460980		36
Pop	45833001	Metal	White	Pendant	5701581370685		36
Pop	45833023	Metal	Green	Pendant	5701581370982		36
Pop Rough	48733011	Metal	Grey	Pendant	5701581461086		36
Pop	45841023	Metal	Green	Wall light	5701581371583		38
Pop Rough	48745001	Metal	White	Table lamp	5701581461185		37
Pop	45841050	Metal	Anthracite	Wall light	5701581371682		38
Pop Rough	48745011	Metal	Grey	Table lamp	5701581461284		37
Pop	45833003	Metal	Black	Pendant	5701581370784		36
Pop	45841001	Metal	White	Wall light	5701581371286		38

Model	Number	Material	Color	Type	EAN	Energy class	Page
Pop 3-Spot	2213633003	Metal	Matt black	Pendant	5704924012334		35
Pop	45833009	Metal	Beige	Pendant	5704924011504		36
Pop	45841009	Metal	Beige	Wall light	5704924011528		38
Pop	2213623003	Metal	Matt black	Pendant	5704924012327		35
Pop	2213641003	Metal	Matt black	Wall light	5704924012952		38
Porter	2213062031	Metal	Galvanized	Clamp lamp	5704924011696		41
Porter	2213051031	Metal	Galvanized	Wall light	5704924011689		40
Porter 40	2213043031	Metal/Plastic	Galvanized	Pendant	5704924011672		40
Porter 9	2213023031	Metal	Galvanized	Pendant	5704924011658		39
Porter 21	2213033031	Metal/Plastic	Galvanized	Pendant	5704924011665		39
Porter 3-Spot	2213010131	Metal	Galvanized	Spot light	5704924011641		41
R50 Dim	5194001821	Glass	Clear	Light Bulb	6923933818082	F	439
R63 Dim	5194002421	Glass	Clear	Light Bulb	6923933818099	F	439
Ray	63191033	Metal/Glass	Chrome	Wall light	5701581253483		107
Ray Single	63214033	Metal/Glass	Chrome	Floor lamp	5701581239289		106
Ray 2-Spot	72224033	Metal/Glass	Chrome	Floor lamp	5701581249479		107
Ray 2-Kit	63233033	Glass/Metal	Chrome	Pendant	5701581239487		105
Ray	63191003	Metal	Black	Wall light	5701581344884		107
Ray Single	63214003	Metal	Black	Floor lamp	5701581345089		106
Ray Double	63224033	Metal/Glass	Chrome	Floor lamp	5701581239388		106
Ray	63201003	Metal	Black	Table lamp	5701581344983		105
Ray 2-Kit	63233001	Glass/Metal	White	Pendant	5701581372887		105
Ray	63201033	Metal/Glass	Chrome	Table lamp	5701581253582		105
Ray 2-Kit	63233003	Metal	Black	Pendant	5701581345287		105
Ray 2-Spot	72224003	Metal	Black	Floor lamp	5701581345386		107
Ray Double	63224003	Metal	Black	Floor lamp	5701581345188		106
Read 20	73163010	Glass/Metal	Opal white	Pendant	5701581265578		129
Read 14	73153010	Glass/Metal	Opal white	Pendant	5701581265479		128
Rece 3-Kit	84650032	Metal	Brushed steel	Downlight	5701581343986	E	223
Rece 3-Kit	84650001	Metal	White	Downlight	5701581343887	E	223
Renton 55 2700k	47786101	Plastic	White	Batten Light Fitting	5701581417885	F	203
Renton 90 2700k	47796101	Plastic	White	Batten Light Fitting	5701581417984	F	204
Renton 110 2700k	47806101	Plastic	White	Batten Light Fitting	5701581418080	E	204
Renton 150 2700k	47816101	Plastic	White	Batten Light Fitting	5701581418189	E	205

Model	Number	Material	Color	Type	EAN	Energy class	Page
Renton 30 2700k	47776101	Plastic	White	Batten Light Fitting	5701581417786	F	203
Renton 90 4000k	2111036101	Plastic	White	Batten Light Fitting	5704924008474		206
Renton 150 4000k	2111056101	Plastic	White	Batten Light Fitting	5704924008498		207
Renton 110 4000k	2111046101	Plastic	White	Batten Light Fitting	5704924008481		207
Renton 55 4000k	2111026101	Plastic	White	Batten Light Fitting	5704924008467		206
Renton 30 4000k	2111016101	Plastic	White	Batten Light Fitting	5704924008450		205
Rica Square	2118161003	Plastic	Black	Wall light	5704924004797	Exempt	310
Rica Square	2118178003	Stainless steel/Plastic	Black	Garden light	5704924004803	Exempt	311
Rica Round	2118158003	Stainless steel/Plastic	Black	Garden light	5704924004780	Exempt	311
Rica Round	2118141003	Plastic	Black	Wall light	5704924004773	Exempt	310
Risp 48	14094801	Paper	White	Pendant	5708839002442		133
Risp 40	14094001	Paper	White	Pendant	5708715740000		133
Risp 35	14093501	Paper	White	Pendant	5708715730001		133
Roar	84960001	Plastic	White	Downlight	5701581373181	F	224
Roar	84960003	Plastic/Plastic	Black	Downlight	5704924013997	F	224
Rold Round	84141003	Metal/Glass	Black	Wall light	5701581342385	E	289
Rold Flat	84151003	Metal/Glass	Black	Wall light	5701581342484	E	289
Rold Round	84141008	Metal/Glass	Sanded	Wall light	5704924012402	E	289
Rold Flat	84151008	Metal/Glass	Sanded	Wall light	5704924012419	E	289
Rondielink Pendant	2110649901	Metal/Plastic	White	Track Light	5704924007286		155
Rondielink Spot	2110639903	Metal/Plastic	Black	Track Light	5704924007279		155
Rondielink Spot	2110639901	Metal/Plastic	White	Track Light	5704924007262		155
Rondielink Pendant	2110649903	Metal/Plastic	Black	Track Light	5704924007293		155
Roomi	2112551003	Metal	Black	Wall light	5704924005664		140
Roomi	2112551001	Metal	White	Wall light	5704924005657		140
Scor	21651031	Metal/Plastic	Galvanized	Wall light	5701581917958		276
Scor Maxi	21769931	Galvanized steel/Plastic	Galvanized	Garden light	5701581228375		275
Scor Maxi	21751001	Metal/Plastic	White	Wall light	5701581303973		276
Scor	21651030	Copper/Plastic	Copper	Wall light	5701581916951		276
Scor Maxi	21751031	Metal/Plastic	Galvanized	Wall light	5701581241961		276
Scor Maxi	21751030	Copper/Plastic	Copper	Wall light	5701581240964		276
Scor	21651001	Metal/Plastic	White	Wall light	5701581301979		276
Scor	21651003	Copper/Plastic	Copper	Wall light	5701581011021		276
Scor Maxi	21751003	Metal/Plastic	Black	Wall light	5701581012028		276

Model	Number	Material	Color	Type	EAN	Energy class	Page
Scor Maxi	21751008	Metal/Plastic	Sanded	Wall light	5704924010538		276
Scor	21651008	Metal/Plastic	Sanded	Wall light	5704924010521		276
Siege	2110370101	Plastic/Metal	White	Downlight	5704924006999	F	224
Siege	2110370155	Plastic/Metal	Nickel	Downlight	5704924007002	F	224
Singlelink	86109901	Metal/Plastic	White	Track Light	5701581357686		156
Singlelink	86109903	Metal/Plastic	Black	Track Light	5701581373280		156
Siv	45883001	Marble	White	Pendant	5701581372184		12
Siv	45875003	Marble	Black	Table lamp	5701581371989		13
Siv	45883003	Marble	Black	Pendant	5701581372283		12
Siv	45875001	Marble	White	Table lamp	5701581371880		13
Siv	45883018	Marble	Brown	Pendant	5704924011542		12
Siv	45875018	Marble	Brown	Table lamp	5704924011535		13
Sjaver	2110711001	Plastic/Aluminium	White	Bathroom lighting	5704924007385	F	238
Skot	17051003	Plastic/Glass	Black	Wall light	4017506013331		318
Skot	17051001	Plastic/Glass	White	Wall light	4017506013324		318
Skylar	2113003029	Aluminium/Plastic	Aluminium	Pendant	5704924006203	F	123
Skylar	2113003003	Aluminium/Plastic	Black	Pendant	5704924006197	F	123
Smart	2015700001	Plastic	White	Remote control	5704924003011		267
Smart Dual-Wifi	2170220001	Plastic	White	Bridge	5704924008399		266
Smart	49091001	Plastic	White	Sensor	5701581465589		375
Smart Wifi	1507070	Plastic	White	Bridge	5701581495784		266
Smart Eu	2170010001	Plastic/Plastic	White	Plug	5704924006319		267
Smart	49091003	Plastic	Black	Sensor	5701581465688		375
Smart Color	2210439901	Copper	White	Track Light	5704924012822	G	254
Smart Color	2210449901	Copper	White	Track Light	5704924012839	G	254
Smart Color	2270042201	Plastic	Frosted	Light Bulb	5704924013119		262
Smarte14	2170171401	Plastic	White	Light Bulb	5704924006890	G	265
Smarte27 A60	2070092701		Opal white	Light Bulb	5704924002533	E	263
Smarte27 G45	2170062701		Opal white	Light Bulb	5704924006364	E	265
Smarte27 A60	2070082700		Clear	Light Bulb	5704924002526	E	263
Smarte27	2170142701	Plastic	White	Light Bulb	5704924006869	F	263
Smarte27	2270012700	Glass	Clear	Light Bulb	5704924013089		262
Smarte27	2270002700	Plastic	Frosted	Light Bulb	5704924013072		262
Smarte27	2270022701	Plastic	Frosted	Light Bulb	5704924013096		263

Model	Number	Material	Color	Type	EAN	Energy class	Page
Smarte27 Color	2270052701	Plastic	Frosted	Light Bulb	5704924013126		262
Smartgu10 Outdoor	2170031000		Clear	Light Bulb	5704924006333	F	264
Smartgu10	2070031000		Clear	Light Bulb	5704924001956	F	264
Smartgu10 2-Kit	2070041000		Opal white	Light Bulb	5704924001963	F	265
Smartgu10	2170151001	Plastic	White	Light Bulb	5704924006876	F	264
Smartgu10 Color	2270061000	Plastic	White	Light Bulb	5704924013133		265
Smartgu10	2270031000	Plastic	Clear	Light Bulb	5704924013102		264
Spin	25416001	Metal/Glass	White	Ceiling light	5701581972957		182
Spin	25416032	Metal/Glass	Brushed steel	Ceiling light	5701581251472		182
Spir	0140001	Plastic	White	Pendant sus- pension	5701581197886		270
Sponge 34	2018165003	Plastic/Metal	White	Battery light	5701581497788	D	354
Sponge Spike	2018128003	Plastic/Metal	White	Battery light	5701581496880	F	352
Sponge 20	2018135003	Plastic/Metal	White	Battery light	5701581496989	F	353
Sponge 34	2018154003	Plastic/Metal	White	Battery light	5701581497184	E	354
Sponge Pendant	2018103003	Plastic/Metal	White	Battery light	5701581496781	F	352
Sponge To Go	2018145003	Plastic/Metal	White	Battery light	5701581497085	F	353
Spotbox	76859999	Plastic	Grey	Miscellaneous	5701581229884		249
Spotlight Gu10	20789903	Aluminium/Glass	Black	Spot light	5701581326781		370
Stake	2110360103	Plastic/Metal	Black	Downlight	5704924006982	F	225
Stake	2110360101	Plastic/Metal	White	Downlight	5704924006975	F	225
Staldglas	2440999	Glass	Clear	Accessories	5701581347960		378
Staldglas	2444999	Plastic	Black	Accessories	5701581200388		379
Staldglas	2440888	Glass	Sandblasted	Accessories	5701581289475		378
Standard	25326001	Glass/Metal	White	Ceiling light	5701581027039		182
Stof	73059901	Textile	White	Accessories	5701581204270		270
Stof	73059903	Textile	Black	Accessories	5701581204478		270
Söller 22	2110746101	Plastic/Plastic	White	Bathroom lighting	5704924007415	F	239
Söller 17	2110736101	Plastic/Plastic	White	Bathroom lighting	5704924007392	F	239
Söller 12	2110726101	Plastic/Plastic	White	Bathroom lighting	5704924007408	F	238
T8	1270070	Glass	White	Light Bulb	5701581208773	G	440
T8	1271070	Glass	White	Light Bulb	5701581208872	F	440
Tang Single	17131032	Glass/Metal	Brushed steel	Bathroom lighting	5701581119055		240
Tang Double	17141029	Glass/Metal	Chrome	Bathroom lighting	5701581006072		240
Tang Double	17141032	Glass/Metal	Brushed steel	Bathroom lighting	5701581120051		240

Model	Number	Material	Color	Type	EAN	Energy class	Page
Taurus	77029934	Stainless steel	Stainless steel	Spot light	5701581324183		370
Tees	84863003	Metal	Black	Pendant	5701581346581		132
Temple 30	2218325031	Galvanized steel/Plastic	Galvanized	Battery light	5704924011092		358
Temple 35	2218335031	Galvanized steel/Plastic	Galvanized	Battery light	5704924011115		358
Temple 30	2218325035	Brass/Plastic	Brass	Battery light	5704924011108		358
Temple 35	2218335035	Brass/Plastic	Brass	Battery light	5704924011122		358
Teton	84136003	Metal/Plastic	Black	Ceiling light	5701581342286	D	345
Texas	47141001	Metal	White	Wall light	5701581412385		142
Texas	47141003	Metal	Black	Wall light	5701581412484		142
Theo	2112654003	Metal/Wood	Black	Floor lamp	5704924005701		109
Theo	2112645003	Metal/Wood	Black	Table lamp	5704924005695		108
Theo	2112631003	Metal/Wood	Black	Wall light	5704924005688		109
Theo	2112603003	Metal/Wood	Black	Pendant	5704924005671		108
Theros	2015376101	Plastic/Aluminium	Chrome	Ceiling light	5704924002632	F	183
Tiaki	49570155	Plastic/Metal	Nickel	Downlight	5701581474888	F	225
Tiaki	49570101	Plastic/Metal	White	Downlight	5701581474789	F	225
Tilo 5-Spot	2010483003	Metal/Wood	Black	Pendant	5704924001482		119
Tilo	2010453003	Metal/Wood	Black	Pendant	5704924001444		118
Tilo 3-Spot	2010473003	Metal/Wood	Black	Pendant	5704924001468		119
Tilos 3-Kit	96439934	Stainless steel/Glass	Stainless steel	Recessed light	5704924005985		366
Tilos 1-Kit	96409934	Stainless steel/Plastic	Stainless steel	Recessed light	5704924005978		365
Time	2010925010	Metal/Glass	Grey	Table lamp	5704924001697		136
Time	2010925003	Metal/Glass	Black	Table lamp	5704924001680		136
Tin Single	21269903	Metal/Glass	Black	Wall light	5701581322684		326
Tin Single	21269930	Copper/Glass	Copper	Wall light	5701581327481		326
Tin Maxi Double Sensor	21519129	Aluminium/Glass	Aluminium	Wall light	5701581329386		329
Tin Maxi Sensor	21509129	Metal/Glass	Aluminium	Wall light	5701581328785		328
Tin Maxi Double	21519934	Stainless steel/Glass	Stainless steel	Wall light	5701581329188		329
Tin Maxi Double	21519929	Metal/Glass	Aluminium	Wall light	5701581329089		329
Tin Double	21279903	Metal/Glass	Black	Wall light	5701581327788		327
Tin Double	21279134	Stainless steel/Glass	Stainless steel	Wall light	5701581327986		327
Tin Maxi Double	21519901	Metal/Glass	White	Wall light	5701581328884		329
Tin Maxi Sensor	21509103	Metal/Glass	Black	Wall light	5701581328686		328
Tin Maxi Double	21519903	Metal/Glass	Black	Wall light	5701581323186		329

Model	Number	Material	Color	Type	EAN	Energy class	Page
Tin Maxi Double Sensor	21519103	Aluminium/Glass	Black	Wall light	5701581329287		329
Tin Maxi	21509901	Metal/Glass	White	Wall light	5701581322882		328
Tin Maxi	21509929	Metal/Glass	Aluminium	Wall light	5701581323087		328
Tin Maxi	21509903	Metal/Glass	Black	Wall light	5701581322981		328
Tin Double Sensor	21279934	Stainless steel/Glass	Stainless steel	Wall light	5701581322783		327
Tin Double	21279930	Copper/Glass	Copper	Wall light	5701581327887		327
Tip	20299931	Metal	Galvanized	Downlight	5701581326682		226
Torina 20	2213173000	Glass/Metal	Clear	Pendant	5704924011863		50
Torina 25	2213183000	Glass/Metal	Clear	Pendant	5704924011870		51
Trafo	12351101	Plastic	White	Accessories	5701581004993		249
Trenton	47856101	Plastic/Metal	White	Batten Light Fitting	5701581418585	E	208
Tribeca 24	46423003	Wood	Black	Pendant	5701581404687		127
Tribeca 38	46433003	Wood	Black	Pendant	5701581404885		128
Trio	3001601	Plastic/Metal	White	Wall light	5701581149885		143
Triton 3-Kit	54540101	Metal	White	Downlight	5701581319486		226
Triton 3-Kit	54540132	Metal	Brushed steel	Downlight	5701581319684		226
Trude	45713003	Metal	Black	Pendant	5701581368781		126
Turn	2019061001	Aluminium	White	Wall light	5704924000621	F	320
Turn	2019061010	Aluminium	Grey	Wall light	5704924000645	F	320
Turn	2019061003	Aluminium	Black	Wall light	5704924000638	F	320
Ufo	25576000	Glass/Metal	White	Ceiling light	5701581047037		183
Ufo Maxi	25626001	Glass/Metal	White	Ceiling light	5701581064041		184
Uma 23	2112723047	Glass/Metal	Grey	Pendant	5704924005749		122
Uma 30	2112733027	Glass/Metal	Amber	Pendant	5704924005756		122
Uma 23	2112723001	Glass/Metal	Opal white	Pendant	5704924006166		122
Uma 30	2112733001	Glass/Metal	Opal white	Pendant	5704924006173		122
Uma 18	2112703001	Glass/Metal	Opal white	Pendant	5704924006180		121
Uma 23	2112723027	Glass/Metal	Amber	Pendant	5704924005732		122
Uma 30	2112733047	Glass/Metal	Grey	Pendant	5704924005763		122
Uma 18	2112703047	Glass/Metal	Grey	Pendant	5704924005725		121
Uma 18	2112703027	Glass/Metal	Amber	Pendant	5704924005718		121
Une 6-Kit	45420034	Plastic/StainlessSteel	Stainless steel	Recessed light	5701581374683	Exempt	364
Vanila	72711003	Metal	Black	Wall light	5701581268470		88
Vanila	72695003	Metal	Black	Table lamp	5701581243170		87

Model	Number	Material	Color	Type	EAN	Energy class	Page
Vanila	72711001	Metal	White	Wall light	5701581268371		88
Vanila	72704001	Metal	White	Floor lamp	5701581268173		87
Vanila	72695001	Metal	White	Table lamp	5701581271579		87
Vanila	72704003	Metal	Black	Floor lamp	5701581268272		87
Veje Up	25091001	Metal/Glass	White	Wall light	5701581029071		312
Veje Up Sensor	25101031	Galvanized steel/Glass	Galvanized	Wall light	5701581174078		312
Veje Up	25091003	Metal/Glass	Black	Wall light	5701581030077		312
Veje Down	74461031	Galvanized steel/Glass	Galvanized	Wall light	5701581210578		313
Veje Up	25091034	Stainless steel/Glass	Stainless steel	Wall light	5701581053076		312
Veje Down	74471003	Metal/Glass	Black	Wall light	5701581210677		313
Veje	25168031	Galvanized steel/Glass	Galvanized	Garden light	5701581228573		314
Veje	25118003	Metal/Glass	Black	Garden light	5701581032071		314
Veje	25118034	Stainless steel/Glass	Stainless steel	Garden light	5701581052079		314
Veje Up	25091031	Galvanized steel/Glass	Galvanized	Wall light	5701581092068		312
Veje Up Sensor	25101003	Metal/Glass	Black	Wall light	5701581176072		312
Veje	25118031	Galvanized steel/Glass	Galvanized	Garden light	5701581093065		314
Venø	10600719	Galvanized steel/Plastic	Galvanized	Garden light	5702376007199		290
Venø	10600625	Copper/Plastic	Copper	Wall light	5702376006253		290
Venø	10600725	Copper/Plastic	Copper	Garden light	5702376007250		290
Venø	10600619	Galvanized steel/Plastic	Galvanized	Wall light	5702376006192		290
Verona	2010875001	Glass/Metal	Black	Table lamp	5704924001642		89
Verona	2010863001	Glass/Metal	Black	Pendant	5704924001635		88
Verona	2010884001	Glass/Metal	Black	Floor lamp	5704924001659		89
Vic 22 4000k	2210246001	Plastic	White	Ceiling light	5704924012655	E	185
Vic 35 3000k	2210236001	Plastic	White	Ceiling light	5704924012686	E	186
Vic 35 4000k	2210266001	Plastic	White	Ceiling light	5704924012693	E	187
Vic 29 4000k	2210256001	Plastic	White	Ceiling light	5704924012679	E	186
Vic 29 3000k	2210226001	Plastic	White	Ceiling light	5704924012662	E	185
Vic 22 3000k	2210216001	Plastic	White	Ceiling light	5704924012648	E	184
Villo 60	2213253201	Paper	White	Pendant	5704924011917		51
Villo 60	2213253250	Paper	Grey	Pendant	5704924011924		51
Virum	24111031	Galvanized steel/Glass	Galvanized	Wall light	5701581027046		331
Westport 120 Singel	49666110	Plastic	Grey	Batten Light Fitting	5701581481985	E	209
Westport 60 Single	49646110	Plastic	Grey	Batten Light Fitting	5701581481787	E	208

Model	Number	Material	Color	Type	EAN	Energy class	Page
Westport 60 Double	49656110	Plastic	Grey	Batten Light Fitting	5701581481886	E	209
Westport 120 Double	49676110	Plastic	Grey	Batten Light Fitting	5701581482081		210
Workspip65 2x9w Led	27586101	Plastic	Grey	Batten Light Fitting	5701581339989	F	211
Workspip65 1x18w Led	27396101	Plastic/Metal	Grey	Batten Light Fitting	5701581322585	F	211
Workspip65 1x9w Led	27386101	Plastic/Metal	Grey	Batten Light Fitting	5701581322486	F	210
Workspip65 2x18w Led	27596101	Plastic	Grey	Batten Light Fitting	5701581340084	F	212
Workspip65 1x24	2111076101			Batten Light Fitting	5704924008504		212
Workspip65 2x24	2111086101			Batten Light Fitting	5704924008511		213

Showroom & Headquarters

Østre Havnegade 34
DK 9000 Aalborg
T + 45 98 18 16 11
nordlux@nordlux.com
nordlux.com

Benelux & Portugal

T +32 (0)15 25 76 40
info@nordlux.com

France

T +33 320 479 346
france@nordlux.com

Germany

T +49 (0) 21 52 89 87 37
F +49 (0) 21 52 14 85 54
germany@nordlux.com

Norway

T +47 51 88 63 18
norway@nordlux.com

Sweden

T +46 (0) 20 14 00 054
sweden@nordlux.com

UK & Eire

T +44 (0) 12 00 42 27 77
salesuk@nordlux.com

